

2019 Processing Tomato Season
PTAB Analysis (8/31/19) - Statewide by Variety



Variety Name	Week Ending 8/31/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
273, BQ	976	0	1.2	4.4	1.6	20.89	1.6	5.21	4.41	23,559	0	0.6	2.1	0.7	21.48	1.2	5.35	4.37
0311, AB	3,025	0	2.6	0.9	0.2	20.64	1.9	5.66	4.42	18,737	0	1.9	1.4	0.4	20.72	2.0	5.72	4.42
5608, HZ	763	0	4.4	1.6	0.3	21.66	2.3	4.73	4.55	16,949	0	1.3	1.6	0.4	20.60	1.1	4.87	4.45
8011, SV	2,927	0	2.4	1.9	0.7	21.07	1.3	5.10	4.49	16,799	0	2.0	1.5	0.5	20.81	1.2	5.23	4.47
6428, N	3,964	0	1.4	2.6	1.0	21.90	1.6	4.89	4.50	11,091	0	1.1	2.5	1.0	21.93	1.6	4.93	4.49
400, BQ	203	0	0.7	1.6	0.7	19.44	1.2	5.53	4.51	9,635	0	0.5	2.5	0.9	20.08	1.1	5.14	4.47
403, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9,616	0	0.3	1.4	0.6	21.31	1.3	5.29	4.32
1428, HZ	2,781	0	1.0	2.0	1.0	21.07	0.8	4.95	4.50	7,958	0	0.8	2.5	0.9	20.92	0.7	5.00	4.47
4707, HEINZ	3,049	0	0.5	1.5	0.6	22.99	1.1	4.84	4.49	7,801	0	0.4	2.1	0.8	22.75	0.9	4.86	4.45
1082, SVTM	1,775	0	1.2	1.6	0.6	21.46	1.7	5.48	4.40	7,616	0	0.9	1.7	0.6	21.50	1.6	5.58	4.38
3887, HM	92	0	2.9	0.7	0.3	22.20	2.8	5.16	4.47	6,837	0	0.5	1.6	0.3	21.02	1.8	5.63	4.47
0319, DRI	1,977	0	2.0	1.0	0.6	21.86	2.7	5.64	4.44	6,094	0	1.7	1.0	0.4	21.67	2.8	5.77	4.45
2401, HEINZ	2,765	0	1.0	2.4	0.9	21.66	0.9	4.77	4.39	6,063	0	0.8	2.2	0.7	21.60	1.0	4.82	4.38
2756, SV	3,119	0	1.2	1.0	0.4	21.30	0.9	4.96	4.51	5,629	0	1.0	1.3	0.5	21.46	1.0	4.89	4.51
1293, HZ	197	0	1.0	1.1	0.6	21.62	2.1	5.14	4.57	5,283	0	1.0	1.3	0.6	20.51	1.7	5.36	4.57
4885, HMX	1,462	0	1.8	0.8	0.3	20.85	1.0	5.04	4.42	5,056	0	1.2	0.9	0.4	21.03	0.9	5.06	4.40
6366, SUN	56	0	1.2	0.7	0.2	20.79	1.1	5.04	4.47	4,483	0	0.4	1.6	0.5	20.61	1.9	5.35	4.40
6415, N	450	0	1.2	1.9	1.0	22.15	1.6	4.84	4.50	4,120	0	0.8	2.5	0.6	21.54	1.3	5.03	4.44
5235, HM	1205	0	2.7	1.9	0.4	20.16	1.9	5.13	4.46	3,760	0	1.7	1.7	0.4	20.27	1.6	5.27	4.45
6426, N	1048	0	1.3	0.8	0.5	19.98	1.4	5.16	4.52	3746	0	1.1	0.9	0.4	20.20	1.6	5.08	4.50
6402, N	165	0	2.6	2.2	0.8	21.19	1.9	5.26	4.59	3572	0	1.1	0.9	0.5	20.60	1.6	5.54	4.48
0811, BOS	238	0	1.2	0.9	0.2	20.06	1.5	5.17	4.47	3286	0	0.6	1.6	0.6	20.01	0.9	5.19	4.40
1662, HZ	1231	0	1.0	2.6	0.5	22.21	1.6	4.83	4.49	3270	0	0.9	2.0	0.8	22.61	1.9	4.97	4.47
13, BP	19	0	1.2	0.5	0.2	21.53	0.7	4.22	4.44	2898	0	0.6	3.7	1.2	21.31	1.1	4.76	4.39
1015, HEINZ	138	0	1.7	3.0	1.0	20.74	1.5	5.26	4.56	2735	0	0.6	2.7	0.9	20.57	0.9	5.05	4.45
4909, HMX	614	0	1.4	0.6	0.2	22.66	0.8	5.32	4.34	2569	0	1.1	0.6	0.2	21.97	0.6	5.29	4.27
5702, HZ	341	0	0.5	2.0	0.9	21.23	0.3	4.52	4.45	2296	0	0.5	2.7	1.0	20.90	0.7	4.81	4.48
9000, SVTM	1	0	3.0	0.5	0.0	19.00	1.0	5.20	4.41	2292	0	0.6	1.4	0.4	20.74	1.0	5.16	4.45
413, BQ	18	0	2.3	2.2	0.8	21.25	0.6	4.37	4.55	2127	0	1.2	2.5	0.8	20.97	0.9	4.63	4.50
7885, HMX	611	0	1.2	0.6	0.1	21.04	0.5	4.67	4.62	2031	0	1.1	0.8	0.2	21.69	0.9	4.69	4.61
1892, HMX	159	0	1.2	2.7	2.2	21.12	1.6	5.10	4.54	1971	0	0.8	3.1	1.3	20.70	1.6	5.41	4.51
9007, SVTM	267	0	2.8	3.2	0.6	22.27	2.0	4.86	4.57	1898	0	1.3	2.0	0.5	21.70	1.5	4.88	4.55
58841, HM	667	0	0.7	0.3	0.4	21.34	0.4	5.18	4.39	1790	0	0.7	1.0	0.6	21.41	0.7	5.36	4.40
6416, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1759	0	0.2	1.2	0.4	21.14	1.0	4.84	4.35
8504, HEINZ	340	0	1.8	0.8	0.6	22.16	1.4	4.75	4.37	1542	0	1.5	0.9	0.4	22.37	1.1	4.89	4.36

Variety Name	Week Ending 8/31/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
16609, UG	24	0	0.9	0.8	0.0	21.35	2.0	5.09	4.46	1499	0	1.1	1.0	0.3	20.55	2.3	5.50	4.38
4521, HMX 61P	140	0	0.6	1.0	0.3	21.42	0.9	5.29	4.48	1411	0	0.2	1.6	0.3	21.00	0.4	5.29	4.39
1776, HZ	120	0	0.8	1.2	0.4	21.53	0.9	5.48	4.55	1389	0	0.9	3.0	0.8	21.52	0.6	5.25	4.43
398, BQ	331	0	2.6	2.2	1.2	20.32	1.1	5.06	4.49	1199	0	1.4	2.1	0.9	20.04	1.4	5.39	4.48
16112, UG	338	0	0.9	0.5	0.1	20.76	0.8	5.17	4.48	1191	0	0.6	1.4	0.3	21.18	0.7	5.00	4.46
6434, N	427	0	1.5	1.0	0.5	22.72	1.5	4.77	4.46	1094	0	1.5	0.7	0.5	22.59	1.4	4.91	4.46
9011, SVTM	279	0	2.7	1.4	0.6	21.11	1.9	5.59	4.44	1030	0	2.1	1.9	0.7	20.85	1.9	5.71	4.46
9663, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	969	0	2.0	2.3	0.6	19.92	2.4	4.70	4.43
1310, HZ	425	0	1.3	2.6	0.6	21.71	1.6	4.81	4.53	948	0	1.2	4.7	0.8	21.43	1.1	4.87	4.50
6397, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	840	0	0.3	0.7	0.4	21.57	0.7	5.30	4.42
6420, N	174	0	2.4	1.0	0.4	22.29	1.9	4.81	4.53	740	0	1.9	0.8	0.3	21.15	2.0	4.89	4.56
UNCODED	162	0	1.1	2.0	0.4	21.00	1.1	5.09	4.46	658	0	0.7	1.9	0.5	20.86	1.5	5.18	4.44
27713, UG	27	0	3.3	1.7	1.3	20.56	5.6	5.88	4.54	597	0	1.4	1.5	0.4	20.33	3.5	6.02	4.50
19406, UG	306	0	0.9	1.2	0.4	22.03	1.1	5.18	4.40	581	0	1.9	1.1	0.4	21.96	1.0	5.16	4.38
9008, SVTM	388	0	1.4	0.4	0.3	20.91	0.7	5.49	4.35	577	0	1.3	0.4	0.3	20.96	0.8	5.51	4.37
6440, N	60	0	1.4	0.4	0.3	22.75	0.9	4.68	4.57	531	0	0.3	3.4	1.0	21.31	0.6	4.61	4.40
5900, HM	136	0	0.7	0.7	0.1	21.44	1.6	5.49	4.39	514	0	0.4	0.7	0.1	21.40	1.5	5.53	4.35
141, BQ	186	0	3.4	1.9	0.6	21.76	7.0	5.18	4.59	476	0	2.1	4.0	1.0	21.31	5.2	5.09	4.53
5522, HMX 61P	46	0	1.2	0.4	0.2	19.72	0.7	5.84	4.44	463	0	1.0	0.8	0.3	20.43	1.2	5.71	4.43
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	423	0	1.2	4.3	0.6	20.27	0.9	4.72	4.37
5710, HZ	3	0	3.7	0.3	0.8	22.00	1.2	4.47	4.46	423	0	2.1	1.2	0.4	22.63	1.2	4.69	4.45
6459, N	47	0	1.3	0.4	0.2	20.26	1.1	5.07	4.56	408	0	0.6	1.3	0.4	20.86	1.4	5.05	4.54
6441, N	305	0	1.5	1.5	0.4	21.12	1.0	5.32	4.57	399	0	1.4	1.3	0.4	21.24	1.0	5.37	4.55
8163, HM	49	0	1.0	0.3	0.4	21.36	0.6	5.79	4.43	326	0	1.1	1.3	0.6	20.92	2.6	5.89	4.52
1292, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	308	0	1.3	0.6	0.6	22.06	5.0	5.20	4.60
58811, HM	62	0	3.2	0.4	0.2	21.59	1.7	4.83	4.57	306	0	2.2	0.5	0.3	21.16	1.0	4.98	4.48
58801, HM	74	0	1.8	0.8	0.2	21.61	1.7	5.45	4.44	271	0	1.4	1.1	0.4	21.34	1.2	5.60	4.43
9013, SVTM	74	0	3.7	1.3	0.3	21.13	1.2	4.89	4.48	253	0	2.2	1.4	0.3	20.86	1.2	5.14	4.46
9014, SVTM	35	0	1.8	0.8	0.3	21.19	1.4	5.16	4.50	169	0	1.5	1.1	0.3	20.61	0.8	5.17	4.44
401, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	157	0	0.2	1.9	0.3	21.36	1.4	4.88	4.40
255, CXD	58	0	2.2	1.3	0.5	23.62	1.6	4.74	4.47	150	0	1.1	0.8	0.4	22.34	1.1	4.81	4.37
4326, HMX 61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	138	0	2.0	1.5	0.9	21.51	3.1	5.57	4.43
3888, HM	96	0	0.8	0.4	0.4	22.48	2.9	5.82	4.55	137	0	0.7	0.4	0.4	22.25	2.3	5.91	4.52
1170, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	131	0	0.4	1.1	0.4	20.84	0.6	6.00	4.33
5715, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	127	0	1.6	1.2	0.4	21.89	0.9	5.38	4.39
15212, UG	37	0	0.1	2.0	0.2	23.66	0.5	5.66	4.44	118	0	0.3	2.9	0.2	22.32	0.6	5.08	4.42
6460, N	24	0	0.9	0.8	0.3	21.85	1.1	5.08	4.54	116	0	0.6	0.9	0.2	21.41	0.6	5.16	4.46
58881, HM	2	0	0.3	0.3	0.0	21.75	0.3	5.25	4.42	108	0	0.1	1.3	0.5	20.22	0.7	4.98	4.33
1765, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	105	0	0.2	1.0	0.6	21.74	3.0	5.05	4.46

Variety Name	Week Ending 8/31/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
3842, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	95	0	0.3	0.2	0.1	22.13	0.5	4.60	4.30
43, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	86	0	0.9	1.5	0.7	20.48	0.5	4.84	4.40
6394, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	83	0	0.6	0.3	0.1	20.88	3.3	5.28	4.54
6461, N	31	0	0.6	1.0	0.1	21.42	0.6	5.00	4.46	81	0	0.4	1.7	0.1	21.63	0.8	5.09	4.43
58871, HM	33	0	0.7	0.5	0.7	22.61	0.8	6.06	4.42	76	0	0.6	0.7	0.4	21.96	0.7	6.05	4.39
9003, SVTM	71	0	1.4	1.3	0.5	21.41	3.0	5.66	4.36	71	0	1.4	1.3	0.5	21.41	3.0	5.66	4.36
5369, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	58	0	1.5	1.4	0.4	21.87	1.2	5.46	4.62
1311, HZ	17	0	1.2	0.5	0.1	22.41	2.5	5.14	4.35	35	0	1.2	0.6	0.1	21.54	2.2	5.30	4.38
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	34	0	0.4	0.9	0.5	21.71	0.8	5.51	4.37
MIX	12	0	2.8	0.7	0.6	21.13	2.5	5.15	4.51	32	0	1.9	0.9	0.4	20.70	1.9	5.38	4.48
34, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	31	0	1.9	0.3	0.0	22.66	2.5	4.75	4.43
MISC TRIAL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	30	0	0.7	0.9	0.2	20.57	1.6	5.08	4.44
6357, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	23	0	1.0	1.3	0.5	21.98	3.5	5.06	4.54
6436, N	4	0	2.9	1.6	1.3	21.88	0.4	4.95	4.44	15	0	2.4	0.8	1.1	21.97	1.0	5.04	4.48
108, HYPEEL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	14	0	1.3	0.8	0.7	21.96	4.8	5.12	4.65
51,BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13	0	1.9	0.6	0.5	21.58	3.3	5.44	4.42
000, MISC	2	0	1.8	0.3	0.0	22.00	0.8	5.60	4.41	12	0	3.3	0.5	0.0	22.29	4.5	4.65	4.43
7744, BOS	3	0	0.8	1.8	1.0	19.67	1.7	6.10	4.50	10	0	1.2	1.7	0.5	19.65	0.9	5.55	4.41
18205, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	0.6	0.1	0.1	19.40	1.3	5.37	4.62
25037, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	0.4	0.8	0.0	19.85	0.6	5.44	4.49
MISC EXP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8	0	1.6	0.8	0.1	21.75	1.6	4.93	4.35
9016, SVTM	2	0	1.0	0.3	1.8	24.75	5.5	5.30	4.62	8	0	0.9	0.2	0.4	22.06	1.6	4.90	4.45
2493, SV	7	0	1.8	1.1	0.2	21.57	4.2	5.27	4.49	7	0	1.8	1.1	0.2	21.57	4.2	5.27	4.49
47, BP	6	0	0.8	0.8	0.9	22.75	3.0	5.15	4.49	6	0	0.8	0.8	0.9	22.75	3.0	5.15	4.49
4014, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	6	0	0.7	1.3	0.1	19.00	0.2	5.53	4.50
6140, HMX61P	5	0	1.9	0.6	1.1	22.54	6.7	5.16	4.54	5	0	1.9	0.6	1.1	22.54	6.7	5.16	4.54
270, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4	0	0.5	0.6	0.0	21.88	1.4	5.03	4.39
1996, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4	0	0.0	1.0	0.5	22.25	3.4	4.83	4.59
9012, SVTM	1	0	0.5	1.0	0.5	22.50	10.5	5.70	4.64	4	0	1.1	0.3	0.1	20.25	4.4	5.48	4.56
49, BP	3	0	3.7	0.7	0.8	21.17	4.0	4.90	4.49	3	0	3.7	0.7	0.8	21.17	4.0	4.90	4.49
402, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	0.3	0.3	20.83	0.3	5.27	4.27
1991, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.0	0.7	1.7	23.50	8.0	4.93	4.62
1992, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.0	0.5	1.3	24.40	7.7	5.00	4.55
1995, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.5	0.5	1.0	24.00	7.0	5.00	4.62
1997, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.3	1.2	0.2	22.83	1.5	4.77	4.52
6175, HMX 61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	2.0	0.7	0.5	22.67	4.7	5.47	4.51
6404, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	1.8	0.5	21.33	0.7	5.07	4.23
13512, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	1.2	0.5	23.17	2.0	5.30	4.56
HEINZ TRIAL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.3	0.3	0.5	23.75	1.3	5.05	4.56

Variety Name	Week Ending 8/31/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
32, BP	1	0	2.0	0.0	0.0	21.00	2.5	5.60	4.51	2	0	2.0	2.0	0.0	21.50	2.5	4.90	4.42
48, BP	2	0	1.3	0.5	0.5	22.00	13.8	5.30	4.52	2	0	1.3	0.5	0.5	22.00	13.8	5.30	4.52
120, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.5	1.0	0.3	21.75	0.0	4.90	4.45
1901, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	3.8	1.5	0.8	21.75	5.5	5.05	4.53
19806 LYCO, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.3	0.3	0.0	21.00	0.5	5.55	4.41
205, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	20.50	1.5	5.30	4.26
422, BQ	1	0	0.5	4.0	0.0	23.00	6.0	5.00	4.39	1	0	0.5	4.0	0.0	23.00	6.0	5.00	4.39
1175, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	1.0	0.5	21.50	0.0	4.70	4.37
1421, HZ	1	0	3.5	0.5	1.0	23.50	0.5	4.50	4.41	1	0	3.5	0.5	1.0	23.50	0.5	4.50	4.41
1424, HZ	1	0	4.0	0.0	0.0	21.00	3.5	5.80	4.45	1	0	4.0	0.0	0.0	21.00	3.5	5.80	4.45
1813, UG	1	0	2.0	0.5	0.0	22.00	4.0	5.90	4.46	1	0	2.0	0.5	0.0	22.00	4.0	5.90	4.46
2303, SV	1	0	0.0	0.0	0.5	23.00	6.0	5.50	4.22	1	0	0.0	0.0	0.5	23.00	6.0	5.50	4.22
2849, SV	1	0	1.0	0.5	0.5	22.50	2.0	4.90	4.36	1	0	1.0	0.5	0.5	22.50	2.0	4.90	4.36
5234, IVF	1	0	2.0	1.0	0.5	21.00	1.0	5.00	4.49	1	0	2.0	1.0	0.5	21.00	1.0	5.00	4.49
5701, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.0	0.0	0.0	20.00	1.0	5.60	4.47
6133, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.0	23.00	0.5	4.50	4.17
6429, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.0	0.5	0.0	22.00	0.0	5.50	4.32
8232, SV	1	0	2.5	1.0	0.5	24.00	1.0	5.80	4.42	1	0	2.5	1.0	0.5	24.00	1.0	5.80	4.42
37314, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	8.5	1.0	0.0	22.50	1.0	5.60	4.53
STATEWIDE	41,286	0.0	1.6	1.6	0.6	21.45	1.4	5.09	4.47	239,072	0.0	1.0	1.8	0.6	21.13	1.4	5.21	4.44