

2019 Processing Tomato Season
PTAB Analysis (9/21/19) - Statewide by Variety



Variety Name	Week Ending 9/21/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
273, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	24,562	0	0.6	2.1	0.8	21.48	1.3	5.34	4.37
0311, AB	908	0	2.1	1.0	0.6	20.55	1.1	5.86	4.36	22,468	0	2.1	1.3	0.4	20.76	1.9	5.71	4.42
6428, N	4,440	0	2.6	1.6	0.8	21.57	1.1	4.90	4.49	22,018	0	1.7	2.3	1.0	21.90	1.5	4.92	4.49
8011, SV	1,179	0	1.5	0.6	0.4	19.96	0.9	5.25	4.38	21,409	0	2.1	1.6	0.6	20.79	1.1	5.21	4.46
1428, HZ	4,911	0	1.5	2.4	1.1	20.22	0.4	4.95	4.43	19,308	0	1.2	2.4	1.0	20.79	0.7	4.97	4.46
5608, HZ	52	0	2.2	4.3	0.6	20.19	1.6	4.98	4.46	17,986	0	1.3	1.6	0.5	20.63	1.2	4.88	4.45
4707, HEINZ	2,488	0	1.8	3.4	1.3	22.13	0.7	4.79	4.46	15,360	0	0.8	2.1	0.9	22.64	0.9	4.87	4.46
0319, DRI	2,541	0	1.2	0.6	0.4	20.96	1.6	5.77	4.36	14,111	0	1.7	0.9	0.4	21.46	2.4	5.72	4.41
2756, SV	1,721	0	2.0	1.5	0.6	21.20	0.7	4.94	4.52	12,821	0	1.5	1.4	0.6	21.36	0.9	4.90	4.50
1082, SVTM	1,286	0	2.0	1.2	0.6	21.38	1.5	5.41	4.38	12,260	0	1.2	1.4	0.6	21.51	1.6	5.50	4.38
1662, HZ	3,058	0	1.7	3.2	1.2	21.49	1.0	5.05	4.45	11,972	0	1.3	2.6	1.0	22.13	1.4	5.00	4.47
2401, HEINZ	1,249	0	1.3	2.0	0.6	20.68	1.0	5.02	4.34	10,468	0	1.0	2.3	0.7	21.48	1.0	4.87	4.37
400, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9,635	0	0.5	2.5	0.9	20.08	1.1	5.14	4.47
403, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9,616	0	0.3		0.6	21.31	1.3	5.29	4.32
4885, HMX	793	0	1.3	1.4	0.6	21.26	0.9	4.93	4.38	7,390	0	1.5	1.0	0.4	21.06	1.0	5.06	4.40
3887, HM	162	0	2.3	0.4	0.3	20.64	1.1	5.08	4.41	7,307	0	0.6	1.5	0.3	21.05	1.7	5.60	4.47
6415, N	1784	0	2.3	1.3	1.2	21.44	1.0	4.89	4.43	7,174	0	1.2	2.1	0.8	21.50	1.3	5.03	4.44
1293, HZ	499	0	1.1	0.7	0.8	20.53	1.1	5.51	4.53	6,927	0	1.0	1.3	0.7	20.55	1.6	5.36	4.56
5702, HZ	779	0	2.1	2.0	1.1	20.05	0.7	4.87	4.49	5,786	0	1.1	2.8	1.3	20.69	0.7	4.77	4.48
58841, HM	945	0	1.2	0.5	0.5	20.87	0.4	5.21	4.41	5279	0	1.1	0.8	0.6	21.30	0.6	5.24	4.41
5235, HM	402	0	1.8	0.5	0.2	19.84	1.5	5.35	4.44	5258	0	1.9	1.4	0.4	20.37	1.7	5.27	4.45
6426, N	68	0	1.6	2.0	0.8	19.77	0.9	5.78	4.49	4903	0	1.3	0.9	0.5	20.17	1.5	5.09	4.50
6366, SUN	116	0	1.8	0.4	0.1	19.57	2.6	5.19	4.46	4885	0	0.5	1.5	0.5	20.60	2.0	5.32	4.41
0811, BOS	226	0	3.2	0.8	0.5	20.72	0.7	4.88	4.45	4801	0	1.3	1.4	0.6	20.14	0.9	5.12	4.42
1310, HZ	1493	0	3.0	3.5	1.2	21.31	1.0	5.05	4.50	4271	0	2.8	4.0	1.1	21.58	1.0	5.01	4.51
16112, UG	1175	0	0.7	0.7	0.2	19.92	0.4	5.24	4.44	3827	0	0.7	1.2	0.3	20.77	0.6	5.03	4.45
6402, N	1	0	1.5	0.5	0.5	20.00	1.0	5.50	4.48	3718	0	1.1	1.0	0.5	20.63	1.6	5.53	4.47
4909, HMX	116	0	2.2	0.2	0.1	21.64	1.2	5.66	4.27	3492	0	1.3	0.6	0.3	22.22	0.7	5.40	4.29
6434, N	930	0	1.8	0.4	0.5	21.40	0.8	5.01	4.43	3181	0	1.6	0.6	0.5	22.12	1.1	4.99	4.43
7885, HMX	227	0	1.4	1.0	1.3	21.23	0.9	4.95	4.61	3067	0	1.5	0.8	0.3	21.54	1.0	4.75	4.62
13, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2898	0	0.6	3.7	1.2	21.31	1.1	4.76	4.39
1015, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2735	0	0.6	2.7	0.9	20.57	0.9	5.05	4.45
19406, UG	865	0	1.9	1.6	0.8	21.14	0.8	5.19	4.34	2720	0	1.8	1.5	0.5	21.49	0.7	5.16	4.35
8504, HEINZ	111	0	1.5	0.8	0.8	21.22	0.9	5.40	4.40	2569	0	1.5	1.0	0.6	22.17	1.2	4.99	4.37
1892, HMX	27	0	0.2	3.9	4.2	20.85	0.6	4.63	4.33	2389	0	0.9	2.9	1.4	20.75	1.6	5.37	4.50

Variety Name	Week Ending 9/21/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
9000, SVTM	1	0	0.5	0.0	1.0	21.00	0.0	4.60	4.26	2293	0	0.6	1.4	0.4	20.74	1.0	5.16	4.45
413, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2165	0	1.2	2.6	0.8	20.96	0.9	4.64	4.50
6420, N	420	0	1.9	0.8	0.5	21.21	1.1	4.73	4.51	2108	0	2.0	0.9	0.5	21.36	1.5	4.86	4.53
9007, SVTM	89	0	1.8	1.4	1.4	21.19	0.5	5.29	4.54	2072	0	1.3	2.0	0.6	21.66	1.5	4.92	4.55
4521, HMX 61P	205	0	2.2	2.2	0.5	22.34	1.0	5.03	4.46	2009	0	0.6	1.5	0.4	21.29	0.5	5.20	4.40
5508, HZ	1027	0	1.7	1.2	0.2	20.37	0.3	4.68	4.41	1914	0	1.9	1.1	0.2	20.73	0.4	4.62	4.43
6416, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1759	0	0.2	1.2	0.4	21.14	1.0	4.84	4.35
58811, HM	415	0	1.7	0.8	0.5	21.45	0.4	5.18	4.41	1608	0	1.9	1.2	0.6	21.55	0.7	4.89	4.44
9008, SVTM	486	0	1.7	0.6	0.6	20.91	0.3	5.24	4.33	1566	0	1.4	0.7	0.4	20.81	0.5	5.32	4.35
1776, HZ	50	0	5.4	1.2	0.7	20.36	1.2	4.73	4.52	1564	0	1.4	2.8	0.8	21.42	0.6	5.19	4.44
16609, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1477	0	1.1	1.0	0.3	20.54	2.3	5.50	4.38
9011, SVTM	93	0	1.0	0.4	0.5	20.39	1.1	5.46	4.34	1475	0	2.4	1.5	0.6	20.80	1.8	5.64	4.45
398, BQ	63	0	1.4	0.2	0.4	20.06	0.8	4.56	4.51	1340	0	1.5	2.2	0.9	20.08	1.3	5.32	4.48
6441, N	282	0	3.6	3.2	0.6	21.16	0.7	4.84	4.54	1196	0	2.5	2.3	0.5	21.20	0.9	5.09	4.55
5900, HM	374	0	0.5	0.2	0.2	20.82	2.1	5.36	4.29	1182	0	0.5	0.5	0.1	21.30	1.9	5.49	4.34
58801, HM	98	0	2.4	1.1	0.9	21.02	1.0	5.41	4.51	970	0	1.4	0.9	0.4	21.62	1.2	5.37	4.46
9663, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	969	0	2.0	2.3	0.6	19.92	2.4	4.70	4.43
UNCODED	59	0	3.0	1.7	1.9	20.90	1.3	4.97	4.53	958	0	1.1	1.9	0.7	20.95	1.6	5.16	4.46
5522, HMX 61P	316	0	1.6	0.6	0.4	20.11	0.6	5.70	4.36	840	0	1.2	0.7	0.4	20.28	0.9	5.71	4.39
6397, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	840	0	0.3	0.7	0.4	21.57	0.7	5.30	4.42
5710, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	736	0	1.9	0.9	0.4	22.23	1.1	4.83	4.46
27713, UG	38	0	3.1	0.9	0.3	18.86	0.8	5.63	4.47	659	0	1.5	1.4	0.4	20.19	3.3	5.99	4.50
141, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	613	0	2.4	3.3	0.8	21.46	6.6	5.11	4.55
3888, HM	106	0	1.3	0.9	0.4	22.03	1.4	5.46	4.52	595	0	1.1	0.5	0.3	22.39	1.6	5.58	4.55
6440, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	562	0	0.6	3.3	1.1	21.46	0.7	4.72	4.41
6459, N	11	0	0.8	1.9	0.5	19.68	0.5	5.06	4.49	442	0	0.7	1.3	0.4	20.80	1.3	5.05	4.53
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	423	0	1.2	4.3	0.6	20.27	0.9	4.72	4.37
9013, SVTM	5	0	1.7	2.6	6.8	22.40	1.5	4.72	4.53	380	0	2.0	1.2	0.4	20.86	1.0	5.19	4.46
8163, HM	2	0	0.5	1.5	0.8	20.00	0.5	6.00	4.46	360	0	1.2	1.3	0.6	20.94	2.5	5.88	4.52
9905, HARRIS MORAN	243	0	0.8	0.4	0.4	20.93	0.4	4.97	4.45	326	0	0.7	0.4	0.4	20.96	0.3	5.00	4.45
9780, HEINZ	54	0	0.9	0.1	0.0	20.06	2.4	5.38	4.28	309	0	0.8	0.2	0.0	21.81	2.2	5.17	4.35
1292, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	308	0	1.3	0.6	0.6	22.06	5.0	5.20	4.60
9014, SVTM	28	0	2.6	0.4	0.2	20.13	0.6	5.55	4.41	293	0	1.6	0.9	0.3	20.74	0.7	5.17	4.42
6461, N	4	0	0.3	0.6	0.3	21.88	0.6	4.88	4.37	283	0	1.3	1.6	0.7	22.30	1.4	4.95	4.51
15212, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	272	0	0.9	1.6	0.2	21.73	1.0	5.17	4.48
422, BQ	216	0	2.2	1.2	0.2	20.68	1.2	4.69	4.50	261	0	2.4	1.2	0.2	20.71	1.6	4.78	4.50
6460, N	69	0	1.6	0.9	0.2	22.01	0.9	5.02	4.44	254	0	0.9	0.8	0.2	21.92	0.7	5.08	4.45
1422, HZ	97	0	2.1	3.1	0.8	20.69	1.2	5.21	4.42	247	0	2.2	4.7	1.0	20.90	1.0	5.02	4.45
58881, HM	121	0	2.6	0.6	0.3	21.87	0.7	4.82	4.43	239	0	1.4	0.9	0.4	21.08	0.7	4.90	4.39

Variety Name	Week Ending 9/21/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
4326, HMX 61P	68	0	0.6	0.1	0.4	20.90	1.7	6.24	4.32	226	0	1.4	1.2	0.8	21.30	2.5	5.77	4.39
5715, HZ	17	0	2.7	1.0	0.3	22.03	1.5	5.19	4.42	210	0	2.0	1.1	0.3	21.77	0.9	5.34	4.41
255, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	175	0	1.2	0.8	0.4	22.58	1.2	4.80	4.39
1175, HEINZ	161	0	1.2	0.6	0.2	19.84	1.0	5.32	4.51	162	0	1.2	0.6	0.2	19.85	1.0	5.31	4.51
401, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	157	0	0.2	1.9	0.3	21.36	1.4	4.88	4.40
HEINZ TRIAL	125	0	2.6	3.1	0.9	19.75	1.4	5.07	4.50	153	0	2.7	2.7	0.8	20.04	1.4	5.12	4.50
1170, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	131	0	0.4	1.1	0.4	20.84	0.6	6.00	4.33
3842, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	128	0	0.7	1.0	0.5	21.51	0.8	4.88	4.33
1765, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	105	0	0.2	1.0	0.6	21.74	3.0	5.05	4.46
43, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	101	0	1.2	1.4	0.7	20.53	0.7	4.93	4.42
58871, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	88	0	0.6	0.7	0.5	22.03	0.7	6.05	4.40
6394, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	83	0	0.6	0.3	0.1	20.88	3.3	5.28	4.54
9003, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	71	0	1.4	1.3	0.5	21.41	3.0	5.66	4.36
5369, HMX61P	2	0	0.8	2.0	1.3	21.00	1.0	5.80	4.49	61	0	1.5	1.4	0.4	21.84	1.2	5.47	4.62
MIX	7	0	1.4	0.6	0.2	20.50	0.9	5.81	4.41	48	0	1.7	0.8	0.4	20.64	1.6	5.47	4.46
000, MISC	2	0	1.3	0.3	0.0	22.50	0.8	4.45	4.32	45	0	3.9	0.6	0.1	22.69	2.1	5.00	4.44
9016, SVTM	7	0	2.7	0.8	0.1	22.43	0.2	4.71	4.39	42	0	1.4	0.8	0.5	22.36	0.5	4.86	4.39
1311, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	38	0	1.5	0.6	0.2	21.53	2.1	5.31	4.38
MISC TRIAL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	34	0	1.0	0.9	0.2	20.57	1.7	5.06	4.45
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	34	0	0.4	0.9	0.5	21.71	0.8	5.51	4.37
1421, HZ	32	0	3.3	0.2	0.4	21.69	2.0	5.62	4.44	34	0	3.3	0.2	0.5	21.76	1.9	5.57	4.44
34, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	31	0	1.9	0.3	0.0	22.66	2.5	4.75	4.43
6357, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	23	0	1.0	1.3	0.5	21.98	3.5	5.06	4.54
6175, HMX 61P	8	0	4.9	0.8	0.4	22.81	1.9	5.56	4.56	18	0	3.6	0.9	0.3	22.00	1.9	5.42	4.56
6436, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	17	0	2.3	0.8	1.0	22.00	1.1	4.98	4.48
7744, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	17	0	1.2	1.2	0.9	20.47	0.7	5.64	4.43
108, HYPEEL	1	0	0.5	0.0	1.5	22.00	1.5	4.70	4.73	15	0	1.2	0.8	0.8	21.97	4.5	5.09	4.65
1161, HEINZ	15	0	0.6	1.7	0.0	21.53	0.3	5.67	4.36	15	0	0.6	1.7	0.0	21.53	0.3	5.67	4.36
MISC EXP	4	0	1.0	0.8	0.0	20.75	0.6	5.33	4.33	13	0	1.3	0.8	0.1	21.42	1.2	5.12	4.34
51,BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13	0	1.9	0.6	0.5	21.58	3.3	5.44	4.42
47, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	12	0	0.5	1.3	0.5	23.17	1.6	5.13	4.40
49, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	2.2	1.0	0.5	21.15	1.9	5.15	4.40
18205, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	0.6	0.1	0.1	19.40	1.3	5.37	4.62
25037, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	0.4	0.8	0.0	19.85	0.6	5.44	4.49
48, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8	0	1.1	1.2	0.3	21.19	8.4	5.31	4.45
9012, SVTM	2	0	3.0	2.5	8.8	22.00	1.8	4.95	4.59	8	0	1.9	1.1	2.3	20.75	2.9	5.35	4.52
2493, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7	0	1.8	1.1	0.2	21.57	4.2	5.27	4.49
6140, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7	0	1.6	0.4	0.8	21.81	5.8	5.09	4.49
4014, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	6	0	0.7	1.3	0.1	19.00	0.2	5.53	4.50

Variety Name	Week Ending 9/21/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
UNCODED OTHER	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	3.3	0.8	0.7	21.30	2.1	5.32	4.55
1992, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	0.7	0.4	0.8	23.74	5.1	4.74	4.51
270, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4	0	0.5	0.6	0.0	21.88	1.4	5.03	4.39
1996, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4	0	0.0	1.0	0.5	22.25	3.4	4.83	4.59
29814, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4	0	1.3	0.0	0.0	20.88	2.6	5.43	4.54
32, BP	1	0	3.0	0.0	0.0	21.00	0.5	5.10	4.45	3	0	2.3	1.3	0.0	21.33	1.8	4.97	4.43
402, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	0.3	0.3	20.83	0.3	5.27	4.27
1424, HZ	1	0	3.0	2.5	0.5	21.40	2.0	6.60	4.53	3	0	3.2	0.8	0.3	21.47	2.3	5.97	4.49
1991, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.0	0.7	1.7	23.50	8.0	4.93	4.62
1995, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.5	0.5	1.0	24.00	7.0	5.00	4.62
1997, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.3	1.2	0.2	22.83	1.5	4.77	4.52
6404, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	1.8	0.5	21.33	0.7	5.07	4.23
13512, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	1.2	0.5	23.17	2.0	5.30	4.56
120, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.5	1.0	0.3	21.75	0.0	4.90	4.45
1901, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	3.8	1.5	0.8	21.75	5.5	5.05	4.53
2849, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	1.0	0.3	0.5	21.25	1.0	5.20	4.39
5234, IVF	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	1.5	0.8	0.8	22.25	2.0	5.25	4.54
19806 LYCO, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.3	0.3	0.0	21.00	0.5	5.55	4.41
2, BP	1	0	0.0	3.5	0.0	21.50	0.5	4.50	4.20	1	0	0.0	3.5	0.0	21.50	0.5	4.50	4.20
16, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	22.00	1.0	5.60	4.44
20, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	22.00	0.0	4.70	4.35
163, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.5	21.00	0.5	5.00	4.29
205, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	20.50	1.5	5.30	4.26
312, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.5	2.5	0.0	22.00	0.5	5.40	4.24
849, HYPEEL	1	0	3.0	0.0	1.0	21.00	1.0	4.20	4.41	1	0	3.0	0.0	1.0	21.00	1.0	4.20	4.41
1813, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.0	0.5	0.0	22.00	4.0	5.90	4.46
1994, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	22.00	1.0	4.80	4.27
2303, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.0	0.5	23.00	6.0	5.50	4.22
5701, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.0	0.0	0.0	20.00	1.0	5.60	4.47
6133, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.0	23.00	0.5	4.50	4.17
6429, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.0	0.5	0.0	22.00	0.0	5.50	4.32
8232, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.5	1.0	0.5	24.00	1.0	5.80	4.42
37314, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	8.5	1.0	0.0	22.50	1.0	5.60	4.53
STATEWIDE	39,979	0.0	1.8	1.7	0.8	20.99	0.9	5.09	4.43	358,875	0.0	1.3	1.7	0.7	21.20	1.3	5.17	4.44