

2019 Processing Tomato Season
PTAB Analysis (9/28/19) - Statewide by Variety



Variety Name	Week Ending 9/28/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
273, BQ	81	0	2.8	1.8	0.9	19.87	0.9	5.05	4.44	24,643	0	0.6	2.1	0.8	21.48	1.3	5.34	4.37
6428, N	1,745	0	2.5	0.7	0.3	21.03	0.8	5.14	4.42	23,764	0	1.8	2.1	0.9	21.83	1.4	4.94	4.49
0311, AB	749	0	2.9	0.6	0.3	20.47	1.6	5.83	4.36	23,217	0	2.1	1.3	0.4	20.75	1.9	5.71	4.41
1428, HZ	3,137	0	1.5	3.0	1.6	20.05	0.5	4.86	4.44	22,445	0	1.2	2.5	1.1	20.68	0.6	4.96	4.46
8011, SV	609	0	2.1	0.7	0.3	19.63	0.7	5.19	4.40	22,018	0	2.1	1.6	0.5	20.76	1.1	5.21	4.45
4707, HEINZ	2,745	0	1.6	3.7	1.6	21.89	0.7	4.86	4.44	18,105	0	0.9	2.4	1.0	22.53	0.8	4.87	4.46
5608, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	17,986	0	1.3	1.6	0.5	20.63	1.2	4.88	4.45
0319, DRI	2,677	0	1.6	0.6	0.4	21.02	1.6	5.55	4.37	16,787	0	1.7	0.8	0.4	21.39	2.2	5.69	4.41
2756, SV	3,265	0	1.8	1.4	0.6	20.62	0.5	4.92	4.51	16,086	0	1.5	1.4	0.6	21.21	0.8	4.90	4.50
1662, HZ	3,882	0	1.7	2.8	1.1	20.91	0.9	5.03	4.45	15,853	0	1.4	2.7	1.0	21.83	1.3	5.01	4.46
1082, SVTM	867	0	2.0	1.0	0.7	20.61	1.4	5.41	4.37	13,127	0	1.2	1.4	0.6	21.45	1.6	5.50	4.38
2401, HEINZ	1,148	0	1.9	2.3	0.7	20.64	0.9	4.97	4.36	11,617	0	1.1	2.3	0.7	21.40	1.0	4.88	4.37
400, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9,635	0	0.5	2.5	0.9	20.08	1.1	5.14	4.47
403, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9,616	0	0.3	1.4	0.6	21.31	1.3	5.29	4.32
6415, N	1,437	0	1.8	1.4	1.2	20.43	0.8	4.78	4.41	8,611	0	1.3	2.0	0.9	21.32	1.2	4.99	4.44
4885, HMX	902	0	2.0	1.3	0.4	20.54	0.6	4.99	4.38	8,292	0	1.5	1.1	0.4	21.00	0.9	5.05	4.40
1293, HZ	553	0	1.6	0.7	0.5	20.34	1.0	5.52	4.49	7,480	0	1.1	1.3	0.6	20.53	1.5	5.37	4.56
3887, HM	105	0	0.6	1.1	0.7	20.23	0.4	5.48	4.34	7,412	0	0.6	1.5	0.3	21.04	1.7	5.60	4.47
5702, HZ	1102	0	1.5	2.6	1.0	20.01	0.5	4.71	4.46	6,888	0	1.1	2.7	1.2	20.58	0.7	4.76	4.48
58841, HM	854	0	1.5	1.2	0.6	20.75	0.4	5.18	4.44	6133	0	1.1	0.9	0.6	21.22	0.6	5.23	4.42
5235, HM	14	0	1.1	0.1	0.2	21.71	0.5	4.86	4.37	5273	0	1.9	1.4	0.4	20.37	1.7	5.27	4.45
1310, HZ	987	0	2.5	3.8	1.6	20.73	0.9	5.01	4.51	5258	0	2.7	4.0	1.2	21.42	1.0	5.01	4.51
6366, SUN	321	0	0.5	0.3	0.1	20.24	3.1	5.89	4.35	5206	0	0.5	1.4	0.4	20.57	2.0	5.35	4.40
6426, N	247	0	1.5	1.8	0.4	19.57	0.4	4.87	4.45	5150	0	1.3	1.0	0.5	20.14	1.5	5.08	4.50
0811, BOS	311	0	1.5	0.5	0.4	20.39	0.3	4.73	4.30	5112	0	1.3	1.4	0.5	20.15	0.9	5.10	4.41
16112, UG	490	0	1.0	1.4	0.3	19.86	0.3	5.01	4.39	4317	0	0.8	1.2	0.3	20.67	0.5	5.03	4.44
4909, HMX	280	0	7.6	0.2	0.1	20.70	1.4	5.63	4.33	3772	0	1.8	0.6	0.3	22.11	0.7	5.42	4.30
6402, N	50	0	2.7	0.4	0.4	19.32	1.3	5.98	4.47	3768	0	1.1	1.0	0.5	20.62	1.6	5.54	4.47
6434, N	505	0	1.9	0.4	0.3	21.43	0.6	4.90	4.40	3686	0	1.6	0.6	0.5	22.02	1.1	4.98	4.43
7885, HMX	277	0	1.9	0.7	0.1	20.08	0.6	5.13	4.61	3345	0	1.5	0.8	0.3	21.42	1.0	4.78	4.62
5508, HZ	1193	0	1.4	1.8	0.3	19.92	0.4	4.72	4.44	3107	0	1.7	1.3	0.2	20.42	0.4	4.66	4.43
13, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2898	0	0.6	3.7	1.2	21.31	1.1	4.76	4.39
19406, UG	139	0	0.3	0.6	0.4	20.50	0.2	5.32	4.21	2859	0	1.7	1.5	0.5	21.44	0.7	5.16	4.34
1015, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2735	0	0.6	2.7	0.9	20.57	0.9	5.05	4.45
8504, HEINZ	139	0	1.1	1.0	0.4	21.62	0.7	4.54	4.50	2708	0	1.5	1.0	0.6	22.15	1.2	4.97	4.38
6420, N	450	0	2.4	0.6	0.3	21.61	0.9	4.89	4.50	2558	0	2.0	0.8	0.4	21.40	1.4	4.86	4.53

Variety Name	Week Ending 9/28/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
1892, HMX	143	0	0.3	3.6	2.1	20.49	0.6	4.60	4.42	2532	0	0.8	3.0	1.5	20.73	1.5	5.33	4.50
9000, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2293	0	0.6	1.4	0.4	20.74	1.0	5.16	4.45
4521, HMX 61P	186	0	1.2	0.2	0.1	21.09	0.5	4.84	4.40	2195	0	0.7	1.4	0.4	21.27	0.5	5.17	4.40
413, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2165	0	1.2	2.6	0.8	20.96	0.9	4.64	4.50
9007, SVTM	26	0	2.0	2.3	1.2	21.85	0.4	4.66	4.59	2098	0	1.3	2.0	0.6	21.66	1.4	4.91	4.55
9008, SVTM	485	0	2.0	1.2	0.5	19.94	0.4	5.09	4.35	2051	0	1.6	0.8	0.5	20.60	0.5	5.27	4.35
58811, HM	343	0	0.7	0.8	0.7	21.22	0.6	5.30	4.37	1951	0	1.7	1.1	0.7	21.49	0.7	4.96	4.42
6416, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1759	0	0.2	1.2	0.4	21.14	1.0	4.84	4.35
6441, N	459	0	1.4	0.8	0.2	20.72	0.5	4.84	4.46	1655	0	2.2	1.9	0.4	21.07	0.8	5.02	4.53
1776, HZ	11	0	4.5	2.5	1.5	21.00	0.7	5.16	4.54	1575	0	1.4	2.8	0.8	21.42	0.6	5.18	4.44
9011, SVTM	98	0	3.1	1.2	0.4	20.42	1.1	4.70	4.39	1570	0	2.5	1.5	0.6	20.78	1.7	5.58	4.44
16609, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1477	0	1.1	1.0	0.3	20.54	2.3	5.50	4.38
398, BQ	89	0	4.1	0.8	0.6	19.73	1.0	5.01	4.45	1429	0	1.7	2.1	0.9	20.06	1.3	5.30	4.48
5900, HM	204	0	3.2	0.5	0.2	21.04	1.3	5.31	4.30	1386	0	0.9	0.5	0.2	21.26	1.8	5.46	4.34
58801, HM	132	0	3.3	1.5	0.5	21.04	1.1	4.99	4.52	1102	0	1.6	1.0	0.4	21.55	1.2	5.32	4.47
UNCODED	88	0	2.1	1.4	0.8	20.90	1.2	4.94	4.49	1049	0	1.2	1.9	0.7	20.95	1.5	5.14	4.46
5522, HMX 61P	146	0	1.1	0.8	0.3	19.87	0.5	5.43	4.32	986	0	1.2	0.7	0.4	20.22	0.8	5.67	4.38
9663, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	969	0	2.0	2.3	0.6	19.92	2.4	4.70	4.43
9905, HARRIS MORAN	587	0	0.7	0.8	0.5	20.29	0.4	4.88	4.48	913	0	0.7	0.7	0.4	20.53	0.4	4.92	4.47
3888, HM	278	0	0.9	0.6	0.7	20.92	0.9	5.49	4.56	873	0	1.1	0.5	0.4	21.92	1.4	5.55	4.55
6397, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	840	0	0.3	0.7	0.4	21.57	0.7	5.30	4.42
5710, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	736	0	1.9	0.9	0.4	22.23	1.1	4.83	4.46
27713, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	659	0	1.5	1.4	0.4	20.19	3.3	5.99	4.50
141, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	613	0	2.4	3.3	0.8	21.46	6.6	5.11	4.55
6440, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	562	0	0.6	3.3	1.1	21.46	0.7	4.72	4.41
1422, HZ	233	0	3.5	3.4	1.6	20.47	1.1	4.76	4.50	480	0	2.8	4.1	1.3	20.69	1.1	4.90	4.48
6459, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	442	0	0.7	1.3	0.4	20.80	1.3	5.05	4.53
9013, SVTM	53	0	1.5	0.4	0.2	19.66	0.5	5.12	4.40	433	0	1.9	1.1	0.4	20.72	0.9	5.18	4.45
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	423	0	1.2	4.3	0.6	20.27	0.9	4.72	4.37
6461, N	137	0	2.8	1.1	0.3	21.51	0.5	4.84	4.44	420	0	1.8	1.4	0.5	22.04	1.1	4.91	4.48
9780, HEINZ	94	0	5.1	0.4	0.2	21.28	1.4	4.99	4.41	403	0	1.8	0.2	0.1	21.69	2.0	5.13	4.37
8163, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	360	0	1.2	1.3	0.6	20.94	2.5	5.88	4.52
15212, UG	80	0	2.1	1.0	0.2	20.34	0.4	4.62	4.41	352	0	1.2	1.5	0.2	21.41	0.9	5.05	4.46
9014, SVTM	36	0	2.0	0.4	0.5	19.89	0.8	5.13	4.39	329	0	1.6	0.8	0.3	20.65	0.7	5.16	4.42
1292, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	308	0	1.3	0.6	0.6	22.06	5.0	5.20	4.60
6460, N	25	0	0.8	0.7	0.3	21.36	0.5	4.90	4.41	279	0	0.9	0.8	0.2	21.87	0.7	5.07	4.44
4326, HMX 61P	49	0	1.3	0.7	0.2	20.52	0.9	5.45	4.38	275	0	1.4	1.1	0.7	21.16	2.2	5.71	4.39
58881, HM	34	0	3.0	0.2	0.4	20.78	0.7	5.32	4.42	273	0	1.6	0.8	0.4	21.04	0.7	4.95	4.39
422, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	261	0	2.4	1.2	0.2	20.71	1.6	4.78	4.50

Variety Name	Week Ending 9/28/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
HEINZ TRIAL	71	0	2.0	1.8	0.3	20.27	1.0	4.88	4.51	224	0	2.4	2.4	0.6	20.11	1.3	5.04	4.51
5715, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	210	0	2.0	1.1	0.3	21.77	0.9	5.34	4.41
255, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	175	0	1.2	0.8	0.4	22.58	1.2	4.80	4.39
1175, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	162	0	1.2	0.6	0.2	19.85	1.0	5.31	4.51
401, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	157	0	0.2	1.9	0.3	21.36	1.4	4.88	4.40
1170, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	131	0	0.4	1.1	0.4	20.84	0.6	6.00	4.33
3842, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	128	0	0.7	1.0	0.5	21.51	0.8	4.88	4.33
1765, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	105	0	0.2	1.0	0.6	21.74	3.0	5.05	4.46
43, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	101	0	1.2	1.4	0.7	20.53	0.7	4.93	4.42
58871, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	88	0	0.6	0.7	0.5	22.03	0.7	6.05	4.40
6394, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	83	0	0.6	0.3	0.1	20.88	3.3	5.28	4.54
9003, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	71	0	1.4	1.3	0.5	21.41	3.0	5.66	4.36
MIX	18	0	0.7	0.7	0.5	20.17	1.0	5.71	4.42	66	0	1.4	0.8	0.4	20.51	1.5	5.54	4.45
5369, HMX61P	5	0	2.0	0.7	0.4	22.20	0.1	4.70	4.65	66	0	1.5	1.4	0.4	21.87	1.1	5.41	4.62
MISC EXP	38	0	1.1	1.4	0.0	20.96	0.4	5.21	4.36	51	0	1.2	1.2	0.0	21.08	0.6	5.19	4.35
000, MISC	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	45	0	3.9	0.6	0.1	22.69	2.1	5.00	4.44
9016, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	42	0	1.4	0.8	0.5	22.36	0.5	4.86	4.39
1311, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	38	0	1.5	0.6	0.2	21.53	2.1	5.31	4.38
MISC TRIAL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	34	0	1.0	0.9	0.2	20.57	1.7	5.06	4.45
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	34	0	0.4	0.9	0.5	21.71	0.8	5.51	4.37
1421, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	34	0	3.3	0.2	0.5	21.76	1.9	5.57	4.44
34, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	31	0	1.9	0.3	0.0	22.66	2.5	4.75	4.43
6357, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	23	0	1.0	1.3	0.5	21.98	3.5	5.06	4.54
1161, HEINZ	6	0	1.1	0.8	0.4	20.83	0.8	5.72	4.35	21	0	0.7	1.5	0.1	21.33	0.5	5.68	4.36
6175, HMX 61P	2	0	7.0	0.5	0.0	21.25	1.3	5.80	4.54	20	0	4.0	0.9	0.3	21.93	1.9	5.46	4.55
32413, UG	20	0	1.3	1.6	0.0	21.15	0.4	4.88	4.35	20	0	1.3	1.6	0.0	21.15	0.4	4.88	4.35
6436, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	17	0	2.3	0.8	1.0	22.00	1.1	4.98	4.48
7744, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	17	0	1.2	1.2	0.9	20.47	0.7	5.64	4.43
108, HYPEEL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	15	0	1.2	0.8	0.8	21.97	4.5	5.09	4.65
51,BP	1	0	3.0	0.0	0.5	23.50	1.0	4.80	4.53	14	0	2.0	0.6	0.5	21.71	3.1	5.39	4.43
47, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	12	0	0.5	1.3	0.5	23.17	1.6	5.13	4.40
49, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	2.2	1.0	0.5	21.15	1.9	5.15	4.40
18205, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	0.6	0.1	0.1	19.40	1.3	5.37	4.62
25037, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	0.4	0.8	0.0	19.85	0.6	5.44	4.49
48, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8	0	1.1	1.2	0.3	21.19	8.4	5.31	4.45
9012, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8	0	1.9	1.1	2.3	20.75	2.9	5.35	4.52
2493, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7	0	1.8	1.1	0.2	21.57	4.2	5.27	4.49
6140, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7	0	1.6	0.4	0.8	21.81	5.8	5.09	4.49
4014, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	6	0	0.7	1.3	0.1	19.00	0.2	5.53	4.50

Variety Name	Week Ending 9/28/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
29814, UG	2	0	3.8	0.0	0.5	21.00	2.5	5.70	4.41	6	0	2.1	0.0	0.2	20.92	2.6	5.52	4.50
UNCODED OTHER	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	3.3	0.8	0.7	21.30	2.1	5.32	4.55
1992, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	0.7	0.4	0.8	23.74	5.1	4.74	4.51
270, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4	0	0.5	0.6	0.0	21.88	1.4	5.03	4.39
1996, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4	0	0.0	1.0	0.5	22.25	3.4	4.83	4.59
32, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	2.3	1.3	0.0	21.33	1.8	4.97	4.43
402, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	0.3	0.3	20.83	0.3	5.27	4.27
1991, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.0	0.7	1.7	23.50	8.0	4.93	4.62
1995, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.5	0.5	1.0	24.00	7.0	5.00	4.62
1997, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.3	1.2	0.2	22.83	1.5	4.77	4.52
2849, SV	1	0	1.0	0.5	1.0	20.50	0.0	5.60	4.48	3	0	1.0	0.3	0.7	21.00	0.7	5.33	4.42
6404, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	1.8	0.5	21.33	0.7	5.07	4.23
13512, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	1.2	0.5	23.17	2.0	5.30	4.56
120, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.5	1.0	0.3	21.75	0.0	4.90	4.45
1424, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	3.3	0.0	0.3	21.50	2.5	5.65	4.47
1901, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	3.8	1.5	0.8	21.75	5.5	5.05	4.53
5234, IVF	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	1.5	0.8	0.8	22.25	2.0	5.25	4.54
19806 LYCO, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.3	0.3	0.0	21.00	0.5	5.55	4.41
16, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	22.00	1.0	5.60	4.44
20, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	22.00	0.0	4.70	4.35
163, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.5	21.00	0.5	5.00	4.29
205, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	20.50	1.5	5.30	4.26
312, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.5	2.5	0.0	22.00	0.5	5.40	4.24
849, HYPEEL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	3.0	0.0	1.0	21.00	1.0	4.20	4.41
1813, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.0	0.5	0.0	22.00	4.0	5.90	4.46
1994, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	22.00	1.0	4.80	4.27
2303, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.0	0.5	23.00	6.0	5.50	4.22
5701, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.0	0.0	0.0	20.00	1.0	5.60	4.47
6133, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.0	23.00	0.5	4.50	4.17
6429, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.0	0.5	0.0	22.00	0.0	5.50	4.32
8232, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.5	1.0	0.5	24.00	1.0	5.80	4.42
29314	1	0	1.5	1.0	0.0	20.00	0.5	5.20	4.57	1	0	1.5	1.0	0.0	20.00	0.5	5.20	4.57
37314, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	8.5	1.0	0.0	22.50	1.0	5.60	4.53
STATEWIDE	35,442	0.0	1.8	1.8	0.8	20.67	0.8	5.05	4.43	394,317	0.0	1.3	1.8	0.7	21.15	1.2	5.16	4.44