

2019 Processing Tomato Season
PTAB Analysis (9/7/19) - Statewide by Variety



Variety Name	Week Ending 9/7/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
273, BQ	511	0	1.9	5.7	1.8	21.23	1.1	5.17	4.41	24,069	0	0.6	2.1	0.7	21.48	1.2	5.35	4.37
0311, AB	1,510	0	3.3	0.8	0.3	21.17	1.9	5.67	4.43	20,247	0	2.0	1.4	0.4	20.75	2.0	5.71	4.42
8011, SV	1,819	0	2.8	3.3	1.1	21.24	1.1	5.11	4.45	18,618	0	2.1	1.7	0.5	20.85	1.2	5.22	4.46
5608, HZ	702	0	1.7	1.3	0.7	21.52	2.1	4.90	4.53	17,651	0	1.3	1.5	0.5	20.63	1.2	4.87	4.45
6428, N	3,925	0	1.9	2.4	0.7	21.92	1.6	4.92	4.50	15,016	0	1.3	2.4	0.9	21.93	1.6	4.93	4.49
4707, HEINZ	2,998	0	0.7	1.5	0.9	22.82	0.9	4.91	4.48	10,799	0	0.5	1.9	0.8	22.77	0.9	4.87	4.46
1428, HZ	2,685	0	1.1	2.3	1.2	21.30	1.0	5.03	4.50	10,637	0	0.8	2.5	1.0	21.02	0.8	5.01	4.47
400, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9,635	0	0.5	2.5	0.9	20.08	1.1	5.14	4.47
403, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9,616	0	0.3	1.4	0.6	21.31	1.3	5.29	4.32
1082, SVTM	1,979	0	1.3	0.9	0.5	21.94	1.7	5.35	4.38	9,595	0	1.0	1.6	0.6	21.59	1.6	5.53	4.38
0319, DRI	2,767	0	2.1	0.9	0.5	21.64	2.5	5.56	4.40	8,861	0	1.8	1.0	0.4	21.66	2.7	5.71	4.44
2756, SV	2,605	0	1.7	1.2	0.5	21.55	0.8	4.87	4.50	8,234	0	1.3	1.3	0.5	21.49	1.0	4.88	4.50
2401, HEINZ	1,757	0	1.1	2.6	0.6	21.72	1.0	4.84	4.37	7,820	0	0.9	2.3	0.7	21.63	1.0	4.82	4.37
3887, HM	208	0	2.2	0.9	0.4	22.46	2.1	5.12	4.43	7,045	0	0.6	1.6	0.3	21.06	1.8	5.62	4.47
1662, HZ	2,841	0	1.3	2.9	1.2	22.27	1.4	4.96	4.47	6,111	0	1.1	2.5	0.9	22.45	1.7	4.97	4.47
1293, HZ	743	0	1.4	1.6	0.7	20.85	0.9	5.21	4.55	6,026	0	1.0	1.3	0.6	20.56	1.6	5.34	4.57
4885, HMX	760	0	2.4	1.0	0.4	21.06	1.3	5.15	4.43	5,818	0	1.4	0.9	0.4	21.03	1.0	5.07	4.41
6366, SUN	201	0	1.9	0.7	0.5	21.24	2.2	4.87	4.51	4,684	0	0.4	1.6	0.5	20.63	1.9	5.33	4.40
6415, N	376	0	1.2	1.8	2.0	21.71	1.8	5.40	4.46	4,496	0	0.8	2.4	0.7	21.56	1.4	5.06	4.45
6426, N	668	0	1.8	1.3	0.7	20.01	1.1	5.13	4.51	4,415	0	1.2	0.9	0.4	20.17	1.6	5.08	4.50
5235, HM	586	0	2.6	1.2	0.5	20.87	1.8	5.15	4.45	4,346	0	1.8	1.6	0.4	20.35	1.6	5.26	4.45
0811, BOS	805	0	2.0	0.8	0.2	20.39	0.8	5.05	4.44	4,091	0	0.9	1.4	0.5	20.08	0.9	5.16	4.41
6402, N	63	0	1.2	1.5	0.2	21.90	2.6	5.60	4.53	3,635	0	1.1	1.0	0.5	20.62	1.6	5.54	4.48
5702, HZ	1,124	0	1.0	2.0	1.4	20.96	0.8	4.64	4.50	3,420	0	0.7	2.5	1.2	20.92	0.7	4.75	4.48
4909, HMX	617	0	1.8	0.6	0.4	23.24	0.9	5.74	4.36	3,186	0	1.3	0.6	0.3	22.22	0.7	5.38	4.29
58841, HM	1,299	0	1.2	1.0	0.6	21.46	0.7	5.24	4.43	3,089	0	0.9	1.0	0.6	21.43	0.7	5.31	4.42
13, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,898	0	0.6	3.7	1.2	21.31	1.1	4.76	4.39
1015, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,735	0	0.6	2.7	0.9	20.57	0.9	5.05	4.45
9000, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,292	0	0.6	1.4	0.4	20.74	1.0	5.16	4.45
1892, HMX	317	0	1.2	2.6	2.5	20.90	1.5	5.18	4.47	2,288	0	0.9	3.0	1.4	20.73	1.6	5.38	4.50
7885, HMX	173	0	2.3	0.8	0.5	21.38	2.6	4.98	4.67	2,204	0	1.2	0.8	0.2	21.66	1.0	4.72	4.62
413, BQ	18	0	3.8	7.9	0.9	20.14	0.5	4.72	4.49	2,145	0	1.2	2.6	0.8	20.97	0.9	4.63	4.50
8504, HEINZ	552	0	0.9	1.3	1.1	22.39	1.6	4.97	4.37	2,094	0	1.4	1.0	0.6	22.38	1.3	4.91	4.37
9007, SVTM	37	0	2.1	4.0	0.7	21.82	0.9	5.16	4.50	1,935	0	1.3	2.1	0.5	21.70	1.5	4.88	4.55
6416, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,759	0	0.2	1.2	0.4	21.14	1.0	4.84	4.35

Variety Name	Week Ending 9/7/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
16112, UG	531	0	1.2	1.4	0.2	21.45	0.7	4.64	4.46	1722	0	0.8	1.4	0.3	21.27	0.7	4.89	4.46
6434, N	442	0	1.3	0.7	0.4	22.46	1.5	5.19	4.45	1536	0	1.5	0.7	0.5	22.55	1.4	4.99	4.46
1310, HZ	579	0	4.0	6.9	1.6	21.66	0.9	5.21	4.51	1527	0	2.3	5.5	1.1	21.52	1.0	5.00	4.50
16609, UG	1	0	2.5	0.5	0.0	22.00	0.5	5.00	4.63	1500	0	1.1	1.0	0.3	20.55	2.3	5.50	4.38
4521, HMX 61P	47	0	1.1	1.3	0.5	22.12	1.7	5.16	4.50	1458	0	0.2	1.6	0.4	21.03	0.5	5.28	4.39
1776, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1389	0	0.9	3.0	0.8	21.52	0.6	5.25	4.43
6420, N	566	0	1.9	0.9	0.6	21.80	1.4	4.86	4.52	1306	0	1.9	0.9	0.4	21.43	1.7	4.87	4.54
9011, SVTM	269	0	4.4	0.6	0.3	20.99	1.7	5.50	4.47	1299	0	2.6	1.7	0.6	20.88	1.9	5.67	4.46
398, BQ	10	0	2.0	12.3	1.3	22.45	0.9	4.88	4.31	1209	0	1.4	2.2	0.9	20.06	1.4	5.38	4.48
19406, UG	572	0	2.1	1.2	0.3	21.43	0.7	5.21	4.36	1153	0	2.0	1.2	0.4	21.70	0.8	5.19	4.37
9663, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	969	0	2.0	2.3	0.6	19.92	2.4	4.70	4.43
6397, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	840	0	0.3	0.7	0.4	21.57	0.7	5.30	4.42
UNCODED	95	0	2.2	1.8	0.7	20.71	1.8	5.22	4.52	753	0	0.9	1.9	0.6	20.84	1.5	5.18	4.45
6441, N	328	0	2.1	2.2	0.6	21.32	1.0	5.14	4.57	727	0	1.7	1.7	0.5	21.28	1.0	5.27	4.56
9008, SVTM	150	0	1.0	2.4	0.5	20.65	0.7	5.50	4.37	727	0	1.2	0.8	0.3	20.90	0.8	5.51	4.37
5900, HM	210	0	0.8	0.5	0.1	21.97	2.6	5.52	4.43	724	0	0.5	0.6	0.1	21.56	1.8	5.52	4.37
5710, HZ	261	0	1.8	0.5	0.3	21.72	0.8	5.01	4.46	684	0	2.0	0.9	0.4	22.28	1.0	4.81	4.45
58811, HM	362	0	1.8	1.8	0.8	21.89	0.6	4.52	4.41	668	0	2.0	1.2	0.6	21.56	0.8	4.73	4.45
58801, HM	366	0	0.9	0.8	0.3	21.82	1.2	5.39	4.46	637	0	1.1	0.9	0.4	21.61	1.2	5.48	4.45
27713, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	597	0	1.4	1.5	0.4	20.33	3.5	6.02	4.50
141, BQ	81	0	4.4	0.7	0.4	21.99	11.0	5.04	4.62	552	0	2.4	3.6	0.9	21.41	6.1	5.08	4.54
6440, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	531	0	0.3	3.4	1.0	21.31	0.6	4.61	4.40
5522, HMX 61P	12	0	0.3	0.0	0.3	19.83	0.8	5.50	4.42	475	0	1.0	0.7	0.3	20.41	1.2	5.70	4.43
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	423	0	1.2	4.3	0.6	20.27	0.9	4.72	4.37
6459, N	5	0	2.1	0.4	0.0	21.00	0.8	5.06	4.63	413	0	0.7	1.3	0.4	20.86	1.4	5.05	4.54
8163, HM	15	0	1.0	0.1	1.4	20.30	1.0	5.65	4.50	341	0	1.1	1.3	0.6	20.89	2.6	5.88	4.52
1292, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	308	0	1.3	0.6	0.6	22.06	5.0	5.20	4.60
3888, HM	171	0	0.8	0.4	0.3	22.63	1.6	5.65	4.56	308	0	0.8	0.4	0.3	22.46	1.9	5.76	4.54
9013, SVTM	24	0	1.5	0.6	0.0	21.19	0.4	4.90	4.40	277	0	2.1	1.4	0.3	20.89	1.1	5.12	4.46
6461, N	183	0	1.8	1.6	0.9	22.59	1.7	4.87	4.56	264	0	1.4	1.6	0.7	22.30	1.4	4.94	4.52
9014, SVTM	32	0	1.4	0.5	0.3	21.03	0.5	4.93	4.38	201	0	1.5	1.0	0.3	20.68	0.7	5.14	4.43
255, CXD	25	0	1.5	1.0	0.2	24.02	2.1	4.72	4.51	175	0	1.2	0.8	0.4	22.58	1.2	4.80	4.39
401, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	157	0	0.2	1.9	0.3	21.36	1.4	4.88	4.40
4326, HMX 61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	138	0	2.0	1.5	0.9	21.51	3.1	5.57	4.43
1170, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	131	0	0.4	1.1	0.4	20.84	0.6	6.00	4.33
3842, BOS	33	0	1.9	3.2	1.6	19.74	1.8	5.69	4.43	128	0	0.7	1.0	0.5	21.51	0.8	4.88	4.33
5715, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	127	0	1.6	1.2	0.4	21.89	0.9	5.38	4.39
6460, N	10	0	0.9	0.3	0.0	22.40	0.7	5.00	4.44	126	0	0.6	0.8	0.2	21.49	0.6	5.14	4.46
15212, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	118	0	0.3	2.9	0.2	22.32	0.6	5.08	4.42

Variety Name	Week Ending 9/7/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
58881, HM	9	0	1.6	0.4	0.3	20.78	0.6	5.07	4.50	117	0	0.2	1.2	0.5	20.26	0.7	4.99	4.35
1765, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	105	0	0.2	1.0	0.6	21.74	3.0	5.05	4.46
43, BP	15	0	3.0	1.1	0.9	20.87	1.7	5.46	4.50	101	0	1.2	1.4	0.7	20.53	0.7	4.93	4.42
58871, HM	12	0	0.8	0.4	0.7	22.50	0.8	6.05	4.47	88	0	0.6	0.7	0.5	22.03	0.7	6.05	4.40
6394, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	83	0	0.6	0.3	0.1	20.88	3.3	5.28	4.54
9003, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	71	0	1.4	1.3	0.5	21.41	3.0	5.66	4.36
5369, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	58	0	1.5	1.4	0.4	21.87	1.2	5.46	4.62
1311, HZ	2	0	0.8	0.0	0.3	21.00	0.5	5.30	4.29	37	0	1.2	0.6	0.1	21.51	2.1	5.30	4.38
MIX	3	0	2.2	0.5	0.5	20.67	1.3	5.60	4.48	35	0	1.9	0.8	0.4	20.70	1.8	5.40	4.48
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	34	0	0.4	0.9	0.5	21.71	0.8	5.51	4.37
34, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	31	0	1.9	0.3	0.0	22.66	2.5	4.75	4.43
MISC TRIAL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	30	0	0.7	0.9	0.2	20.57	1.6	5.08	4.44
6357, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	23	0	1.0	1.3	0.5	21.98	3.5	5.06	4.54
6436, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	15	0	2.4	0.8	1.1	21.97	1.0	5.04	4.48
108, HYPEEL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	14	0	1.3	0.8	0.7	21.96	4.8	5.12	4.65
51,BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13	0	1.9	0.6	0.5	21.58	3.3	5.44	4.42
000, MISC	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	12	0	3.3	0.5	0.0	22.29	4.5	4.65	4.43
7744, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	1.2	1.7	0.5	19.65	0.9	5.55	4.41
18205, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	0.6	0.1	0.1	19.40	1.3	5.37	4.62
25037, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	0.4	0.8	0.0	19.85	0.6	5.44	4.49
MISC EXP	1	0	0.0	0.5	0.0	21.50	0.5	5.80	4.30	9	0	1.4	0.8	0.1	21.72	1.5	5.02	4.34
9016, SVTM	1	0	1.0	1.5	0.5	21.00	0.0	5.00	4.27	9	0	0.9	0.3	0.4	21.94	1.4	4.91	4.43
HEINZ TRIAL	2	0	1.5	1.3	1.5	22.50	1.0	5.35	4.40	8	0	0.9	1.3	0.9	22.88	1.4	5.11	4.54
47, BP	2	0	0.3	0.8	0.0	22.50	0.0	4.95	4.30	8	0	0.7	0.8	0.7	22.69	2.3	5.10	4.44
6175, HMX 61P	5	0	3.4	1.0	0.1	20.30	0.9	5.32	4.61	8	0	2.9	0.9	0.3	21.19	2.3	5.38	4.57
2493, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7	0	1.8	1.1	0.2	21.57	4.2	5.27	4.49
6140, HMX61P	2	0	0.8	0.0	0.0	20.00	3.5	4.90	4.39	7	0	1.6	0.4	0.8	21.81	5.8	5.09	4.49
4014, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	6	0	0.7	1.3	0.1	19.00	0.2	5.53	4.50
9012, SVTM	2	0	2.5	1.3	0.0	20.50	1.0	5.50	4.39	6	0	1.6	0.6	0.1	20.33	3.3	5.48	4.50
UNCODED OTHER	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	3.3	0.8	0.7	21.30	2.1	5.32	4.55
49, BP	2	0	0.5	0.0	0.3	19.75	2.0	4.95	4.41	5	0	2.4	0.4	0.6	20.60	3.2	4.92	4.46
48, BP	2	0	0.5	0.0	0.0	20.00	13.5	5.10	4.44	4	0	0.9	0.3	0.3	21.00	13.6	5.20	4.48
270, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4	0	0.5	0.6	0.0	21.88	1.4	5.03	4.39
1422, HZ	4	0	2.1	4.8	2.4	20.75	0.9	5.13	4.32	4	0	2.1	4.8	2.4	20.75	0.9	5.13	4.32
1996, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4	0	0.0	1.0	0.5	22.25	3.4	4.83	4.59
29814, UG	4	0	1.3	0.0	0.0	20.88	2.6	5.43	4.54	4	0	1.3	0.0	0.0	20.88	2.6	5.43	4.54
402, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	0.3	0.3	20.83	0.3	5.27	4.27
1991, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.0	0.7	1.7	23.50	8.0	4.93	4.62
1992, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.0	0.5	1.3	24.40	7.7	5.00	4.55

Variety Name	Week Ending 9/7/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
1995, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.5	0.5	1.0	24.00	7.0	5.00	4.62
1997, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.3	1.2	0.2	22.83	1.5	4.77	4.52
6404, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	1.8	0.5	21.33	0.7	5.07	4.23
13512, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	1.2	0.5	23.17	2.0	5.30	4.56
32, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	2.0	2.0	0.0	21.50	2.5	4.90	4.42
120, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.5	1.0	0.3	21.75	0.0	4.90	4.45
1421, HZ	1	0	2.0	0.0	0.5	22.50	1.5	5.20	4.47	2	0	2.8	0.3	0.8	23.00	1.0	4.85	4.44
1424, HZ	1	1	2.5	0.0	0.5	22.00	1.5	5.50	4.49	2	0	3.3	0.0	0.3	21.50	2.5	5.65	4.47
1901, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	3.8	1.5	0.8	21.75	5.5	5.05	4.53
19806 LYCO, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.3	0.3	0.0	21.00	0.5	5.55	4.41
16, BP	1	0	0.5	0.5	0.0	22.00	1.0	5.60	4.44	1	0	0.5	0.5	0.0	22.00	1.0	5.60	4.44
20, BP	1	0	0.5	0.5	0.0	22.00	0.0	4.70	4.35	1	0	0.5	0.5	0.0	22.00	0.0	4.70	4.35
163, BQ	1	0	0.0	0.5	0.5	21.00	0.5	5.00	4.29	1	0	0.0	0.5	0.5	21.00	0.5	5.00	4.29
205, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	20.50	1.5	5.30	4.26
312, BQ	1	0	1.5	2.5	0.0	22.00	0.5	5.40	4.24	1	0	1.5	2.5	0.0	22.00	0.5	5.40	4.24
422, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	4.0	0.0	23.00	6.0	5.00	4.39
1175, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	1.0	0.5	21.50	0.0	4.70	4.37
1813, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.0	0.5	0.0	22.00	4.0	5.90	4.46
2303, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.0	0.5	23.00	6.0	5.50	4.22
2849, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.0	0.5	0.5	22.50	2.0	4.90	4.36
5234, IVF	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.0	1.0	0.5	21.00	1.0	5.00	4.49
5701, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.0	0.0	0.0	20.00	1.0	5.60	4.47
6133, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.0	23.00	0.5	4.50	4.17
6429, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.0	0.5	0.0	22.00	0.0	5.50	4.32
8232, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.5	1.0	0.5	24.00	1.0	5.80	4.42
9665, HEINZ	1	0	0.0	4.5	1.0	23.50	6.5	6.50	4.60	1	0	0.0	4.5	1.0	23.50	6.5	6.50	4.60
37314, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	8.5	1.0	0.0	22.50	1.0	5.60	4.53
STATEWIDE	40,101	0.0	1.7	1.8	0.8	21.67	1.4	5.10	4.46	279,173	0.0	1.1	1.8	0.6	21.20	1.4	5.19	4.44