

2020 Processing Tomato Season
PTAB Analysis (FINAL) - Statewide by Variety



Variety Name	FINAL									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
6428, N	16	0	7.7	0.7	0.0	21.56	0.4	4.36	4.61	43,534	0	2.6	2.6	1.2	22.04	2.1	4.81	4.50
273, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	24,279	0	0.8	2.0	0.6	21.12	1.7	5.38	4.38
1662, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	23,619	0	2.2	2.6	1.2	21.86	1.6	4.99	4.46
8011, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	21,489	0	2.0	1.4	0.5	20.62	1.2	5.40	4.43
0319, DRI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	15,402	0	1.9	1.1	0.5	21.61	2.4	5.67	4.42
0811, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	14,682	0	1.4	1.5	0.7	20.25	0.7	5.12	4.40
9011, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	14,285	0	2.9	1.6	0.6	20.71	1.8	5.65	4.43
1428, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	14,195	0	2.0	2.6	1.3	21.25	0.9	4.83	4.49
4707, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13,348	0	1.5	2.7	1.0	22.60	0.8	4.88	4.45
403, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13,289	0	0.5	1.5	0.7	21.28	1.9	5.42	4.36
0311, AB	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13,194	0	2.3	1.1	0.5	20.78	1.8	5.83	4.39
400, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	12,103	0	0.5	1.7	0.7	20.11	1.2	5.25	4.47
5522, HM 61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11,518	0	1.0	0.8	0.4	20.32	0.7	5.75	4.37
5608, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11,066	0	1.6	1.4	0.6	20.37	1.1	5.14	4.45
2401, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9,630	0	2.1	2.5	0.8	21.71	1.0	4.86	4.38
58841, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8,892	0	1.4	1.0	0.6	21.07	0.7	5.12	4.40
5235, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8,843	0	3.2	1.8	1.0	20.60	2.6	5.38	4.48
9008, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8,736	0	2.3	1.7	0.5	20.77	0.5	5.24	4.34
9016, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8,520	0	2.5	2.0	0.8	21.67	0.6	4.89	4.38
2756, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7,967	0	2.3	1.7	0.6	21.03	0.6	5.09	4.48
16112, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	6,879	0	1.5	2.3	0.5	20.57	0.4	5.12	4.40
9013, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	6,797	0	2.4	1.4	0.5	20.73	1.4	5.16	4.43
6366, SUN	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	6,008	0	1.0	1.1	0.3	20.99	1.9	5.39	4.46
4521, HMX 61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5,804	0	0.8	1.3	0.5	21.06	0.5	5.30	4.38
6402, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5,743	0	1.2	1.2	0.4	20.50	1.6	5.76	4.46
4885, HMX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5,611	0	1.6	1.8	0.6	20.95	0.9	5.04	4.39
9014, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5,534	0	2.7	1.0	0.4	20.73	1.3	5.05	4.42
3887, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5,400	0	1.7	2.5	0.4	21.17	1.6	5.53	4.44
13, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4,933	0	0.4	3.4	1.5	21.60	1.6	4.86	4.38
8163, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4,611	0	1.4	0.8	0.9	20.02	1.1	5.77	4.45
5508, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4,354	0	2.6	1.3	0.5	21.22	0.4	4.65	4.48
6434, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4,082	0	2.3	2.5	1.2	22.01	2.1	5.06	4.50
58811, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,882	0	1.0	1.0	0.6	21.91	0.9	4.96	4.42
58801, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,876	0	3.1	1.7	0.7	21.81	2.8	5.12	4.49
1293, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,795	0	1.5	1.5	0.8	20.33	1.1	5.51	4.53
6426, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,096	0	1.9	2.1	1.0	20.69	1.3	5.01	4.47
413, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,015	0	1.9	2.7	0.9	21.43	1.7	4.67	4.53
1082, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,875	0	1.3	0.9	0.7	21.57	1.6	5.41	4.34
4909, HMX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,722	0	1.2	0.8	0.4	22.69	1.1	5.51	4.25

2020 Processing Tomato Season
PTAB Analysis (FINAL) - Statewide by Variety



Variety Name	FINAL									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
9000, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,566	0	0.4	0.8	0.3	20.86	0.5	5.05	4.42
9905, HARRIS MO	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,516	0	1.1	2.1	0.8	20.91	0.9	4.75	4.47
7885, HMX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,467	0	1.6	0.9	0.3	21.24	1.1	4.99	4.62
1015, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,349	0	0.4	2.3	1.0	20.79	1.2	5.20	4.44
43, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,278	0	2.4	1.2	0.5	20.82	1.3	5.53	4.46
1310, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,239	0	4.8	4.3	1.7	21.95	2.2	4.98	4.53
19406, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,187	0	2.0	0.4	0.3	21.58	0.8	5.51	4.31
6420, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,180	0	1.9	0.9	0.6	21.06	1.5	5.02	4.53
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,931	0	0.8	1.4	0.3	21.29	2.3	4.84	4.40
398, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,928	0	2.7	2.7	1.0	19.87	1.1	5.05	4.45
6415, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,739	0	0.6	2.1	0.6	21.28	0.8	5.17	4.43
9012, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,604	0	2.9	0.8	0.3	20.65	1.9	5.46	4.42
4014, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,586	0	2.2	1.8	0.7	20.63	1.1	5.00	4.51
6416, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,524	0	0.4	2.3	0.5	21.10	1.4	5.17	4.36
9007, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,436	0	1.7	2.8	0.9	22.35	1.7	4.73	4.55
UNCODED	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,418	0	2.1	2.1	0.7	20.71	1.0	5.17	4.44
5706, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,313	0	2.4	3.4	2.0	21.54	1.7	4.68	4.45
29814, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,299	0	1.7	1.6	0.6	20.86	0.7	5.61	4.47
5702, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,166	0	2.5	1.6	0.6	20.58	0.6	4.82	4.55
1776, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,120	0	2.4	1.4	0.6	20.86	0.6	5.31	4.44
8504, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,040	0	2.0	1.9	1.5	22.00	1.2	4.68	4.34
16609, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	868	0	1.7	1.3	0.5	21.04	2.0	5.80	4.42
1892, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	839	0	1.5	2.3	0.8	21.26	2.0	5.57	4.54
6397, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	788	0	0.4	0.8	0.4	21.80	1.1	5.31	4.41
3888, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	787	0	1.1	1.7	0.5	21.71	0.7	5.31	4.47
5900, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	715	0	1.2	0.9	0.3	21.60	2.2	5.31	4.38
141, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	669	0	0.8	5.1	1.0	21.81	5.3	4.98	4.45
4326, HMX 61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	650	0	1.0	0.6	0.5	21.17	1.1	5.50	4.34
42, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	636	0	2.2	0.8	0.2	20.62	2.6	5.16	4.47
1996, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	563	0	1.3	1.5	0.5	20.77	0.7	5.02	4.44
1997, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	550	0	2.7	2.2	1.1	21.61	1.3	4.96	4.45
1422, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	539	0	3.4	4.2	3.6	21.07	3.5	4.82	4.51
63, NB	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	534	0	2.1	2.5	0.5	20.68	1.5	4.93	4.50
422, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	512	0	7.0	1.7	0.8	21.21	2.4	4.92	4.60
6377, SSA	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	501	0	1.2	0.7	0.4	21.50	1.1	5.25	4.37
9663, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	501	0	2.3	1.9	0.8	20.21	1.8	4.85	4.40
HEINZ TRIAL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	431	0	2.8	2.5	0.9	21.32	1.6	4.94	4.48
9023, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	404	0	2.9	0.9	0.4	22.31	1.3	5.12	4.47
6463, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	392	0	0.8	1.1	0.4	20.38	0.7	4.88	4.42

2020 Processing Tomato Season
PTAB Analysis (FINAL) - Statewide by Variety



Variety Name	FINAL									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
6460, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	345	0	0.7	0.5	0.4	21.59	0.8	5.07	4.45
23, NB	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	323	0	1.9	2.3	0.8	20.54	1.5	5.78	4.44
6407, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	310	0	2.0	0.8	0.6	22.00	0.7	5.36	4.45
6459, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	304	0	1.5	3.9	1.3	21.38	1.5	5.12	4.48
27713, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	292	0	2.6	1.8	0.8	19.84	3.0	6.02	4.48
51,BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	255	0	0.3	1.3	0.5	21.81	2.9	5.84	4.34
7744, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	226	0	4.1	1.1	0.5	21.42	1.0	5.06	4.53
58881, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	218	0	0.9	4.4	0.7	21.16	2.8	5.20	4.47
MIX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	214	0	3.7	0.4	0.2	20.79	1.8	5.14	4.44
1991, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	214	0	4.3	3.5	1.1	20.44	1.2	4.86	4.43
MISC TRIAL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	208	0	2.8	1.1	0.5	21.43	1.4	5.00	4.44
1765, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	198	0	0.1	1.3	0.3	20.91	1.0	5.50	4.39
3842, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	191	0	1.1	1.5	0.3	22.12	1.4	5.55	4.44
9025, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	190	0	1.0	1.1	0.5	21.67	0.4	5.23	4.26
6441, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	185	0	5.8	0.6	0.2	21.24	0.3	4.81	4.51
393, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	175	0	1.6	1.3	0.4	22.08	3.6	4.65	4.48
74, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	139	0	1.4	0.6	0.2	21.81	0.9	5.27	4.45
1292, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	118	0	0.2	1.5	0.5	20.06	0.8	6.03	4.48
6465, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	118	0	2.9	0.8	1.2	21.22	1.1	5.02	4.46
18205, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	106	0	0.8	1.6	0.5	20.47	1.8	5.39	4.56
25033, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	105	0	1.0	2.9	0.9	20.97	1.0	5.19	4.41
50, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	100	0	3.0	2.1	0.4	21.33	2.2	5.02	4.42
255, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	91	0	1.8	0.7	0.9	22.71	2.3	5.01	4.36
000, MISC	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	83	0	4.3	0.3	0.0	21.21	1.3	4.84	4.49
1994, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	81	0	1.5	2.1	0.3	21.52	0.7	5.12	4.41
1902, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	77	0	0.4	1.4	0.7	22.00	2.0	4.92	4.44
5369, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	77	0	1.3	0.5	0.3	20.70	1.1	5.52	4.53
9018, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	71	0	0.4	1.5	0.8	21.90	0.6	4.82	4.31
9024, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	69	0	1.6	1.4	1.1	21.35	0.7	5.15	4.31
6464, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	61	0	1.4	0.5	0.5	21.25	1.0	5.57	4.37
47, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	60	0	0.8	0.6	0.3	22.20	0.6	5.30	4.37
1161, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	57	0	0.9	0.2	0.1	20.96	1.0	5.23	4.40
29314	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	51	0	2.1	1.2	0.3	21.32	1.5	5.21	4.42
108, HYPEEL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	45	0	0.8	1.9	0.4	21.97	1.7	5.42	4.49
430, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	45	0	4.2	4.0	2.1	20.87	0.5	4.37	4.54
431, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	43	0	9.4	2.6	1.2	20.55	0.8	4.75	4.51
5511, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	31	0	1.9	1.8	0.6	21.06	2.8	5.34	4.42
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	25	0	0.1	1.0	0.2	21.84	0.7	6.02	4.33
4565, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	23	0	1.7	2.3	0.1	20.80	1.8	5.17	4.43

2020 Processing Tomato Season
PTAB Analysis (FINAL) - Statewide by Variety



Variety Name	FINAL									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
9019, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	22	0	1.0	2.3	0.6	21.89	1.3	5.42	4.27
4569, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	20	0	0.5	0.8	0.3	21.05	1.6	5.38	4.37
6140, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	17	0	0.8	0.1	0.1	19.65	0.5	5.18	4.33
434, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	14	0	2.8	1.9	0.5	19.68	0.7	5.18	4.44
6440, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13	0	7.1	0.4	0.2	21.42	0.7	4.82	4.50
7103, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13	0	0.1	0.3	0.2	20.73	1.1	5.58	4.37
9436, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13	0	3.0	1.6	0.6	18.31	0.7	5.81	4.48
LYCOMECH UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	12	0	0.8	3.3	0.5	19.92	0.5	5.33	4.50
LYKOBOL UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11	0	1.1	2.7	0.6	19.18	1.0	5.68	4.53
4680, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11	0	1.3	0.7	0.5	20.23	0.0	5.48	4.53
23024, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11	0	0.0	1.0	0.4	20.14	0.1	5.51	4.48
26623, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11	0	0.1	1.2	0.1	20.64	0.4	5.79	4.36
48, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8	0	0.8	0.9	0.6	21.06	2.4	5.69	4.43
49, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7	0	1.9	0.6	0.4	20.79	0.9	5.33	4.49
435, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7	0	1.9	1.6	0.6	21.43	1.9	4.40	4.44
2074, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	6	0	1.4	0.9	0.2	20.08	3.3	6.05	4.45
1311, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	3.2	0.1	0.1	22.00	3.4	5.20	4.47
1901, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4	0	4.3	1.3	0.1	19.63	1.4	4.40	4.37
2493, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	6.0	0.5	0.0	22.00	1.5	5.70	4.53
7791, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	3.0	0.3	0.0	20.33	0.3	5.13	4.46
9003, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.2	0.0	0.3	19.83	1.0	5.20	4.35
1115,FM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.0	2.0	0.3	20.50	1.3	6.10	4.51
2, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	21.50	1.5	5.70	4.46
16, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	7.0	0.0	0.0	21.50	2.0	4.70	4.50
19, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.5	1.0	0.0	24.50	0.5	5.70	4.51
20, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.0	1.0	0.0	21.00	1.5	5.00	4.32
402, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	21.00	1.0	5.10	4.33
15212, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.5	0.5	0.0	18.50	0.5	5.70	4.33
37314, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.5	19.00	0.5	5.50	4.48
STATEWIDE	16	0.0	7.7	0.7	0.0	21.56	0.4	4.36	4.61	442,120	0.0	1.8	1.8	0.8	21.17	1.4	5.20	4.43