

2020 Processing Tomato Season
PTAB Analysis (10/17/20) - Statewide by Variety



Variety Name	Week Ending 10/17/20									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
6428, N	262	0	2.6	2.6	0.5	21.46	0.8	5.12	4.43	43,466	0	2.6	2.6	1.2	22.05	2.1	4.81	4.50
273, BQ	1	0	15.0	0.5	2.0	21.00	0.0	4.40	4.55	24,279	0	0.8	2.0	0.6	21.12	1.7	5.38	4.38
1662, HZ	238	0	2.1	1.4	0.6	21.39	0.6	4.94	4.46	23,598	0	2.2	2.6	1.2	21.86	1.6	4.99	4.46
8011, SV	154	0	2.2	0.8	0.1	20.28	1.3	4.91	4.42	21,401	0	2.0	1.4	0.5	20.62	1.2	5.40	4.43
0319, DRI	255	0	2.7	1.8	0.2	21.53	3.1	4.89	4.43	15,166	0	1.9	1.2	0.5	21.63	2.4	5.69	4.42
0811, BOS	107	0	2.6	1.7	1.4	20.90	0.9	4.73	4.43	14,582	0	1.4	1.5	0.7	20.24	0.7	5.12	4.40
9011, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	14,285	0	2.9	1.6	0.6	20.71	1.8	5.65	4.43
1428, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	14,195	0	2.0	2.6	1.3	21.25	0.9	4.83	4.49
4707, HEINZ	44	0	4.9	1.9	0.6	23.31	0.5	5.03	4.56	13,348	0	1.5	2.7	1.0	22.60	0.8	4.88	4.45
403, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13,289	0	0.5	1.5	0.7	21.28	1.9	5.42	4.36
0311, AB	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13,194	0	2.3	1.1	0.5	20.78	1.8	5.83	4.39
400, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	12,103	0	0.5	1.7	0.7	20.11	1.2	5.25	4.47
5522, HM 61P	31	0	3.0	2.6	0.4	22.10	0.4	5.13	4.40	11,518	0	1.0	0.8	0.4	20.32	0.7	5.75	4.37
5608, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11,066	0	1.6	1.4	0.6	20.37	1.1	5.14	4.45
2401, HEINZ	62	0	2.1	3.7	0.9	20.82	0.4	5.70	4.33	9,630	0	2.1	2.5	0.8	21.71	1.0	4.86	4.38
5235, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8,843	0	3.2	1.8	1.0	20.60	2.6	5.38	4.48
9008, SVTM	209	0	2.0	0.7	0.5	20.75	0.3	5.07	4.32	8,727	0	2.3	1.7	0.5	20.76	0.5	5.24	4.35
58841, HM	546	0	1.6	1.0	0.4	21.06	0.5	5.11	4.41	8,625	0	1.5	0.9	0.6	21.09	0.7	5.12	4.40
9016, SVTM	110	0	4.1	0.5	0.2	21.67	0.4	4.26	4.47	8,520	0	2.5	2.0	0.8	21.67	0.6	4.89	4.38
2756, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7,967	0	2.3	1.7	0.6	21.03	0.6	5.09	4.48
16112, UG	242	0	1.8	1.0	0.5	21.54	0.7	4.78	4.50	6,879	0	1.5	2.3	0.5	20.57	0.4	5.12	4.40
9013, SVTM	16	0	1.8	1.8	0.5	19.97	0.7	4.26	4.29	6,798	0	2.4	1.4	0.6	20.73	1.4	5.16	4.43
6366, SUN	30	0	3.9	0.1	0.3	21.03	1.8	6.14	4.53	6,008	0	1.0	1.1	0.3	20.99	1.9	5.39	4.46
4521, HMX 61P	271	0	1.3	1.7	1.2	21.44	0.6	4.97	4.38	5,757	0	0.8	1.3	0.5	21.06	0.5	5.30	4.38
6402, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5,743	0	1.2	1.2	0.4	20.50	1.6	5.76	4.46
4885, HMX	46	0	2.2	0.5	0.3	20.84	0.4	4.98	4.34	5,611	0	1.6	1.8	0.6	20.95	0.9	5.04	4.39
9014, SVTM	22	0	4.0	1.8	0.0	19.89	0.7	4.71	4.47	5,509	0	2.7	0.9	0.4	20.74	1.3	5.05	4.43
3887, HM	57	0	1.7	2.3	0.2	22.33	1.3	5.30	4.35	5,347	0	1.7	2.5	0.5	21.16	1.6	5.55	4.44
13, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4,933	0	0.4	3.4	1.5	21.60	1.6	4.86	4.38
8163, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4,611	0	1.4	0.8	0.9	20.02	1.1	5.77	4.45
5508, HZ	1,031	0	2.9	1.8	0.6	21.49	0.4	4.59	4.51	4,354	0	2.6	1.3	0.5	21.22	0.4	4.65	4.48
6434, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4,082	0	2.3	2.5	1.2	22.01	2.1	5.06	4.50
58801, HM	23	0	2.1	1.9	1.0	21.50	0.8	4.65	4.39	3,876	0	3.1	1.7	0.7	21.81	2.8	5.12	4.49
1293, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,778	0	1.5	1.5	0.8	20.33	1.1	5.51	4.53
58811, HM	368	0	1.1	0.7	0.5	21.52	0.5	4.97	4.37	3,686	0	1.0	1.1	0.7	21.96	0.9	4.95	4.42
6426, N	1	0	1.0	3.0	1.0	22.50	2.0	4.10	4.31	3,096	0	1.9	2.1	1.0	20.69	1.3	5.01	4.47
413, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,015	0	1.9	2.7	0.9	21.43	1.7	4.67	4.53
1082, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,875	0	1.3	0.9	0.7	21.57	1.6	5.41	4.34
4909, HMX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,722	0	1.2	0.8	0.4	22.69	1.1	5.51	4.25

2020 Processing Tomato Season
PTAB Analysis (10/17/20) - Statewide by Variety



Variety Name	Week Ending 10/17/20									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
9000, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,566	0	0.4	0.8	0.3	20.86	0.5	5.05	4.42
7885, HMX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,467	0	1.6	0.9	0.3	21.24	1.1	4.99	4.62
1015, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,349	0	0.4	2.3	1.0	20.79	1.2	5.20	4.44
9905, HARRIS MO	291	0	1.4	1.4	0.6	21.08	0.5	4.99	4.43	2,290	0	1.1	2.2	0.8	20.96	0.9	4.73	4.47
43, BP	61	0	2.3	1.3	0.1	20.53	0.4	5.45	4.52	2,278	0	2.4	1.2	0.5	20.82	1.3	5.53	4.46
1310, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,239	0	4.8	4.3	1.7	21.95	2.2	4.98	4.53
6420, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,180	0	1.9	0.9	0.6	21.06	1.5	5.02	4.53
19406, UG	93	0	2.0	1.0	0.8	21.65	0.7	5.68	4.38	2,137	0	2.0	0.4	0.3	21.59	0.8	5.50	4.31
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,931	0	0.8	1.4	0.3	21.29	2.3	4.84	4.40
398, BQ	18	0	13.4	1.0	1.8	21.86	1.5	4.33	4.56	1,928	0	2.7	2.7	1.0	19.87	1.1	5.05	4.45
6415, N	22	0	3.0	1.0	2.5	21.30	0.7	5.21	4.38	1,739	0	0.6	2.1	0.6	21.28	0.8	5.17	4.43
9012, SVTM	43	0	2.2	1.4	0.0	20.42	1.2	5.41	4.36	1,604	0	2.9	0.8	0.3	20.65	1.9	5.46	4.42
4014, UG	108	0	1.9	3.3	1.7	20.56	0.9	4.29	4.31	1,587	0	2.2	1.8	0.7	20.63	1.1	5.00	4.51
6416, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,524	0	0.4	2.3	0.5	21.10	1.4	5.17	4.36
9007, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,436	0	1.7	2.8	0.9	22.35	1.7	4.73	4.55
UNCODED	14	0	1.7	2.5	1.1	20.50	0.4	4.84	4.28	1,418	0	2.1	2.1	0.7	20.71	1.0	5.17	4.44
5706, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,313	0	2.4	3.4	2.0	21.54	1.7	4.68	4.45
29814, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,299	0	1.7	1.6	0.6	20.86	0.7	5.61	4.47
5702, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,166	0	2.5	1.6	0.6	20.58	0.6	4.82	4.55
1776, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,120	0	2.4	1.4	0.6	20.86	0.6	5.31	4.44
8504, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,040	0	2.0	1.9	1.5	22.00	1.2	4.68	4.34
16609, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	868	0	1.7	1.3	0.5	21.04	2.0	5.80	4.42
1892, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	839	0	1.5	2.3	0.8	21.26	2.0	5.57	4.54
6397, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	788	0	0.4	0.8	0.4	21.80	1.1	5.31	4.41
3888, HM	238	0	1.7	2.5	0.7	22.46	0.7	5.11	4.44	782	0	1.1	1.7	0.5	21.70	0.7	5.31	4.47
5900, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	715	0	1.2	0.9	0.3	21.60	2.2	5.31	4.38
141, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	669	0	0.8	5.1	1.0	21.81	5.3	4.98	4.45
4326, HMX 61P	17	0	0.8	1.9	0.6	21.88	0.5	5.44	4.33	650	0	1.0	0.6	0.5	21.17	1.1	5.50	4.34
42, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	636	0	2.2	0.8	0.2	20.62	2.6	5.16	4.47
1996, HZ	9	0	0.3	0.6	0.6	21.00	0.0	5.44	4.25	563	0	1.3	1.5	0.5	20.77	0.7	5.02	4.44
1997, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	550	0	2.7	2.2	1.1	21.61	1.3	4.96	4.45
1422, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	539	0	3.4	4.2	3.6	21.07	3.5	4.82	4.51
63, NB	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	534	0	2.1	2.5	0.5	20.68	1.5	4.93	4.50
422, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	512	0	7.0	1.7	0.8	21.21	2.4	4.92	4.60
9663, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	501	0	2.3	1.9	0.8	20.21	1.8	4.85	4.40
HEINZ TRIAL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	431	0	2.8	2.5	0.9	21.32	1.6	4.94	4.48
9023, SVTM	19	0	2.4	1.2	1.0	22.92	0.3	4.90	4.54	404	0	2.9	0.9	0.4	22.31	1.3	5.12	4.47
6463, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	392	0	0.8	1.1	0.4	20.38	0.7	4.88	4.42
6460, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	345	0	0.7	0.5	0.4	21.59	0.8	5.07	4.45

2020 Processing Tomato Season
PTAB Analysis (10/17/20) - Statewide by Variety



Variety Name	Week Ending 10/17/20									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
23, NB	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	323	0	1.9	2.3	0.8	20.54	1.5	5.78	4.44
6377, SSA	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	321	0	1.4	1.0	0.4	21.78	1.3	5.38	4.37
6407, N	14	0	2.7	1.0	1.4	22.64	1.2	5.19	4.50	310	0	2.0	0.8	0.6	22.00	0.7	5.36	4.45
6459, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	304	0	1.5	3.9	1.3	21.38	1.5	5.12	4.48
27713, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	292	0	2.6	1.8	0.8	19.84	3.0	6.02	4.48
51,BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	255	0	0.3	1.3	0.5	21.81	2.9	5.84	4.34
7744, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	226	0	4.1	1.1	0.5	21.42	1.0	5.06	4.53
58881, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	218	0	0.9	4.4	0.7	21.16	2.8	5.20	4.47
MIX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	214	0	3.7	0.4	0.2	20.79	1.8	5.14	4.44
1991, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	214	0	4.3	3.5	1.1	20.44	1.2	4.86	4.43
MISC TRIAL	26	0	1.8	2.6	1.2	22.08	0.1	4.69	4.51	208	0	2.8	1.1	0.5	21.43	1.4	5.00	4.44
1765, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	198	0	0.1	1.3	0.3	20.91	1.0	5.50	4.39
3842, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	191	0	1.1	1.5	0.3	22.12	1.4	5.55	4.44
9025, SVTM	13	0	0.3	0.1	0.6	23.31	0.4	4.63	4.21	190	0	1.0	1.1	0.5	21.67	0.4	5.23	4.26
6441, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	185	0	5.8	0.6	0.2	21.24	0.3	4.81	4.51
393, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	175	0	1.6	1.3	0.4	22.08	3.6	4.65	4.48
74, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	139	0	1.4	0.6	0.2	21.81	0.9	5.27	4.45
1292, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	118	0	0.2	1.5	0.5	20.06	0.8	6.03	4.48
6465, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	118	0	2.9	0.8	1.2	21.22	1.1	5.02	4.46
18205, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	106	0	0.8	1.6	0.5	20.47	1.8	5.39	4.56
25033, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	105	0	1.0	2.9	0.9	20.97	1.0	5.19	4.41
50, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	100	0	3.0	2.1	0.4	21.33	2.2	5.02	4.42
255, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	91	0	1.8	0.7	0.9	22.71	2.3	5.01	4.36
000, MISC	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	83	0	4.3	0.3	0.0	21.21	1.3	4.84	4.49
1994, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	81	0	1.5	2.1	0.3	21.52	0.7	5.12	4.41
1902, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	77	0	0.4	1.4	0.7	22.00	2.0	4.92	4.44
5369, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	77	0	1.3	0.5	0.3	20.70	1.1	5.52	4.53
9018, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	71	0	0.4	1.5	0.8	21.90	0.6	4.82	4.31
9024, SVTM	7	0	5.0	1.6	0.4	21.79	0.6	6.20	4.29	69	0	1.6	1.4	1.1	21.35	0.7	5.15	4.31
6464, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	61	0	1.4	0.5	0.5	21.25	1.0	5.57	4.37
47, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	60	0	0.8	0.6	0.3	22.20	0.6	5.30	4.37
1161, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	57	0	0.9	0.2	0.1	20.96	1.0	5.23	4.40
29314	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	51	0	2.1	1.2	0.3	21.32	1.5	5.21	4.42
108, HYPEEL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	45	0	0.8	1.9	0.4	21.97	1.7	5.42	4.49
430, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	45	0	4.2	4.0	2.1	20.87	0.5	4.37	4.54
431, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	43	0	9.4	2.6	1.2	20.55	0.8	4.75	4.51
5511, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	31	0	1.9	1.8	0.6	21.06	2.8	5.34	4.42
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	25	0	0.1	1.0	0.2	21.84	0.7	6.02	4.33
4565, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	23	0	1.7	2.3	0.1	20.80	1.8	5.17	4.43

2020 Processing Tomato Season
PTAB Analysis (10/17/20) - Statewide by Variety



Variety Name	Week Ending 10/17/20									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
9019, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	22	0	1.0	2.3	0.6	21.89	1.3	5.42	4.27
4569, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	20	0	0.5	0.8	0.3	21.05	1.6	5.38	4.37
6140, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	17	0	0.8	0.1	0.1	19.65	0.5	5.18	4.33
434, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	14	0	2.8	1.9	0.5	19.68	0.7	5.18	4.44
6440, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13	0	7.1	0.4	0.2	21.42	0.7	4.82	4.50
7103, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13	0	0.1	0.3	0.2	20.73	1.1	5.58	4.37
9436, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13	0	3.0	1.6	0.6	18.31	0.7	5.81	4.48
LYCOMECH UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	12	0	0.8	3.3	0.5	19.92	0.5	5.33	4.50
LYKOBOL UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11	0	1.1	2.7	0.6	19.18	1.0	5.68	4.53
4680, BOS	11	0	1.3	0.7	0.5	20.23	0.0	5.48	4.53	11	0	1.3	0.7	0.5	20.23	0.0	5.48	4.53
23024, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11	0	0.0	1.0	0.4	20.14	0.1	5.51	4.48
26623, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11	0	0.1	1.2	0.1	20.64	0.4	5.79	4.36
48, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8	0	0.8	0.9	0.6	21.06	2.4	5.69	4.43
49, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7	0	1.9	0.6	0.4	20.79	0.9	5.33	4.49
435, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7	0	1.9	1.6	0.6	21.43	1.9	4.40	4.44
2074, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	6	0	1.4	0.9	0.2	20.08	3.3	6.05	4.45
1311, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	3.2	0.1	0.1	22.00	3.4	5.20	4.47
1901, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4	0	4.3	1.3	0.1	19.63	1.4	4.40	4.37
2493, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	6.0	0.5	0.0	22.00	1.5	5.70	4.53
7791, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	3.0	0.3	0.0	20.33	0.3	5.13	4.46
9003, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.2	0.0	0.3	19.83	1.0	5.20	4.35
1115,FM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.0	2.0	0.3	20.50	1.3	6.10	4.51
2, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	21.50	1.5	5.70	4.46
16, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	7.0	0.0	0.0	21.50	2.0	4.70	4.50
19, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.5	1.0	0.0	24.50	0.5	5.70	4.51
20, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.0	1.0	0.0	21.00	1.5	5.00	4.32
402, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	21.00	1.0	5.10	4.33
15212, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.5	0.5	0.0	18.50	0.5	5.70	4.33
37314, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.5	19.00	0.5	5.50	4.48
STATEWIDE	5,130	0.0	2.2	1.5	0.6	21.36	0.7	4.92	4.43	440,534	0.0	1.8	1.8	0.8	21.17	1.4	5.20	4.43