

2020 Processing Tomato Season
PTAB Analysis (10/3/20) - Statewide by Variety



Variety Name	Week Ending 10/3/20									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
6428, N	6,058	0	3.3	2.8	1.6	21.95	1.8	4.68	4.50	40,096	0	2.5	2.6	1.1	22.04	2.1	4.83	4.50
273, BQ	206	0	2.2	0.6	0.5	22.91	1.9	4.11	4.45	24,251	0	0.8	2.0	0.6	21.11	1.7	5.38	4.38
1662, HZ	2,169	0	2.0	2.1	1.1	21.90	1.2	4.88	4.44	21,949	0	2.2	2.6	1.2	21.86	1.6	4.99	4.47
8011, SV	610	0	3.2	0.8	0.5	20.47	1.0	4.93	4.38	20,841	0	1.9	1.4	0.5	20.62	1.2	5.42	4.43
0319, DRI	900	0	1.7	0.6	0.3	21.66	2.5	5.33	4.38	14,512	0	1.9	1.1	0.5	21.62	2.4	5.70	4.42
9011, SVTM	162	0	2.1	0.9	0.5	20.51	0.9	5.35	4.30	14,074	0	2.8	1.6	0.6	20.70	1.8	5.66	4.43
1428, HZ	322	0	2.6	2.5	0.8	20.99	0.6	4.74	4.46	14,026	0	2.0	2.6	1.3	21.25	0.9	4.83	4.49
0811, BOS	978	0	2.1	0.8	1.4	20.32	0.9	4.96	4.43	13,739	0	1.4	1.4	0.6	20.20	0.7	5.15	4.40
403, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13,289	0	0.5	1.5	0.7	21.28	1.9	5.42	4.36
0311, AB	350	0	2.9	0.6	0.5	20.92	1.6	5.49	4.39	13,097	0	2.3	1.1	0.5	20.78	1.8	5.83	4.39
4707, HEINZ	760	0	1.3	2.0	0.5	22.43	0.6	4.98	4.43	12,954	0	1.4	2.7	1.0	22.60	0.8	4.88	4.45
400, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	12,103	0	0.5	1.7	0.7	20.11	1.2	5.25	4.47
5522, HM 61P	703	0	1.9	0.6	0.5	20.83	0.8	5.32	4.35	11,140	0	1.0	0.7	0.4	20.30	0.7	5.76	4.37
5608, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11,066	0	1.6	1.4	0.6	20.37	1.1	5.14	4.45
5235, HM	33	0	3.4	5.1	1.0	20.09	1.0	4.81	4.42	8,799	0	3.2	1.8	1.0	20.60	2.7	5.38	4.48
2401, HEINZ	1,413	0	2.6	3.6	1.2	22.01	1.0	4.59	4.38	8,652	0	2.1	2.5	0.8	21.77	1.1	4.84	4.38
2756, SV	158	0	7.5	1.9	0.5	21.33	1.0	5.10	4.57	7,967	0	2.3	1.7	0.6	21.03	0.6	5.09	4.48
9008, SVTM	1,292	0	2.9	2.1	0.7	20.85	0.8	5.04	4.35	7,813	0	2.3	1.7	0.5	20.74	0.5	5.29	4.35
9016, SVTM	1,174	0	2.4	1.7	1.0	21.45	0.5	4.81	4.36	7,563	0	2.4	1.9	0.8	21.66	0.7	4.94	4.38
58841, HM	1,329	0	1.5	0.8	0.7	21.34	0.7	4.84	4.41	7,370	0	1.3	0.9	0.6	21.06	0.7	5.14	4.39
9013, SVTM	505	0	2.9	1.1	0.5	21.00	1.3	4.96	4.44	6,493	0	2.3	1.4	0.6	20.74	1.4	5.16	4.43
16112, UG	1,234	0	1.7	3.2	0.6	20.27	0.4	5.39	4.42	6,345	0	1.4	2.5	0.5	20.50	0.3	5.15	4.40
6366, SUN	158	0	1.3	0.1	0.1	22.54	3.2	5.47	4.49	5,821	0	1.0	1.2	0.3	20.97	1.9	5.39	4.46
6402, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5,743	0	1.2	1.2	0.4	20.50	1.6	5.76	4.46
3887, HM	140	0	2.0	0.8	0.4	21.25	1.6	5.65	4.43	5,248	0	1.7	2.5	0.5	21.14	1.6	5.55	4.44
9014, SVTM	513	0	3.5	0.4	0.5	21.01	0.9	4.79	4.45	5,000	0	2.5	1.0	0.4	20.72	1.3	5.08	4.42
4521, HMX 61P	799	0	1.3	0.7	0.5	21.43	0.7	4.96	4.37	4,973	0	0.8	1.2	0.4	20.99	0.5	5.37	4.38
4885, HMX	956	0	2.2	1.8	0.8	20.90	0.9	4.92	4.38	4,947	0	1.5	1.8	0.5	21.00	1.0	5.05	4.38
13, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4,933	0	0.4	3.4	1.5	21.60	1.6	4.86	4.38
8163, HM	151	0	2.3	1.7	2.1	19.97	1.4	5.67	4.45	4,600	0	1.4	0.8	0.9	20.02	1.1	5.77	4.45
6434, N	465	0	4.9	0.9	1.3	21.98	1.8	4.57	4.48	4,076	0	2.3	2.5	1.2	22.01	2.1	5.06	4.50
1293, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,778	0	1.5	1.5	0.8	20.33	1.1	5.51	4.53
58801, HM	652	0	6.1	1.3	1.2	22.10	3.6	5.00	4.51	3,735	0	3.1	1.6	0.6	21.80	2.8	5.13	4.49
413, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,015	0	1.9	2.7	0.9	21.43	1.7	4.67	4.53
6426, N	207	0	2.3	1.8	1.7	20.53	1.1	4.84	4.45	2,852	0	1.7	2.2	0.9	20.70	1.3	5.05	4.47
1082, SVTM	227	0	2.3	1.0	1.0	22.09	2.3	5.43	4.38	2,729	0	1.3	1.0	0.8	21.56	1.6	5.41	4.34
4909, HMX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,722	0	1.2	0.8	0.4	22.69	1.1	5.51	4.25
9000, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,566	0	0.4	0.8	0.3	20.86	0.5	5.05	4.42
7885, HMX	2	0	7.0	1.0	0.3	20.25	1.8	5.45	4.50	2,467	0	1.6	0.9	0.3	21.24	1.1	4.99	4.62

2020 Processing Tomato Season
PTAB Analysis (10/3/20) - Statewide by Variety



Variety Name	Week Ending 10/3/20									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
58811, HM	113	0	0.9	1.3	0.5	22.29	1.2	4.68	4.38	2,404	0	1.1	1.1	0.7	22.06	1.0	5.04	4.43
1015, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,349	0	0.4	2.3	1.0	20.79	1.2	5.20	4.44
1310, HZ	180	0	3.7	5.4	1.4	21.52	1.6	5.62	4.40	2,216	0	4.9	4.3	1.8	21.95	2.2	4.99	4.53
6420, N	21	0	2.6	2.0	1.0	20.43	1.5	5.30	4.52	2,174	0	1.9	0.9	0.5	21.07	1.5	5.02	4.53
19406, UG	256	0	1.6	0.3	0.2	21.07	0.5	5.23	4.31	1,990	0	2.0	0.4	0.3	21.60	0.8	5.50	4.31
43, BP	224	0	2.6	1.0	0.3	21.26	1.4	5.09	4.47	1,958	0	2.1	1.2	0.4	20.80	1.3	5.55	4.46
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,931	0	0.8	1.4	0.3	21.29	2.3	4.84	4.40
5508, HZ	1169	0	2.0	1.0	0.3	20.97	0.4	4.61	4.44	1,806	0	2.3	1.1	0.4	20.96	0.5	4.71	4.45
6416, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,524	0	0.4	2.3	0.5	21.10	1.4	5.17	4.36
9012, SVTM	65	0	4.0	0.3	0.2	20.45	1.0	4.82	4.38	1,503	0	3.0	0.8	0.3	20.65	1.8	5.48	4.42
6415, N	106	0	1.1	3.6	1.5	20.63	0.9	5.24	4.36	1,502	0	0.4	2.0	0.3	21.46	0.8	5.18	4.44
9007, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,436	0	1.7	2.8	0.9	22.35	1.7	4.73	4.55
398, BQ	358	0	2.6	3.0	0.8	19.60	1.0	5.06	4.43	1,419	0	2.1	2.7	0.7	19.65	1.0	5.09	4.44
4014, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,408	0	2.2	1.6	0.6	20.60	1.2	5.06	4.52
9905, HARRIS MO	827	0	0.8	2.5	0.7	20.61	0.9	4.75	4.48	1,362	0	1.1	1.6	0.5	20.58	0.8	4.76	4.48
5706, HZ	80	0	1.1	2.3	0.5	22.43	0.6	4.45	4.32	1,280	0	2.5	3.4	2.0	21.57	1.7	4.67	4.45
29814, UG	138	0	3.6	2.0	1.4	20.04	0.8	5.42	4.50	1,278	0	1.7	1.6	0.6	20.86	0.7	5.62	4.47
UNCODED	119	0	2.6	2.9	1.0	20.69	1.3	5.41	4.44	1,263	0	2.0	1.9	0.7	20.61	1.0	5.24	4.45
5702, HZ	123	0	2.5	1.3	0.8	20.56	0.3	4.78	4.50	1,051	0	2.2	1.6	0.6	20.57	0.6	4.83	4.55
1776, HZ	121	0	3.3	1.1	0.6	20.89	0.5	5.24	4.45	1,038	0	2.4	1.4	0.5	20.81	0.6	5.33	4.43
8504, HEINZ	48	0	1.9	0.6	2.9	21.67	1.1	4.60	4.41	929	0	1.8	1.8	1.4	22.01	1.3	4.67	4.33
16609, UG	15	0	3.9	0.5	0.6	23.17	5.4	4.48	4.47	868	0	1.7	1.3	0.5	21.04	2.0	5.80	4.42
1892, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	839	0	1.5	2.3	0.8	21.26	2.0	5.57	4.54
6397, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	788	0	0.4	0.8	0.4	21.80	1.1	5.31	4.41
5900, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	715	0	1.2	0.9	0.3	21.60	2.2	5.31	4.38
141, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	669	0	0.8	5.1	1.0	21.81	5.3	4.98	4.45
42, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	636	0	2.2	0.8	0.2	20.62	2.6	5.16	4.47
1996, HZ	46	0	1.7	1.3	0.5	20.85	1.1	4.83	4.47	554	0	1.3	1.5	0.5	20.76	0.7	5.01	4.44
1422, HZ	5	0	3.8	3.4	3.4	21.20	3.0	4.26	4.51	539	0	3.4	4.2	3.6	21.07	3.5	4.82	4.51
63, NB	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	534	0	2.1	2.5	0.5	20.68	1.5	4.93	4.50
422, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	512	0	7.0	1.7	0.8	21.21	2.4	4.92	4.60
4326, HMX 61P	99	0	1.9	0.4	1.0	21.33	1.3	5.21	4.35	512	0	1.0	0.4	0.5	21.03	1.1	5.52	4.34
1997, HZ	41	0	1.8	2.8	2.7	21.52	1.6	4.49	4.41	504	0	2.7	2.2	0.8	21.62	1.3	5.00	4.45
9663, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	501	0	2.3	1.9	0.8	20.21	1.8	4.85	4.40
HEINZ TRIAL	52	0	6.4	1.9	1.0	21.21	1.2	4.69	4.50	403	0	2.9	2.4	0.9	21.24	1.6	4.99	4.49
6463, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	392	0	0.8	1.1	0.4	20.38	0.7	4.88	4.42
9023, SVTM	72	0	1.1	0.7	0.6	22.60	1.0	4.63	4.42	382	0	2.9	0.9	0.3	22.29	1.4	5.13	4.46
6460, N	73	0	1.3	0.7	1.1	20.99	1.4	5.18	4.52	345	0	0.7	0.5	0.4	21.59	0.8	5.07	4.45
23, NB	11	0	2.4	0.9	0.3	20.14	1.7	5.56	4.45	323	0	1.9	2.3	0.8	20.54	1.5	5.78	4.44

2020 Processing Tomato Season
PTAB Analysis (10/3/20) - Statewide by Variety



Variety Name	Week Ending 10/3/20									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
6377, SSA	53	0	0.9	1.1	0.0	22.22	2.3	5.35	4.40	321	0	1.4	1.0	0.4	21.78	1.3	5.38	4.37
6459, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	304	0	1.5	3.9	1.3	21.38	1.5	5.12	4.48
27713, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	292	0	2.6	1.8	0.8	19.84	3.0	6.02	4.48
3888, HM	224	0	0.6	0.6	0.2	20.96	0.7	5.52	4.49	277	0	0.8	0.7	0.2	21.03	0.7	5.48	4.48
51,BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	255	0	0.3	1.3	0.5	21.81	2.9	5.84	4.34
58881, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	217	0	0.9	4.4	0.7	21.16	2.8	5.20	4.47
7744, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	216	0	4.0	1.1	0.5	21.42	1.0	5.08	4.53
MIX	2	0	0.5	0.0	0.0	22.00	3.3	5.40	4.51	208	0	3.8	0.4	0.2	20.79	1.8	5.15	4.44
1991, HZ	38	0	3.2	8.1	1.4	20.74	1.5	5.52	4.27	199	0	4.4	3.6	1.1	20.47	1.3	4.88	4.43
1765, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	198	0	0.1	1.3	0.3	20.91	1.0	5.50	4.39
3842, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	191	0	1.1	1.5	0.3	22.12	1.4	5.55	4.44
6407, N	176	0	1.9	0.8	0.4	21.90	0.6	5.34	4.44	191	0	1.9	0.9	0.4	21.91	0.6	5.30	4.45
6441, N	83	0	5.4	0.5	0.2	21.23	0.3	4.90	4.54	185	0	5.8	0.6	0.2	21.24	0.3	4.81	4.51
MISC TRIAL	17	0	2.9	1.3	0.2	21.56	1.0	5.52	4.28	177	0	2.9	1.0	0.4	21.37	1.6	5.05	4.44
393, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	175	0	1.6	1.3	0.4	22.08	3.6	4.65	4.48
9025, SVTM	38	0	1.2	1.0	0.3	20.80	0.1	5.20	4.28	143	0	1.0	0.9	0.3	21.63	0.3	5.28	4.26
74, BP	80	0	0.9	0.0	0.1	22.09	1.0	5.21	4.49	125	0	1.3	0.5	0.2	21.95	0.9	5.29	4.44
1292, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	118	0	0.2	1.5	0.5	20.06	0.8	6.03	4.48
18205, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	106	0	0.8	1.6	0.5	20.47	1.8	5.39	4.56
255, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	91	0	1.8	0.7	0.9	22.71	2.3	5.01	4.36
50, BP	22	0	1.5	1.7	0.3	21.27	2.2	4.96	4.38	87	0	3.2	2.2	0.4	21.25	2.4	5.04	4.43
6465, N	18	0	2.6	0.5	0.3	20.11	1.4	5.79	4.56	86	0	1.5	0.4	0.3	20.92	0.9	5.17	4.44
000, MISC	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	83	0	4.3	0.3	0.0	21.21	1.3	4.84	4.49
25033, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	83	0	0.5	2.1	0.5	21.13	0.9	5.32	4.39
1994, HZ	18	0	1.1	0.1	0.3	21.78	1.1	5.21	4.40	81	0	1.5	2.1	0.3	21.52	0.7	5.12	4.41
1902, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	77	0	0.4	1.4	0.7	22.00	2.0	4.92	4.44
5369, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	77	0	1.3	0.5	0.3	20.70	1.1	5.52	4.53
9018, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	71	0	0.4	1.5	0.8	21.90	0.6	4.82	4.31
6464, N	1	0	0.5	0.0	1.0	21.50	0.5	5.60	4.60	61	0	1.4	0.5	0.5	21.25	1.0	5.57	4.37
47, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	60	0	0.8	0.6	0.3	22.20	0.6	5.30	4.37
1161, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	57	0	0.9	0.2	0.1	20.96	1.0	5.23	4.40
108, HYPEEL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	45	0	0.8	1.9	0.4	21.97	1.7	5.42	4.49
29314	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	39	0	2.3	0.5	0.4	21.37	1.8	5.28	4.43
9024, SVTM	2	0	1.5	0.0	0.0	20.25	0.0	5.30	4.38	32	0	1.3	0.9	0.3	21.73	0.7	4.93	4.33
5511, HMX61P	1	0	0.5	0.5	0.0	21.50	9.5	6.40	4.46	31	0	1.9	1.8	0.6	21.06	2.8	5.34	4.42
430, BQ	25	0	4.8	4.9	2.5	20.82	0.5	4.23	4.54	25	0	4.8	4.9	2.5	20.82	0.5	4.23	4.54
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	25	0	0.1	1.0	0.2	21.84	0.7	6.02	4.33
9019, SVTM	1	0	1.0	0.0	0.5	22.50	3.5	6.10	4.28	22	0	1.0	2.3	0.6	21.89	1.3	5.42	4.27
4569, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	20	0	0.5	0.8	0.3	21.05	1.6	5.38	4.37

2020 Processing Tomato Season
PTAB Analysis (10/3/20) - Statewide by Variety



Variety Name	Week Ending 10/3/20									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
6140, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	17	0	0.8	0.1	0.1	19.65	0.5	5.18	4.33
434, BQ	9	0	2.6	1.2	0.4	19.78	0.7	5.16	4.46	14	0	2.8	1.9	0.5	19.68	0.7	5.18	4.44
6440, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13	0	7.1	0.4	0.2	21.42	0.7	4.82	4.50
7103, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13	0	0.1	0.3	0.2	20.73	1.1	5.58	4.37
9436, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13	0	3.0	1.6	0.6	18.31	0.7	5.81	4.48
LYCOMECH UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	12	0	0.8	3.3	0.5	19.92	0.5	5.33	4.50
LYKOBOL UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11	0	1.1	2.7	0.6	19.18	1.0	5.68	4.53
23024, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11	0	0.0	1.0	0.4	20.14	0.1	5.51	4.48
26623, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11	0	0.1	1.2	0.1	20.64	0.4	5.79	4.36
4565, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9	0	0.4	0.2	0.1	21.61	1.8	5.43	4.40
48, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8	0	0.8	0.9	0.6	21.06	2.4	5.69	4.43
49, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7	0	1.9	0.6	0.4	20.79	0.9	5.33	4.49
435, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7	0	1.9	1.6	0.6	21.43	1.9	4.40	4.44
2074, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	6	0	1.4	0.9	0.2	20.08	3.3	6.05	4.45
1311, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	3.2	0.1	0.1	22.00	3.4	5.20	4.47
1901, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4	0	4.3	1.3	0.1	19.63	1.4	4.40	4.37
2493, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	6.0	0.5	0.0	22.00	1.5	5.70	4.53
7791, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	3.0	0.3	0.0	20.33	0.3	5.13	4.46
9003, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.2	0.0	0.3	19.83	1.0	5.20	4.35
1115,FM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.0	2.0	0.3	20.50	1.3	6.10	4.51
2, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	21.50	1.5	5.70	4.46
16, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	7.0	0.0	0.0	21.50	2.0	4.70	4.50
19, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.5	1.0	0.0	24.50	0.5	5.70	4.51
20, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.0	1.0	0.0	21.00	1.5	5.00	4.32
402, BQ	1	0	0.5	0.5	0.0	21.00	1.0	5.10	4.33	1	0	0.5	0.5	0.0	21.00	1.0	5.10	4.33
15212, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.5	0.5	0.0	18.50	0.5	5.70	4.33
37314, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.5	19.00	0.5	5.50	4.48
STATEWIDE	29,797	0.0	2.5	1.9	0.9	21.38	1.2	4.91	4.43	416,411	0.0	1.8	1.8	0.7	21.16	1.4	5.22	4.43