

2020 Processing Tomato Season
PTAB Analysis (8/1/20) - Statewide by Variety



	Week Ending 8/1/20										Year to Date								
Variety Name	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	
273, BQ	6,643	0	0.6	1.6	0.5	21.11	1.6	5.45	4.36	16,734	0	0.5	1.7	0.6	21.09	1.4	5.49	4.35	
403, BQ	2,818	0	0.6	1.5	0.9	21.40	2.4	5.48	4.37	11,056	0	0.4	1.5	0.6	21.32	1.8	5.46	4.35	
400, BQ	2,397	0	0.4	2.3	1.0	19.90	1.3	5.28	4.47	9,969	0	0.4	1.6	0.7	20.10	1.1	5.28	4.45	
5608, HZ	1,266	0	0.6	1.0	0.4	20.52	1.4	5.18	4.45	4,358	0	0.5	1.0	0.5	20.54	0.9	5.14	4.43	
6366, SUN	1,161	0	0.8	1.1	0.3	20.65	2.2	5.44	4.45	4,193	0	0.8	1.5	0.3	21.00	1.8	5.45	4.46	
13, BP	2,268	0	0.4	3.1	1.4	21.52	1.7	5.02	4.39	3,415	0	0.4	3.5	1.3	21.62	1.5	4.90	4.38	
5522, HM 61P	1310	0	0.3	0.6	0.3	19.92	0.8	6.29	4.41	2,741	0	0.2	0.9	0.4	20.06	0.6	6.27	4.37	
8011, SV	1682	0	0.8	1.0	0.3	20.80	1.1	5.94	4.41	2,469	0	0.7	1.1	0.3	20.72	1.0	5.81	4.40	
0311, AB	1355	0	1.2	1.5	0.6	20.78	1.7	6.18	4.37	2,404	0	1.2	1.3	0.5	20.90	1.6	6.17	4.37	
6402, N	784	0	1.2	0.8	0.4	20.29	1.5	5.76	4.43	2,179	0	1.1	0.9	0.4	20.33	1.2	5.89	4.44	
3887, HM	1375	0	1.6	2.0	0.4	21.34	1.4	5.42	4.43	2,162	0	1.4	2.1	0.4	21.33	1.4	5.52	4.43	
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,931	0	0.8	1.4	0.3	21.29	2.3	4.84	4.40	
9000, SVTM	510	0	0.4	0.5	0.3	20.63	0.2	4.90	4.41	1,913	0	0.3	0.7	0.3	20.67	0.4	5.10	4.42	
6416, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,524	0	0.4	2.3	0.5	21.10	1.4	5.17	4.36	
1015, HEINZ	689	0	0.4	2.4	0.9	20.68	1.4	5.23	4.42	1,464	0	0.3	1.8	0.9	21.05	1.3	5.15	4.46	
1293, HZ	646	0	0.5	1.3	0.8	19.82	0.8	5.64	4.49	1,390	0	0.4	1.5	0.7	19.94	0.7	5.61	4.50	
0319, DRI	798	0	1.4	1.8	0.4	21.80	1.7	6.00	4.39	985	0	1.5	1.9	0.4	22.00	1.7	5.97	4.40	
413, BQ	899	0	0.4	3.3	0.8	21.65	0.8	4.51	4.46	934	0	0.4	3.3	0.7	21.70	0.8	4.51	4.46	
9011, SVTM	495	0	1.4	2.3	0.4	20.92	1.4	6.12	4.38	788	0	1.1	2.1	0.4	20.84	1.5	6.17	4.39	
4521, HMX 61P	466	0	0.1	1.4	0.2	21.12	0.2	5.84	4.36	763	0	0.1	1.6	0.3	21.30	0.3	5.81	4.35	
4885, HMX	409	0	0.5	1.1	0.2	20.44	0.3	4.57	4.36	753	0	0.7	0.8	0.2	20.14	0.3	4.92	4.37	
6415, N	471	0	0.2	2.3	0.3	21.76	0.9	5.11	4.43	742	0	0.3	2.4	0.2	21.86	0.8	5.13	4.44	
8163, HM	233	0	0.5	0.8	0.6	19.54	0.8	6.17	4.42	583	0	0.3	1.0	0.8	19.69	0.9	6.25	4.42	
0811, BOS	457	0	0.3	1.4	0.5	19.81	0.6	5.50	4.36	539	0	0.3	1.3	0.5	19.83	0.6	5.50	4.35	
6397, N	248	0	0.4	0.8	0.3	21.73	1.1	5.03	4.38	417	0	0.3	0.8	0.2	21.98	0.9	5.30	4.41	
4909, HMX	359	0	0.7	2.3	0.4	22.90	0.7	5.56	4.26	403	0	0.7	2.2	0.4	23.05	0.7	5.57	4.26	
9014, SVTM	401	0	1.6	0.5	0.1	20.99	1.3	5.55	4.45	401	0	1.6	0.5	0.1	20.99	1.3	5.55	4.45	
2756, SV	382	0	0.1	1.9	0.4	20.23	0.3	5.43	4.39	383	0	0.1	1.9	0.4	20.23	0.3	5.43	4.39	
UNCODED	174	0	0.6	2.1	0.4	20.57	1.2	5.55	4.44	346	0	0.4	2.2	0.4	20.49	0.9	5.53	4.40	
6428, N	306	0	1.5	5.5	0.4	22.53	1.1	5.87	4.46	306	0	1.5	5.5	0.4	22.53	1.1	5.87	4.46	
16609, UG	92	0	0.6	1.0	0.3	21.17	1.4	5.77	4.37	279	0	0.4	0.9	0.3	20.57	1.7	5.98	4.37	
58881, HM	104	0	1.1	4.9	0.7	21.53	2.5	5.32	4.48	215	0	0.9	4.4	0.8	21.18	2.8	5.20	4.47	
4707, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	205	0	0.1	2.7	0.6	23.56	0.3	4.52	4.40	
9663, HEINZ	15	0	0.3	2.6	0.4	19.17	1.3	5.69	4.46	205	0	1.2	0.8	1.2	20.63	2.2	4.76	4.41	
6420, N	125	0	0.8	1.7	0.5	20.70	0.8	5.26	4.49	189	0	0.6	1.4	0.5	20.53	0.8	5.34	4.47	
6463, N	187	0	0.5	1.0	0.4	20.69	0.6	4.85	4.41	187	0	0.5	1.0	0.4	20.69	0.6	4.85	4.41	
2401, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	181	0	0.1	1.6	0.4	22.48	0.7	4.49	4.36	
9013, SVTM	71	0	0.6	0.6	0.1	20.86	0.7	5.63	4.38	179	0	0.5	1.2	0.3	20.82	0.5	5.79	4.34	
5235, HM	168	0	0.8	1.4	0.7	20.45	0.8	5.25	4.35	169	0	0.8	1.4	0.7	20.45	0.8	5.25	4.35	

2020 Processing Tomato Season
PTAB Analysis (8/1/20) - Statewide by Variety



Variety Name	Week Ending 8/1/20									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
51,BP	71	0	0.4	2.9	0.6	22.35	2.6	5.49	4.29	167	0	0.2	1.8	0.7	21.68	3.3	5.91	4.35
3842, BOS	76	0	1.4	1.8	0.3	22.41	2.0	5.63	4.49	131	0	1.3	1.9	0.4	22.31	1.6	5.64	4.46
29814, UG	3	0	0.8	1.0	0.2	19.00	0.5	5.23	4.52	129	0	0.5	0.9	0.2	20.34	0.5	5.75	4.40
1292, HZ	88	0	0.1	1.3	0.4	19.95	0.6	6.05	4.49	115	0	0.2	1.5	0.5	20.04	0.8	6.04	4.48
6426, N	108	0	0.4	1.0	0.8	20.97	1.1	5.43	4.40	113	0	0.4	1.2	0.8	21.01	1.1	5.41	4.39
6459, N	69	0	0.7	3.4	0.7	21.57	0.6	4.95	4.43	104	0	1.1	3.9	1.2	21.88	0.9	5.08	4.44
1892, HM	101	0	0.7	4.7	0.5	21.36	0.9	5.40	4.50	101	0	0.7	4.7	0.5	21.36	0.9	5.40	4.50
4014, UG	56	0	0.7	1.6	0.3	21.47	1.3	5.33	4.57	97	0	0.7	1.9	0.3	21.05	0.9	5.36	4.57
6434, N	83	0	0.7	2.6	0.4	21.80	1.1	5.12	4.46	83	0	0.7	2.6	0.4	21.80	1.1	5.12	4.46
141, BQ	61	0	0.2	5.1	3.2	21.54	2.4	5.20	4.39	61	0	0.2	5.1	3.2	21.54	2.4	5.20	4.39
1765, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	47	0	0.1	1.9	0.4	21.73	1.4	5.76	4.38
9018, SVTM	19	0	0.3	1.9	1.4	22.26	0.9	4.63	4.25	46	0	0.3	1.3	0.8	21.89	0.6	4.88	4.30
7885, HMX	42	0	1.2	1.9	0.3	23.25	1.1	5.01	4.61	43	0	1.2	2.0	0.3	23.16	1.2	5.01	4.61
9016, SVTM	41	0	0.9	0.9	0.1	21.78	0.4	5.16	4.37	41	0	0.9	0.9	0.1	21.78	0.4	5.16	4.37
58811, HM	37	0	0.3	4.2	0.5	22.53	0.5	5.56	4.37	38	0	0.3	4.2	0.5	22.55	0.5	5.56	4.37
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	25	0	0.1	1.0	0.2	21.84	0.7	6.02	4.33
5369, HMX61P	12	0	0.5	1.0	0.3	19.42	0.6	5.67	4.41	25	0	0.5	0.9	0.4	19.36	0.8	5.74	4.40
393, BQ	1	0	0.5	1.5	0.0	21.00	2.5	5.80	4.40	21	0	0.5	3.5	0.6	23.90	2.2	4.32	4.52
MISC TRIAL	16	0	0.3	1.8	0.4	20.75	1.1	5.53	4.43	16	0	0.3	1.8	0.4	20.75	1.1	5.53	4.43
18205, ISI	16	0	0.3	1.3	1.5	20.47	1.4	5.51	4.58	16	0	0.3	1.3	1.5	20.47	1.4	5.51	4.58
58801, HM	15	0	1.2	0.2	0.1	21.03	1.3	5.31	4.40	15	0	1.2	0.2	0.1	21.03	1.3	5.31	4.40
MIX	9	0	0.7	1.3	0.6	20.78	1.6	5.79	4.35	11	0	0.6	1.2	0.5	20.59	1.5	5.66	4.38
7103, HMX61P	3	0	0.3	0.3	0.0	21.33	0.3	5.37	4.40	10	0	0.1	0.2	0.2	20.75	0.9	5.59	4.35
108, HYPEEL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9	0	0.4	0.7	0.1	20.72	2.0	5.59	4.35
9012, SVTM	6	0	0.3	3.6	0.1	22.00	0.8	6.65	4.49	6	0	0.3	3.6	0.1	22.00	0.8	6.65	4.49
23024, ISI	6	0	0.0	1.0	0.3	20.50	0.1	5.20	4.39	6	0	0.0	1.0	0.3	20.50	0.1	5.20	4.39
26623, ISI	6	0	0.0	1.6	0.2	20.83	0.3	5.52	4.29	6	0	0.0	1.6	0.2	20.83	0.3	5.52	4.29
25033, ISI	4	0	0.0	9.8	0.4	20.75	1.1	5.48	4.38	4	0	0.0	9.8	0.4	20.75	1.1	5.48	4.38
74, BP	3	0	0.3	3.2	0.0	20.67	0.5	6.67	4.34	3	0	0.3	3.2	0.0	20.67	0.5	6.67	4.34
6465, N	3	0	0.2	1.2	0.2	21.50	0.7	5.90	4.35	3	0	0.2	1.2	0.2	21.50	0.7	5.90	4.35
9019, SVTM	3	0	0.2	1.0	0.0	22.33	0.5	6.17	4.26	3	0	0.2	1.0	0.0	22.33	0.5	6.17	4.26
1115,FM	2	0	0.0	2.0	0.3	20.50	1.3	6.10	4.51	2	0	0.0	2.0	0.3	20.50	1.3	6.10	4.51
205, BQ	1	0	0.5	0.5	0.0	22.00	5.0	4.70	4.55	1	0	0.5	0.5	0.0	22.00	5.0	4.70	4.55
19406, UG	1	0	2.5	0.0	0.0	22.00	0.0	6.00	4.47	1	0	2.5	0.0	0.0	22.00	0.0	6.00	4.47
37314, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.5	19.00	0.5	5.50	4.48
STATEWIDE	32,726	0.0	0.7	1.7	0.6	20.93	1.4	5.48	4.40	81,554	0.0	0.6	1.6	0.6	20.92	1.3	5.44	4.40