

2020 Processing Tomato Season
PTAB Analysis (8/22/20) - Statewide by Variety



Variety Name	Week Ending 8/22/20									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
273, BQ	911	0	2.0	4.4	0.8	20.87	3.2	4.97	4.46	22,740	0	0.6	2.0	0.6	21.11	1.7	5.41	4.37
8011, SV	3,356	0	2.1	2.1	0.8	20.99	1.6	5.47	4.46	13,483	0	1.4	1.6	0.5	20.73	1.2	5.56	4.42
403, BQ	18	0	2.2	1.6	0.2	20.94	2.3	4.73	4.49	13,289	0	0.5	1.5	0.7	21.28	1.9	5.42	4.36
6428, N	5,968	0	1.5	2.3	0.9	22.50	3.0	5.01	4.49	12,548	0	1.2	3.2	1.1	22.47	2.3	5.03	4.45
400, BQ	170	0	1.0	1.1	0.5	19.80	0.6	5.17	4.50	11,812	0	0.5	1.7	0.7	20.11	1.2	5.25	4.46
5608, HZ	1,112	0	1.5	1.3	0.8	20.82	1.9	5.08	4.47	8,801	0	0.7	1.3	0.5	20.33	1.1	5.18	4.43
0311, AB	1,324	0	2.4	1.3	0.6	20.90	2.5	5.82	4.43	7,661	0	1.7	1.3	0.5	20.85	1.8	5.99	4.38
0811, BOS	1,956	0	0.7	1.5	0.4	20.25	0.6	5.28	4.40	6,620	0	0.6	1.8	0.7	20.12	0.7	5.33	4.38
0319, DRI	2756	0	2.0	1.1	0.6	21.79	2.6	5.83	4.46	6,145	0	1.7	1.4	0.5	21.79	2.4	5.92	4.43
5522, HM 61P	1178	0	0.8	0.9	0.5	21.25	1.2	5.44	4.40	5,912	0	0.4	0.9	0.4	20.28	0.7	5.99	4.37
6402, N	753	0	1.6	1.2	0.3	20.62	1.5	5.64	4.47	5,607	0	1.2	1.2	0.4	20.51	1.6	5.76	4.46
9011, SVTM	1721	0	2.4	2.5	0.9	20.99	2.1	5.79	4.48	5,421	0	1.7	2.2	0.6	21.04	2.0	5.98	4.44
13, BP	165	0	1.3	1.8	3.0	21.92	4.9	4.57	4.45	4,933	0	0.4	3.4	1.5	21.60	1.6	4.86	4.38
6366, SUN	26	0	1.8	0.7	0.1	21.38	3.1	4.96	4.45	4,888	0	0.9	1.3	0.3	20.97	1.8	5.40	4.45
3887, HM	579	0	1.5	3.3	0.6	21.17	2.8	5.84	4.54	4,215	0	1.3	2.3	0.4	21.24	1.6	5.58	4.44
5235, HM	1357	0	2.3	1.8	0.9	20.96	3.7	5.48	4.49	3,886	0	1.7	2.1	1.0	20.79	2.8	5.52	4.47
1293, HZ	773	0	2.4	1.6	0.7	20.47	1.2	5.51	4.55	2,887	0	1.2	1.5	0.8	20.27	1.1	5.58	4.53
413, BQ	308	0	4.4	1.9	1.3	20.87	1.9	4.91	4.62	2,826	0	1.8	2.7	0.9	21.44	1.6	4.68	4.53
9000, SVTM	4	0	0.8	1.1	0.3	21.88	0.3	5.35	4.40	2,567	0	0.4	0.8	0.3	20.86	0.5	5.05	4.42
4909, HMX	247	0	2.1	0.5	0.4	22.87	1.7	5.91	4.30	2,478	0	1.1	0.8	0.4	22.80	1.0	5.49	4.25
1015, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,349	0	0.4	2.3	1.0	20.79	1.2	5.20	4.44
2756, SV	397	0	0.4	1.8	0.4	21.30	0.4	5.08	4.43	2,273	0	0.3	1.2	0.3	20.94	0.6	5.14	4.45
4521, HMX 61P	1025	0	0.6	1.4	0.5	20.64	0.3	5.62	4.39	2,259	0	0.4	1.5	0.4	20.78	0.3	5.76	4.37
8163, HM	795	0	1.1	0.9	1.0	20.07	1.0	5.79	4.45	2,169	0	0.9	0.8	0.9	19.90	1.0	5.95	4.43
9013, SVTM	928	0	1.8	0.6	0.3	21.25	2.0	5.24	4.42	2,067	0	1.4	0.8	0.3	21.09	1.4	5.40	4.39
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,931	0	0.8	1.4	0.3	21.29	2.3	4.84	4.40
4885, HMX	378	0	1.2	2.3	0.3	21.68	1.8	5.28	4.44	1,881	0	0.9	1.7	0.3	20.79	0.9	5.19	4.39
6434, N	755	0	1.6	2.9	1.4	22.64	3.4	5.38	4.52	1,874	0	1.5	2.5	1.2	22.38	2.7	5.31	4.51
9008, SVTM	1301	0	0.8	1.3	0.2	20.91	0.3	5.44	4.33	1,815	0	0.7	1.3	0.2	20.77	0.4	5.49	4.33
9014, SVTM	329	0	0.9	1.3	0.2	21.53	1.2	5.38	4.42	1,680	0	1.5	1.1	0.3	20.79	1.0	5.41	4.41
6416, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,524	0	0.4	2.3	0.5	21.10	1.4	5.17	4.36
1428, HZ	816	0	0.4	3.4	1.5	21.93	0.7	4.80	4.47	1,408	0	0.3	3.3	1.2	21.53	0.6	4.91	4.43
6415, N	204	0	0.7	0.5	0.4	20.91	1.5	5.18	4.55	1,396	0	0.4	1.9	0.3	21.52	0.8	5.18	4.44
1082, SVTM	719	0	1.3	1.4	0.8	21.89	2.1	5.35	4.35	1,255	0	1.0	1.1	0.7	21.97	1.8	5.38	4.33
1662, HZ	841	0	0.6	1.6	1.0	22.50	1.8	5.09	4.46	1,226	0	0.5	2.1	0.9	22.63	1.5	4.98	4.43
2401, HEINZ	458	0	0.6	2.5	0.9	22.17	1.0	4.93	4.42	1,054	0	0.4	2.3	0.5	22.03	0.8	4.95	4.37
4707, HEINZ	478	0	0.3	2.1	0.4	22.42	0.3	4.72	4.42	1,042	0	0.2	2.6	0.4	22.81	0.3	4.71	4.40
7885, HMX	175	0	1.7	1.2	0.2	21.36	1.3	5.03	4.64	1,040	0	1.3	1.2	0.2	21.37	1.3	5.13	4.63
58841, HM	614	0	0.6	0.5	0.5	21.84	1.5	5.15	4.37	855	0	0.6	0.5	0.4	22.05	1.2	5.25	4.35

2020 Processing Tomato Season
PTAB Analysis (8/22/20) - Statewide by Variety



Variety Name	Week Ending 8/22/20									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
9016, SVTM	278	0	0.7	2.3	0.5	21.81	0.4	4.99	4.32	809	0	0.8	2.9	0.8	21.93	0.5	5.25	4.34
58811, HM	217	0	1.0	1.2	1.3	21.78	1.2	5.37	4.40	797	0	0.9	1.8	0.8	22.32	1.0	5.28	4.41
6420, N	250	0	2.0	0.7	0.4	21.33	1.7	5.11	4.56	796	0	1.4	1.0	0.5	21.05	1.4	5.19	4.54
6397, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	788	0	0.4	0.8	0.4	21.80	1.1	5.31	4.41
29814, UG	18	0	0.9	2.8	0.3	22.06	3.5	6.05	4.43	724	0	0.2	1.5	0.2	21.28	0.7	5.92	4.44
1892, HM	226	0	2.8	1.1	0.7	21.47	3.6	5.85	4.62	721	0	1.4	2.4	0.6	21.24	1.9	5.54	4.53
141, BQ	34	0	2.6	9.6	0.8	21.71	8.0	4.63	4.52	669	0	0.8	5.1	1.0	21.81	5.3	4.98	4.45
UNCODED	82	0	1.1	2.0	0.4	20.43	0.8	5.39	4.41	517	0	0.5	1.5	0.3	20.59	0.8	5.50	4.41
9663, HEINZ	58	0	2.1	0.5	1.0	19.60	2.9	5.31	4.49	501	0	2.3	1.9	0.8	20.21	1.8	4.85	4.40
19406, UG	276	0	1.3	0.3	0.2	22.04	1.1	5.29	4.28	490	0	1.1	0.3	0.3	22.12	1.1	5.53	4.29
9012, SVTM	443	0	1.4	0.5	0.4	20.73	1.9	5.81	4.43	489	0	1.4	0.8	0.4	20.77	1.8	5.81	4.42
16609, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	434	0	0.6	0.9	0.5	20.80	2.1	6.03	4.41
6426, N	257	0	1.2	2.3	0.5	20.46	1.4	5.40	4.55	425	0	0.9	1.9	0.6	20.57	1.2	5.35	4.50
4014, UG	153	0	1.5	1.5	0.3	20.43	0.9	5.49	4.53	412	0	1.1	1.6	0.4	20.66	1.0	5.31	4.55
6463, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	391	0	0.8	1.1	0.4	20.37	0.7	4.88	4.42
16112, UG	237	0	0.6	1.1	0.5	20.70	0.4	5.34	4.35	369	0	0.4	1.0	0.4	20.72	0.3	5.22	4.33
398, BQ	302	0	1.8	2.1	0.9	19.47	1.3	5.51	4.50	325	0	1.8	2.0	0.9	19.58	1.3	5.52	4.49
5900, HM	87	0	0.9	1.1	0.3	22.90	3.8	5.37	4.42	320	0	0.9	1.2	0.2	21.55	3.1	5.45	4.37
6459, N	101	0	1.8	3.4	1.2	21.23	2.4	4.73	4.51	304	0	1.5	3.9	1.3	21.38	1.5	5.12	4.48
58801, HM	279	0	1.2	2.3	0.3	22.44	3.1	5.26	4.48	303	0	1.2	2.2	0.3	22.35	2.9	5.28	4.47
63, NB	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	265	0	0.5	3.4	0.8	20.42	1.4	4.82	4.42
51, BP	12	0	0.6	0.3	0.1	20.83	3.1	5.59	4.45	255	0	0.3	1.3	0.5	21.81	2.9	5.84	4.34
42, BP	167	0	4.5	0.2	0.2	20.50	5.0	5.32	4.50	230	0	4.0	0.4	0.2	20.40	4.7	5.36	4.49
9007, SVTM	222	0	1.0	3.3	0.5	23.06	1.9	4.77	4.55	222	0	1.0	3.3	0.5	23.06	1.9	4.77	4.55
58881, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	215	0	0.9	4.4	0.8	21.18	2.8	5.20	4.47
1765, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	191	0	0.1	1.3	0.3	20.86	0.8	5.46	4.39
1996, HZ	72	0	0.4	1.5	0.1	20.90	0.3	4.63	4.42	189	0	0.2	1.6	0.4	20.78	0.2	4.99	4.40
3842, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	178	0	1.1	1.6	0.3	22.35	1.4	5.58	4.44
43, BP	133	0	1.3	1.3	0.2	20.52	1.2	6.31	4.47	169	0	1.2	1.4	0.2	20.57	1.0	6.19	4.45
27713, UG	92	0	1.5	1.4	0.9	19.82	2.9	6.04	4.46	159	0	1.2	1.4	0.7	19.70	2.4	6.14	4.45
1997, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	152	0	0.2	1.9	0.4	21.95	0.8	5.34	4.43
4326, HMX 61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	138	0	1.3	0.9	0.1	21.09	0.9	5.68	4.36
6460, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	130	0	0.4	0.6	0.0	22.66	0.8	5.05	4.45
393, BQ	3	0	3.8	3.2	2.3	23.67	12.3	4.60	4.50	129	0	0.7	1.3	0.3	22.38	3.9	4.53	4.47
1292, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	115	0	0.2	1.5	0.5	20.04	0.8	6.04	4.48
18205, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	97	0	0.8	1.6	0.5	20.45	1.9	5.43	4.58
255, CXD	17	0	1.9	0.5	0.6	22.38	1.9	5.08	4.39	91	0	1.8	0.7	0.9	22.71	2.3	5.01	4.36
5702, HZ	48	0	1.4	1.5	0.5	21.41	1.1	4.53	4.51	79	0	1.2	1.5	0.5	21.21	0.8	4.50	4.49
1902, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	77	0	0.4	1.4	0.7	22.00	2.0	4.92	4.44

2020 Processing Tomato Season
PTAB Analysis (8/22/20) - Statewide by Variety



Variety Name	Week Ending 8/22/20									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
25033, ISI	43	0	0.6	2.4	0.5	21.45	0.7	5.29	4.38	76	0	0.5	2.2	0.5	21.19	0.7	5.35	4.39
9018, SVTM	1	0	2.0	1.5	0.0	22.00	1.0	5.00	4.49	69	0	0.3	1.5	0.8	21.92	0.6	4.80	4.31
MISC TRIAL	33	0	2.3	0.7	0.3	22.20	1.8	4.70	4.38	51	0	1.6	1.1	0.3	21.70	1.6	5.02	4.40
1991, HZ	40	0	1.0	1.3	0.5	20.38	1.0	4.81	4.48	41	0	1.1	1.3	0.5	20.40	1.0	4.83	4.48
1994, HZ	20	0	0.4	1.5	0.0	21.13	0.4	4.66	4.40	41	0	0.2	2.1	0.2	21.63	0.2	5.13	4.38
HEINZ TRIAL	11	0	0.1	1.4	2.0	23.14	1.0	5.45	4.49	40	0	0.1	1.4	0.8	22.46	1.0	5.47	4.47
108, HYPEEL	1	0	1.0	1.0	1.5	23.50	0.5	4.60	4.67	39	0	0.5	2.0	0.4	22.12	1.7	5.43	4.48
MIX	3	0	3.3	0.2	0.0	21.00	3.2	5.23	4.51	30	0	1.1	0.8	0.6	20.52	2.4	5.88	4.49
9025, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	30	0	0.4	1.8	0.6	22.32	0.1	4.72	4.27
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	25	0	0.1	1.0	0.2	21.84	0.7	6.02	4.33
5369, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	25	0	0.5	0.9	0.4	19.36	0.8	5.74	4.40
23, NB	19	0	1.4	3.2	0.9	21.34	1.5	6.26	4.48	19	0	1.4	3.2	0.9	21.34	1.5	6.26	4.48
7103, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13	0	0.1	0.3	0.2	20.73	1.1	5.58	4.37
422, BQ	12	0	1.0	4.7	0.3	21.83	4.5	5.53	4.53	12	0	1.0	4.7	0.3	21.83	4.5	5.53	4.53
23024, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11	0	0.0	1.0	0.4	20.14	0.1	5.51	4.48
26623, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11	0	0.1	1.2	0.1	20.64	0.4	5.79	4.36
49, BP	6	0	1.8	0.4	0.4	21.00	0.8	5.30	4.50	6	0	1.8	0.4	0.4	21.00	0.8	5.30	4.50
74, BP	3	0	0.7	3.8	2.0	24.00	4.3	5.47	4.53	6	0	0.5	3.5	1.0	22.33	2.4	6.07	4.44
9023, SVTM	6	0	0.7	1.1	0.7	24.33	10.6	5.02	4.59	6	0	0.7	1.1	0.7	24.33	10.6	5.02	4.59
2074, BOS	5	0	1.6	0.6	0.2	20.30	3.8	6.14	4.44	5	0	1.6	0.6	0.2	20.30	3.8	6.14	4.44
6465, N	2	0	1.5	1.5	2.5	23.75	6.8	4.95	4.68	5	0	0.7	1.3	1.1	22.40	3.1	5.52	4.48
48, BP	3	0	1.5	0.0	0.0	21.50	3.5	5.47	4.44	3	0	1.5	0.0	0.0	21.50	3.5	5.47	4.44
9019, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	1.0	0.0	22.33	0.5	6.17	4.26
1115, FM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.0	2.0	0.3	20.50	1.3	6.10	4.51
6440, N	1	0	4.5	1.0	1.0	23.00	3.0	4.80	4.67	2	0	2.5	0.8	0.5	22.50	1.8	4.80	4.53
2, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	21.50	1.5	5.70	4.46
19, BP	1	0	2.5	1.0	0.0	24.50	0.5	5.70	4.51	1	0	2.5	1.0	0.0	24.50	0.5	5.70	4.51
435, BQ	1	0	4.0	1.0	0.5	22.00	5.5	4.40	4.57	1	0	4.0	1.0	0.5	22.00	5.5	4.40	4.57
37314, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.5	19.00	0.5	5.50	4.48
STATEWIDE	39,170	0.0	1.5	1.8	0.7	21.39	2.0	5.36	4.45	194,057	0.0	0.9	1.8	0.6	21.07	1.5	5.41	4.42