

2020 Processing Tomato Season
PTAB Analysis (9/12/20) - Statewide by Variety



Variety Name	Week Ending 9/12/20									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
6428, N	2,692	0	3.1	1.0	0.5	21.78	1.7	4.79	4.54	28,350	0	2.2	2.7	1.1	22.18	2.3	4.88	4.49
273, BQ	496	0	3.2	2.6	1.1	20.77	2.1	5.24	4.57	23,517	0	0.7	2.0	0.6	21.10	1.7	5.40	4.37
8011, SV	1,143	0	2.8	1.1	0.4	20.01	1.1	5.15	4.45	18,573	0	1.8	1.5	0.5	20.67	1.2	5.47	4.43
403, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13,289	0	0.5	1.5	0.7	21.28	1.9	5.42	4.36
400, BQ	68	0	2.8	3.2	0.4	21.10	1.9	5.09	4.57	12,103	0	0.5	1.7	0.7	20.11	1.2	5.25	4.47
0319, DRI	1,388	0	2.1	0.9	0.5	21.39	2.0	5.61	4.40	11,042	0	1.9	1.3	0.6	21.69	2.5	5.80	4.43
0311, AB	812	0	2.8	0.6	0.5	20.69	1.5	5.53	4.33	10,966	0	2.2	1.2	0.5	20.75	1.9	5.88	4.39
9011, SVTM	1,592	0	3.7	1.1	0.6	20.60	1.8	5.54	4.44	10,930	0	2.7	1.8	0.6	20.77	1.9	5.74	4.44
5608, HZ	274	0	5.5	1.3	0.7	20.68	1.7	4.91	4.50	10,776	0	1.6	1.4	0.6	20.37	1.1	5.15	4.45
0811, BOS	833	0	2.2	1.5	0.7	20.44	0.9	5.04	4.44	10,096	0	1.1	1.6	0.6	20.22	0.7	5.25	4.40
1662, HZ	5,087	0	2.3	2.9	1.4	21.91	1.8	5.05	4.48	9,387	0	1.9	2.5	1.1	21.99	1.7	5.06	4.47
5522, HM 61P	1,172	0	1.4	0.5	0.3	19.95	0.5	5.58	4.36	8,799	0	0.8	0.8	0.4	20.27	0.7	5.84	4.37
1428, HZ	3,721	0	2.2	2.6	1.2	21.27	1.1	4.83	4.51	8,748	0	1.6	2.5	1.1	21.29	0.9	4.87	4.50
4707, HEINZ	2,891	0	1.5	2.9	1.2	22.57	1.1	4.89	4.46	7,589	0	1.0	2.3	0.8	22.75	0.7	4.85	4.45
5235, HM	980	0	4.4	1.5	0.9	20.41	2.6	5.41	4.50	7,271	0	2.5	1.9	1.0	20.63	2.8	5.43	4.47
6402, N	8	0	1.0	0.1	1.4	19.38	1.8	5.63	4.46	5,654	0	1.2	1.2	0.4	20.51	1.6	5.76	4.46
6366, SUN	167	0	1.5	0.2	0.3	20.51	3.1	5.50	4.50	5,298	0	1.0	1.3	0.3	20.94	1.9	5.38	4.46
2756, SV	952	0	2.4	1.7	0.6	21.16	0.7	5.12	4.51	5,209	0	1.0	1.6	0.4	20.88	0.7	5.17	4.47
9013, SVTM	582	0	2.3	1.9	0.9	20.55	1.4	5.08	4.48	5,168	0	1.9	1.5	0.5	20.76	1.5	5.19	4.43
13, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4,933	0	0.4	3.4	1.5	21.60	1.6	4.86	4.38
2401, HEINZ	1,205	0	2.5	2.3	0.8	21.79	1.1	4.96	4.44	4,770	0	1.8	2.4	0.8	21.75	1.1	4.95	4.39
3887, HM	219	0	5.8	7.6	1.0	21.28	2.0	4.88	4.55	4,731	0	1.5	2.6	0.4	21.19	1.6	5.53	4.45
9016, SVTM	731	0	4.3	2.4	0.9	21.32	0.4	5.00	4.43	4,696	0	2.5	2.3	0.7	21.80	0.7	4.95	4.39
8163, HM	469	0	2.1	0.9	0.7	20.06	1.4	5.71	4.48	4,098	0	1.3	0.8	0.8	19.99	1.1	5.81	4.46
9008, SVTM	771	0	2.2	2.8	0.9	20.56	0.7	5.44	4.36	4,043	0	1.3	1.4	0.4	20.74	0.4	5.44	4.34
58841, HM	1035	0	1.5	1.0	0.5	20.63	0.4	5.29	4.40	3,842	0	1.3	1.1	0.7	20.97	0.8	5.31	4.39
1293, HZ	99	0	1.8	2.2	1.2	20.84	1.4	5.34	4.48	3,694	0	1.5	1.5	0.8	20.32	1.1	5.52	4.53
9014, SVTM	497	0	2.5	0.6	0.6	20.87	1.7	4.98	4.40	3,682	0	2.2	0.9	0.4	20.68	1.4	5.16	4.41
4521, HMX 61P	186	0	0.7	1.0	0.9	21.27	1.0	4.93	4.42	3,152	0	0.6	1.4	0.4	20.77	0.4	5.63	4.39
6434, N	186	0	1.9	0.9	0.6	21.56	2.0	5.27	4.53	3,122	0	1.6	2.9	1.2	22.06	2.3	5.21	4.51
413, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,015	0	1.9	2.7	0.9	21.43	1.7	4.67	4.53
16112, UG	1084	0	1.1	1.7	0.4	20.81	0.4	5.04	4.40	2,989	0	0.9	1.9	0.5	20.88	0.3	5.10	4.38
4909, HMX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,688	0	1.2	0.8	0.4	22.70	1.1	5.51	4.25
9000, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,566	0	0.4	0.8	0.3	20.86	0.5	5.05	4.42
4885, HMX	244	0	1.4	2.2	0.6	20.76	1.1	5.33	4.40	2,436	0	1.2	1.8	0.4	20.89	1.0	5.23	4.40
1015, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,349	0	0.4	2.3	1.0	20.79	1.2	5.20	4.44
1082, SVTM	194	0	0.7	0.5	0.4	20.55	1.2	5.91	4.32	2,311	0	1.2	0.9	0.7	21.53	1.5	5.41	4.33
58811, HM	405	0	1.0	0.7	0.4	22.23	0.8	4.96	4.44	2,107	0	1.0	1.1	0.7	22.04	1.0	5.08	4.44
6426, N	98	0	1.6	6.5	1.3	20.68	1.2	5.05	4.42	2,063	0	1.8	2.6	0.7	20.59	1.4	5.17	4.49

2020 Processing Tomato Season
PTAB Analysis (9/12/20) - Statewide by Variety



Variety Name	Week Ending 9/12/20									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
7885, HMX	237	0	1.2	0.6	0.4	20.72	1.3	5.32	4.61	2,036	0	1.5	0.9	0.2	21.31	1.2	4.98	4.62
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,931	0	0.8	1.4	0.3	21.29	2.3	4.84	4.40
6420, N	635	0	1.8	0.8	0.5	21.06	1.5	4.97	4.51	1,797	0	1.9	0.9	0.5	21.11	1.6	5.03	4.54
58801, HM	540	0	2.6	1.4	0.5	21.80	2.9	5.16	4.51	1,785	0	2.1	1.8	0.5	21.96	3.0	5.22	4.50
6416, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,524	0	0.4	2.3	0.5	21.10	1.4	5.17	4.36
6415, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,396	0	0.4	1.9	0.3	21.52	0.8	5.18	4.44
4014, UG	325	0	2.7	0.9	0.9	20.54	1.1	4.57	4.50	1,316	0	2.2	1.6	0.6	20.60	1.1	5.05	4.52
19406, UG	397	0	2.3	0.5	0.3	21.68	0.8	5.71	4.32	1,239	0	1.8	0.4	0.3	21.79	0.9	5.53	4.30
43, BP	395	0	2.1	1.2	0.4	21.14	1.2	5.35	4.46	1,137	0	2.2	1.4	0.3	20.67	1.3	5.83	4.47
UNCODED	70	0	3.6	2.3	0.8	20.52	1.3	4.79	4.51	1,012	0	1.6	1.7	0.6	20.62	1.0	5.25	4.44
9012, SVTM	87	0	3.1	0.2	0.1	20.47	1.7	5.25	4.36	999	0	2.6	1.1	0.4	20.71	2.0	5.68	4.44
29814, UG	234	0	3.6	1.7	0.9	20.50	0.9	5.10	4.52	958	0	1.0	1.5	0.4	21.09	0.7	5.72	4.46
9007, SVTM	134	0	1.1	1.4	0.2	21.45	1.4	5.01	4.56	915	0	1.3	2.7	0.7	22.44	1.7	4.82	4.54
16609, UG	55	0	1.8	2.1	0.7	19.91	1.9	5.70	4.39	853	0	1.6	1.3	0.5	21.00	2.0	5.82	4.42
1892, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	839	0	1.5	2.3	0.8	21.26	2.0	5.57	4.54
6397, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	788	0	0.4	0.8	0.4	21.80	1.1	5.31	4.41
8504, HEINZ	141	0	1.5	1.8	1.1	21.80	0.8	4.69	4.38	739	0	1.8	1.6	1.0	22.04	1.3	4.67	4.32
5702, HZ	210	0	1.9	1.9	0.5	20.42	0.7	5.03	4.59	674	0	1.9	1.5	0.5	20.60	0.7	4.88	4.56
141, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	669	0	0.8	5.1	1.0	21.81	5.3	4.98	4.45
1310, HZ	320	0	4.3	3.1	1.5	21.75	2.5	4.91	4.54	605	0	4.9	2.8	1.6	21.96	2.6	4.88	4.57
398, BQ	123	0	0.9	0.7	0.2	20.02	1.1	4.63	4.42	547	0	1.4	1.4	0.6	19.73	1.2	5.19	4.46
5900, HM	42	0	0.4	0.4	0.1	21.12	1.4	5.41	4.28	547	0	1.0	1.1	0.3	21.71	2.8	5.43	4.36
63, NB	136	0	4.9	2.2	0.3	21.01	1.2	4.77	4.59	502	0	1.9	2.5	0.5	20.62	1.6	4.94	4.49
9663, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	501	0	2.3	1.9	0.8	20.21	1.8	4.85	4.40
6463, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	391	0	0.8	1.1	0.4	20.37	0.7	4.88	4.42
1996, HZ	60	0	1.2	0.9	0.7	21.05	1.1	5.14	4.38	360	0	0.6	1.6	0.5	20.76	0.5	5.11	4.42
42, BP	19	0	1.7	5.5	0.4	20.79	2.7	5.19	4.42	354	0	3.3	0.9	0.2	20.53	4.4	5.22	4.48
6459, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	304	0	1.5	3.9	1.3	21.38	1.5	5.12	4.48
5706, HZ	10	0	13.8	12.1	2.6	22.60	3.2	5.68	4.50	298	0	2.6	2.5	2.3	22.19	2.1	4.66	4.55
27713, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	287	0	2.6	1.8	0.7	19.81	3.0	6.04	4.48
1997, HZ	55	0	4.9	2.1	0.4	21.14	1.1	4.89	4.52	274	0	1.8	2.3	0.5	21.49	1.0	5.13	4.45
1776, HZ	190	0	1.9	1.5	0.4	20.59	0.5	5.49	4.47	265	0	2.0	1.6	0.4	20.83	0.4	5.37	4.46
51,BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	255	0	0.3	1.3	0.5	21.81	2.9	5.84	4.34
9023, SVTM	90	0	3.1	1.2	0.2	21.84	1.0	5.35	4.48	253	0	3.5	1.1	0.2	22.24	1.4	5.37	4.47
58881, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	215	0	0.9	4.4	0.7	21.18	2.8	5.20	4.47
4326, HMX 61P	57	0	0.4	0.4	0.8	21.11	0.9	5.62	4.30	195	0	1.0	0.7	0.3	21.10	0.9	5.66	4.34
1765, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	191	0	0.1	1.3	0.3	20.86	0.8	5.46	4.39
3842, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	191	0	1.1	1.5	0.3	22.12	1.4	5.55	4.44
6460, N	57	0	0.4	0.1	0.1	20.78	0.5	4.92	4.40	187	0	0.4	0.4	0.0	22.09	0.7	5.01	4.43

2020 Processing Tomato Season
PTAB Analysis (9/12/20) - Statewide by Variety



Variety Name	Week Ending 9/12/20									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
23, NB	96	0	2.1	1.1	0.3	20.27	2.1	5.53	4.46	186	0	2.3	1.3	0.3	20.49	1.8	5.59	4.47
HEINZ TRIAL	105	0	1.4	2.0	0.7	21.13	0.6	5.11	4.47	178	0	1.6	2.0	0.6	21.51	0.9	5.16	4.49
393, BQ	32	0	4.8	1.9	0.8	21.27	3.1	5.00	4.57	175	0	1.6	1.3	0.4	22.08	3.6	4.65	4.48
MIX	3	0	5.8	1.7	0.2	21.00	1.5	5.20	4.52	132	0	4.3	0.3	0.3	20.60	1.9	5.36	4.43
1422, HZ	59	0	6.6	3.1	1.6	21.18	4.4	5.35	4.60	132	0	5.0	1.9	1.8	21.46	4.7	5.23	4.53
1292, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	115	0	0.2	1.5	0.5	20.04	0.8	6.04	4.48
422, BQ	72	0	2.3	0.4	0.0	21.20	3.6	4.81	4.47	107	0	2.2	0.9	0.1	21.21	3.8	4.89	4.47
7744, BOS	91	0	3.6	1.4	0.6	21.34	1.4	5.08	4.54	106	0	3.5	1.4	0.8	21.42	1.5	5.09	4.54
18205, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	102	0	0.8	1.5	0.6	20.51	1.9	5.39	4.57
255, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	91	0	1.8	0.7	0.9	22.71	2.3	5.01	4.36
MISC TRIAL	18	0	5.8	0.9	1.2	21.08	3.8	4.79	4.62	84	0	2.3	0.9	0.5	21.56	1.9	4.88	4.43
6377, SSA	62	0	1.5	0.6	0.8	21.56	0.2	5.76	4.27	83	0	1.6	0.7	1.0	21.66	0.2	5.72	4.26
25033, ISI	4	0	0.8	0.6	0.0	20.88	3.6	4.85	4.46	80	0	0.5	2.1	0.5	21.18	0.9	5.33	4.39
1902, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	77	0	0.4	1.4	0.7	22.00	2.0	4.92	4.44
5369, HMX61P	13	0	0.7	0.2	0.2	20.69	1.2	5.69	4.50	76	0	1.3	0.5	0.3	20.70	1.1	5.52	4.53
9018, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	71	0	0.4	1.5	0.8	21.90	0.6	4.82	4.31
1994, HZ	16	0	4.4	4.7	0.5	20.91	1.3	5.07	4.54	62	0	1.6	2.7	0.3	21.47	0.5	5.10	4.42
9025, SVTM	3	0	1.7	2.8	0.7	22.17	0.8	5.53	4.35	55	0	0.8	1.3	0.4	22.72	0.6	5.13	4.30
9905, HARRIS MO	31	0	0.6	0.2	0.1	20.76	0.2	5.00	4.46	53	0	0.6	0.2	0.2	20.72	0.2	5.10	4.44
1991, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	47	0	1.7	1.3	0.4	20.47	1.2	4.85	4.48
108, HYPEEL	4	0	2.0	0.5	0.0	20.63	1.1	5.50	4.57	45	0	0.8	1.9	0.4	21.97	1.7	5.42	4.49
1161, HEINZ	39	0	0.9	0.3	0.1	20.87	1.1	5.27	4.40	39	0	0.9	0.3	0.1	20.87	1.1	5.27	4.40
29314	28	0	3.1	0.4	0.4	21.57	2.1	5.26	4.45	39	0	2.3	0.5	0.4	21.37	1.8	5.28	4.43
6464, N	24	0	1.6	0.5	0.7	20.75	0.8	5.82	4.30	38	0	1.6	0.7	0.6	21.05	1.0	5.76	4.34
6465, N	17	0	0.4	0.3	0.0	19.32	0.1	4.80	4.31	28	0	0.7	0.7	0.3	20.45	1.0	4.96	4.37
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	25	0	0.1	1.0	0.2	21.84	0.7	6.02	4.33
50, BP	8	0	3.4	1.0	0.3	20.06	2.4	5.38	4.49	24	0	4.4	1.3	0.3	21.46	1.7	4.60	4.44
000, MISC	13	0	3.5	0.4	0.0	21.88	2.2	4.74	4.53	21	0	4.0	0.3	0.1	21.60	1.5	4.99	4.47
3888, HM	17	0	2.9	0.8	0.2	22.32	1.4	4.99	4.44	17	0	2.9	0.8	0.2	22.32	1.4	4.99	4.44
9019, SVTM	10	0	1.5	4.6	1.0	21.90	1.6	5.23	4.28	17	0	1.1	2.9	0.6	21.82	1.2	5.39	4.26
47, BP	6	0	0.4	0.0	0.1	22.00	0.8	5.15	4.32	16	0	1.0	0.3	0.3	22.66	0.6	5.18	4.34
7103, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13	0	0.1	0.3	0.2	20.73	1.1	5.58	4.37
74, BP	2	0	0.3	0.8	0.0	21.25	0.3	5.85	4.26	12	0	0.8	2.0	0.7	21.38	1.5	5.68	4.39
9024, SVTM	3	0	1.7	1.8	0.5	21.83	0.7	5.33	4.42	12	0	1.8	1.2	0.4	22.13	0.7	5.08	4.33
23024, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11	0	0.0	1.0	0.4	20.14	0.1	5.51	4.48
26623, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11	0	0.1	1.2	0.1	20.64	0.4	5.79	4.36
48, BP	2	0	0.5	2.0	0.0	20.75	1.3	5.70	4.44	8	0	0.8	0.9	0.6	21.06	2.4	5.69	4.43
49, BP	1	0	2.0	2.0	0.0	19.50	1.0	5.50	4.44	7	0	1.9	0.6	0.4	20.79	0.9	5.33	4.49
435, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7	0	1.9	1.6	0.6	21.43	1.9	4.40	4.44

2020 Processing Tomato Season
PTAB Analysis (9/12/20) - Statewide by Variety



Variety Name	Week Ending 9/12/20									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
2074, BOS	1	0	0.5	2.5	0.0	19.00	0.5	5.60	4.45	6	0	1.4	0.9	0.2	20.08	3.3	6.05	4.45
1311, HZ	3	0	3.0	0.0	0.2	22.67	4.5	5.23	4.50	5	0	3.2	0.1	0.1	22.00	3.4	5.20	4.47
5511, HMX61P	4	0	1.9	5.4	1.1	20.88	2.9	5.10	4.40	4	0	1.9	5.4	1.1	20.88	2.9	5.10	4.40
2493, SV	3	0	6.0	0.5	0.0	22.00	1.5	5.70	4.53	3	0	6.0	0.5	0.0	22.00	1.5	5.70	4.53
4569, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.3	1.2	0.0	20.17	0.5	5.97	4.37
6440, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	2.0	0.5	0.3	22.33	1.5	4.73	4.54
9003, SVTM	1	0	1.5	0.0	1.0	21.00	1.5	5.40	4.41	3	0	1.2	0.0	0.3	19.83	1.0	5.20	4.35
1115,FM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.0	2.0	0.3	20.50	1.3	6.10	4.51
2, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	21.50	1.5	5.70	4.46
19, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.5	1.0	0.0	24.50	0.5	5.70	4.51
20, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.0	1.0	0.0	21.00	1.5	5.00	4.32
4565, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.5	0.0	0.0	21.50	2.5	4.90	4.34
15212, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.5	0.5	0.0	18.50	0.5	5.70	4.33
37314, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.5	19.00	0.5	5.50	4.48
STATEWIDE	37,691	0.0	2.4	1.8	0.8	21.24	1.4	5.12	4.46	311,818	0.0	1.5	1.8	0.7	21.13	1.5	5.30	4.43