

2020 Processing Tomato Season
PTAB Analysis (9/19/20) - Statewide by Variety



Variety Name	Week Ending 9/19/20									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
6428, N	1,527	0	2.6	0.6	0.5	21.17	1.4	4.85	4.50	29,876	0	2.3	2.6	1.1	22.13	2.2	4.88	4.50
273, BQ	353	0	3.8	2.7	1.4	20.92	2.2	4.91	4.55	23,870	0	0.8	2.1	0.6	21.10	1.7	5.40	4.38
8011, SV	1,064	0	2.6	0.9	0.7	20.16	1.0	5.06	4.42	19,637	0	1.9	1.5	0.5	20.64	1.2	5.45	4.43
1662, HZ	5,345	0	2.6	3.0	1.4	21.88	1.8	4.98	4.48	14,732	0	2.1	2.7	1.2	21.95	1.7	5.03	4.47
403, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13,289	0	0.5	1.5	0.7	21.28	1.9	5.42	4.36
9011, SVTM	1,628	0	3.3	1.2	0.6	20.29	1.3	5.60	4.40	12,558	0	2.8	1.7	0.6	20.70	1.8	5.72	4.44
0319, DRI	1,325	0	1.9	0.7	0.5	21.22	2.1	5.51	4.41	12,366	0	1.9	1.2	0.5	21.64	2.4	5.77	4.43
400, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	12,103	0	0.5	1.7	0.7	20.11	1.2	5.25	4.47
0311, AB	1,110	0	2.7	0.6	0.6	20.83	1.2	5.44	4.36	12,077	0	2.2	1.2	0.5	20.76	1.9	5.84	4.38
1428, HZ	3,269	0	3.1	3.0	1.5	21.28	1.1	4.81	4.48	12,017	0	2.0	2.7	1.2	21.28	0.9	4.85	4.49
0811, BOS	1,353	0	2.5	1.0	0.5	20.03	0.6	4.92	4.39	11,450	0	1.2	1.5	0.6	20.19	0.7	5.21	4.39
5608, HZ	270	0	3.1	1.5	0.7	20.10	0.7	4.81	4.48	11,046	0	1.6	1.4	0.6	20.37	1.1	5.15	4.45
4707, HEINZ	2,825	0	2.4	3.6	1.4	22.46	1.2	4.94	4.46	10,414	0	1.4	2.7	1.0	22.67	0.9	4.87	4.46
5522, HM 61P	722	0	1.5	0.4	0.3	20.20	0.7	5.48	4.38	9,521	0	0.9	0.8	0.4	20.26	0.7	5.81	4.37
5235, HM	1,198	0	6.0	1.1	1.4	20.48	2.3	5.18	4.50	8,469	0	3.0	1.8	1.1	20.61	2.7	5.39	4.48
2756, SV	1,933	0	4.4	1.9	0.8	21.37	0.5	4.86	4.49	7,142	0	1.9	1.7	0.5	21.01	0.6	5.09	4.48
2401, HEINZ	1,247	0	2.3	1.7	0.6	21.76	1.1	4.79	4.38	6,017	0	1.9	2.3	0.7	21.75	1.1	4.91	4.39
9013, SVTM	616	0	3.1	1.3	1.0	20.32	1.3	5.14	4.46	5,785	0	2.1	1.5	0.5	20.71	1.4	5.19	4.43
6402, N	88	0	1.2	0.1	0.5	19.87	1.8	5.79	4.44	5,742	0	1.2	1.2	0.4	20.50	1.6	5.76	4.46
6366, SUN	190	0	0.9	0.2	0.3	19.78	2.3	5.85	4.48	5,488	0	1.0	1.2	0.3	20.90	1.9	5.39	4.46
9016, SVTM	647	0	2.4	1.1	0.6	21.34	0.5	5.15	4.38	5,343	0	2.5	2.2	0.7	21.74	0.7	4.97	4.39
58841, HM	1,438	0	1.5	0.7	0.5	20.91	0.6	5.07	4.39	5,280	0	1.3	1.0	0.6	20.95	0.7	5.25	4.39
13, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4,933	0	0.4	3.4	1.5	21.60	1.6	4.86	4.38
9008, SVTM	831	0	2.6	0.9	0.5	20.82	0.8	5.18	4.35	4,874	0	1.5	1.3	0.4	20.75	0.5	5.40	4.34
3887, HM	103	0	0.8	0.4	0.2	20.94	1.0	6.10	4.46	4,834	0	1.5	2.6	0.4	21.18	1.6	5.55	4.45
8163, HM	257	0	2.4	1.1	1.1	20.32	1.1	5.52	4.45	4,355	0	1.4	0.8	0.8	20.01	1.1	5.80	4.45
9014, SVTM	303	0	3.6	1.5	0.7	20.82	1.2	5.10	4.44	3,985	0	2.3	1.0	0.4	20.69	1.3	5.16	4.41
16112, UG	877	0	1.9	3.0	0.7	20.28	0.3	5.03	4.40	3,866	0	1.1	2.2	0.5	20.75	0.3	5.08	4.38
1293, HZ	83	0	2.8	1.3	0.7	20.85	2.2	5.20	4.54	3,777	0	1.5	1.5	0.8	20.33	1.1	5.51	4.53
4521, HMX 61P	418	0	0.9	0.3	0.3	21.36	0.6	4.69	4.37	3,570	0	0.6	1.3	0.4	20.84	0.4	5.52	4.38
6434, N	298	0	3.2	0.9	1.0	21.60	1.4	4.60	4.50	3,420	0	1.7	2.8	1.2	22.02	2.2	5.16	4.50
4885, HMX	723	0	1.5	2.0	0.6	21.64	0.7	4.82	4.38	3,159	0	1.3	1.8	0.4	21.06	1.0	5.14	4.40
413, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,015	0	1.9	2.7	0.9	21.43	1.7	4.67	4.53
4909, HMX	34	0	2.8	0.8	0.4	21.87	0.3	5.53	4.22	2,722	0	1.2	0.8	0.4	22.69	1.1	5.51	4.25
9000, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,566	0	0.4	0.8	0.3	20.86	0.5	5.05	4.42
6426, N	369	0	1.6	1.2	1.6	21.06	1.1	4.81	4.43	2,432	0	1.8	2.4	0.9	20.66	1.4	5.12	4.48
1082, SVTM	112	0	2.0	1.3	0.7	21.46	1.4	5.29	4.35	2,423	0	1.2	0.9	0.7	21.52	1.5	5.40	4.33
58801, HM	628	0	2.9	1.7	0.5	21.30	2.3	5.26	4.49	2,413	0	2.3	1.7	0.5	21.79	2.8	5.23	4.49
1015, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,349	0	0.4	2.3	1.0	20.79	1.2	5.20	4.44

2020 Processing Tomato Season
PTAB Analysis (9/19/20) - Statewide by Variety



Variety Name	Week Ending 9/19/20									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
7885, HMX	267	0	1.4	1.0	0.4	21.07	1.0	4.92	4.59	2,303	0	1.5	0.9	0.3	21.28	1.1	4.98	4.62
58811, HM	74	0	1.9	0.1	0.4	21.54	1.3	4.68	4.43	2,181	0	1.1	1.1	0.7	22.03	1.0	5.07	4.44
6420, N	197	0	1.9	0.7	0.7	21.15	1.3	4.88	4.50	1,994	0	1.9	0.9	0.5	21.11	1.5	5.01	4.53
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,931	0	0.8	1.4	0.3	21.29	2.3	4.84	4.40
6416, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,524	0	0.4	2.3	0.5	21.10	1.4	5.17	4.36
43, BP	366	0	1.4	0.7	0.6	20.73	1.1	5.23	4.41	1,503	0	2.0	1.3	0.4	20.68	1.2	5.69	4.45
19406, UG	259	0	3.0	0.4	0.3	21.78	0.9	5.59	4.34	1,497	0	2.0	0.4	0.3	21.78	0.9	5.54	4.31
4014, UG	91	0	2.4	1.8	0.6	20.59	1.6	5.11	4.47	1,408	0	2.2	1.6	0.6	20.60	1.2	5.06	4.52
6415, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,396	0	0.4	1.9	0.3	21.52	0.8	5.18	4.44
1310, HZ	616	0	5.0	3.7	1.7	22.20	2.5	5.10	4.56	1,221	0	5.0	3.2	1.7	22.08	2.6	4.99	4.56
9012, SVTM	220	0	5.1	0.2	0.3	20.24	1.6	5.08	4.40	1,219	0	3.1	1.0	0.3	20.63	2.0	5.57	4.43
UNCODED	44	0	3.6	1.2	0.9	20.59	1.3	4.91	4.47	1,056	0	1.7	1.7	0.6	20.62	1.0	5.24	4.44
29814, UG	90	0	4.7	1.5	0.5	20.40	0.7	5.07	4.54	1,048	0	1.3	1.5	0.4	21.03	0.7	5.66	4.47
9007, SVTM	106	0	2.5	2.5	1.2	22.51	1.8	4.58	4.56	1,021	0	1.4	2.7	0.7	22.45	1.7	4.80	4.54
16609, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	853	0	1.6	1.3	0.5	21.00	2.0	5.82	4.42
1892, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	839	0	1.5	2.3	0.8	21.26	2.0	5.57	4.54
8504, HEINZ	88	0	2.0	4.0	4.6	21.93	1.2	4.39	4.30	827	0	1.8	1.9	1.3	22.03	1.3	4.64	4.32
6397, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	788	0	0.4	0.8	0.4	21.80	1.1	5.31	4.41
5702, HZ	86	0	3.1	1.9	0.5	20.48	0.7	4.81	4.56	760	0	2.0	1.6	0.5	20.59	0.7	4.87	4.56
141, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	669	0	0.8	5.1	1.0	21.81	5.3	4.98	4.45
5706, HZ	371	0	4.2	4.1	1.9	21.79	2.0	4.78	4.49	669	0	3.5	3.4	2.1	21.97	2.0	4.72	4.52
398, BQ	103	0	3.5	3.6	0.9	19.51	0.7	5.02	4.43	649	0	1.7	1.7	0.6	19.70	1.2	5.16	4.46
5900, HM	86	0	1.6	0.3	0.3	21.42	1.0	4.83	4.47	633	0	1.0	1.0	0.3	21.67	2.5	5.35	4.37
1776, HZ	292	0	2.6	1.3	0.4	20.84	0.5	5.28	4.43	557	0	2.3	1.4	0.4	20.83	0.5	5.33	4.44
63, NB	32	0	4.8	2.4	0.3	21.59	1.0	4.65	4.64	534	0	2.1	2.5	0.5	20.68	1.5	4.93	4.50
9663, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	501	0	2.3	1.9	0.8	20.21	1.8	4.85	4.40
42, BP	51	0	0.9	0.4	0.3	19.56	0.9	5.18	4.39	405	0	3.0	0.9	0.2	20.41	3.9	5.22	4.47
1996, HZ	35	0	1.7	1.4	1.0	20.86	0.9	5.12	4.51	395	0	0.7	1.6	0.5	20.77	0.5	5.11	4.43
6463, N	1	0	6.0	1.5	0.5	21.00	3.0	4.50	4.44	392	0	0.8	1.1	0.4	20.38	0.7	4.88	4.42
1997, HZ	93	0	2.5	2.4	1.4	21.75	2.3	4.98	4.46	367	0	1.9	2.3	0.7	21.56	1.3	5.09	4.46
HEINZ TRIAL	143	0	3.0	3.0	1.1	21.02	2.2	4.92	4.49	321	0	2.2	2.4	0.8	21.29	1.5	5.06	4.49
6459, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	304	0	1.5	3.9	1.3	21.38	1.5	5.12	4.48
4326, HMX 61P	97	0	0.5	0.2	0.9	21.04	1.0	5.55	4.31	292	0	0.9	0.6	0.5	21.08	0.9	5.63	4.33
27713, UG	5	0	4.3	1.9	1.7	21.20	1.3	5.10	4.42	292	0	2.6	1.8	0.8	19.84	3.0	6.02	4.48
9023, SVTM	7	0	1.6	0.5	0.1	20.57	0.5	5.27	4.35	260	0	3.5	1.0	0.2	22.19	1.4	5.36	4.47
6460, N	71	0	1.0	0.1	0.1	21.11	0.6	5.09	4.42	258	0	0.6	0.4	0.1	21.82	0.7	5.03	4.43
51, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	255	0	0.3	1.3	0.5	21.81	2.9	5.84	4.34
58881, HM	2	0	1.8	0.3	0.5	19.75	0.5	5.25	4.29	217	0	0.9	4.4	0.7	21.16	2.8	5.20	4.47
7744, BOS	110	0	4.6	0.9	0.3	21.41	0.5	5.07	4.52	216	0	4.0	1.1	0.5	21.42	1.0	5.08	4.53

2020 Processing Tomato Season
PTAB Analysis (9/19/20) - Statewide by Variety



Variety Name	Week Ending 9/19/20									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
1422, HZ	76	0	4.3	2.5	1.2	21.41	5.7	5.27	4.60	208	0	4.7	2.1	1.6	21.44	5.1	5.24	4.56
23, NB	17	0	0.9	3.9	0.7	20.32	0.6	5.95	4.40	203	0	2.2	1.5	0.3	20.48	1.7	5.62	4.46
9905, HARRIS MO	146	0	1.1	0.2	0.4	20.52	1.0	4.71	4.51	199	0	1.0	0.2	0.3	20.58	0.8	4.81	4.49
MIX	62	0	3.2	0.5	0.1	21.19	1.7	4.75	4.48	194	0	3.9	0.4	0.2	20.79	1.8	5.16	4.45
1765, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	191	0	0.1	1.3	0.3	20.86	0.8	5.46	4.39
3842, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	191	0	1.1	1.5	0.3	22.12	1.4	5.55	4.44
5508, HZ	189	0	3.6	1.2	0.7	20.91	0.9	4.94	4.49	189	0	3.6	1.2	0.7	20.91	0.9	4.94	4.49
393, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	175	0	1.6	1.3	0.4	22.08	3.6	4.65	4.48
422, BQ	61	0	10.9	1.7	1.4	21.27	1.9	5.00	4.63	168	0	5.4	1.2	0.6	21.24	3.1	4.93	4.53
1292, HZ	3	0	2.0	0.2	0.2	20.83	0.5	5.50	4.46	118	0	0.2	1.5	0.5	20.06	0.8	6.03	4.48
MISC TRIAL	31	0	4.4	0.9	0.5	21.23	1.2	4.90	4.47	115	0	2.9	0.9	0.5	21.47	1.7	4.88	4.44
9025, SVTM	50	0	1.0	0.5	0.2	21.07	0.2	5.51	4.19	105	0	0.9	0.9	0.3	21.93	0.4	5.31	4.25
18205, ISI	3	0	1.3	1.2	0.3	19.67	1.5	5.40	4.47	105	0	0.8	1.5	0.5	20.49	1.9	5.39	4.56
6377, SSA	14	0	0.8	1.0	0.8	22.21	0.4	5.24	4.34	97	0	1.5	0.7	1.0	21.74	0.2	5.65	4.27
1991, HZ	48	0	3.7	1.8	0.9	20.49	1.8	4.79	4.47	95	0	2.7	1.5	0.6	20.48	1.5	4.82	4.48
255, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	91	0	1.8	0.7	0.9	22.71	2.3	5.01	4.36
000, MISC	62	0	4.4	0.3	0.0	21.08	1.2	4.79	4.50	83	0	4.3	0.3	0.0	21.21	1.3	4.84	4.49
25033, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	80	0	0.5	2.1	0.5	21.18	0.9	5.33	4.39
1902, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	77	0	0.4	1.4	0.7	22.00	2.0	4.92	4.44
5369, HMX61P	1	0	0.5	0.5	1.0	20.50	2.0	5.90	4.53	77	0	1.3	0.5	0.3	20.70	1.1	5.52	4.53
9018, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	71	0	0.4	1.5	0.8	21.90	0.6	4.82	4.31
1994, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	62	0	1.6	2.7	0.3	21.47	0.5	5.10	4.42
1161, HEINZ	18	0	0.8	0.1	0.1	21.17	0.8	5.13	4.40	57	0	0.9	0.2	0.1	20.96	1.0	5.23	4.40
108, HYPEEL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	45	0	0.8	1.9	0.4	21.97	1.7	5.42	4.49
47, BP	28	0	0.6	0.8	0.3	22.20	0.6	5.34	4.39	44	0	0.7	0.6	0.3	22.36	0.6	5.28	4.37
6464, N	6	0	0.6	0.3	1.3	20.50	0.8	6.23	4.37	44	0	1.5	0.6	0.7	20.98	1.0	5.82	4.35
74, BP	30	0	2.4	1.2	0.5	21.80	0.5	5.37	4.35	42	0	1.9	1.4	0.5	21.68	0.8	5.46	4.36
6465, N	13	0	0.7	0.3	0.5	20.77	0.8	5.52	4.41	41	0	0.7	0.5	0.3	20.55	0.9	5.14	4.38
29314	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	39	0	2.3	0.5	0.4	21.37	1.8	5.28	4.43
50, BP	12	0	4.3	0.5	0.2	20.75	1.9	5.01	4.52	36	0	4.4	1.0	0.3	21.22	1.7	4.73	4.47
6441, N	29	0	1.3	1.0	0.2	21.47	0.2	4.73	4.43	29	0	1.3	1.0	0.2	21.47	0.2	4.73	4.43
5511, HMX61P	24	0	2.1	1.4	0.5	20.98	2.3	5.34	4.42	28	0	2.0	1.9	0.6	20.96	2.3	5.30	4.42
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	25	0	0.1	1.0	0.2	21.84	0.7	6.02	4.33
3888, HM	7	0	2.7	0.9	0.1	22.93	2.0	4.96	4.44	24	0	2.9	0.8	0.2	22.50	1.6	4.98	4.44
9024, SVTM	7	0	1.6	1.8	0.5	20.93	0.9	5.31	4.30	19	0	1.8	1.4	0.4	21.68	0.7	5.17	4.32
9019, SVTM	1	0	1.0	0.0	0.0	21.00	2.0	5.30	4.24	18	0	1.1	2.7	0.6	21.78	1.3	5.38	4.26
6140, HMX61P	17	0	0.8	0.1	0.1	19.65	0.5	5.18	4.33	17	0	0.8	0.1	0.1	19.65	0.5	5.18	4.33
7103, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13	0	0.1	0.3	0.2	20.73	1.1	5.58	4.37
23024, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11	0	0.0	1.0	0.4	20.14	0.1	5.51	4.48

2020 Processing Tomato Season
PTAB Analysis (9/19/20) - Statewide by Variety



Variety Name	Week Ending 9/19/20									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
26623, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11	0	0.1	1.2	0.1	20.64	0.4	5.79	4.36
48, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8	0	0.8	0.9	0.6	21.06	2.4	5.69	4.43
49, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7	0	1.9	0.6	0.4	20.79	0.9	5.33	4.49
435, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7	0	1.9	1.6	0.6	21.43	1.9	4.40	4.44
2074, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	6	0	1.4	0.9	0.2	20.08	3.3	6.05	4.45
1311, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	3.2	0.1	0.1	22.00	3.4	5.20	4.47
2493, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	6.0	0.5	0.0	22.00	1.5	5.70	4.53
4569, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.3	1.2	0.0	20.17	0.5	5.97	4.37
6440, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	2.0	0.5	0.3	22.33	1.5	4.73	4.54
9003, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.2	0.0	0.3	19.83	1.0	5.20	4.35
1115, FM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.0	2.0	0.3	20.50	1.3	6.10	4.51
2, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	21.50	1.5	5.70	4.46
16, BP	1	0	7.0	0.0	0.0	21.50	2.0	4.70	4.50	1	0	7.0	0.0	0.0	21.50	2.0	4.70	4.50
19, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.5	1.0	0.0	24.50	0.5	5.70	4.51
20, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.0	1.0	0.0	21.00	1.5	5.00	4.32
4565, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.5	0.0	0.0	21.50	2.5	4.90	4.34
15212, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.5	0.5	0.0	18.50	0.5	5.70	4.33
37314, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.5	19.00	0.5	5.50	4.48
STATEWIDE	38,143	0.0	2.8	1.8	0.9	21.19	1.3	5.05	4.45	349,961	0.0	1.6	1.8	0.7	21.14	1.5	5.27	4.43