

2020 Processing Tomato Season
PTAB Analysis (9/26/20) - Statewide by Variety



Variety Name	Week Ending 9/26/20									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
6428, N	4,163	0	3.2	1.7	1.1	21.52	1.7	4.66	4.52	34,038	0	2.4	2.5	1.1	22.05	2.2	4.85	4.50
273, BQ	175	0	3.3	2.1	0.9	21.02	1.6	4.93	4.47	24,045	0	0.8	2.1	0.6	21.10	1.7	5.39	4.38
8011, SV	591	0	2.8	0.8	0.3	20.12	0.5	4.90	4.39	20,231	0	1.9	1.4	0.5	20.63	1.2	5.44	4.43
1662, HZ	5,048	0	2.5	2.8	1.2	21.60	1.6	4.93	4.47	19,780	0	2.2	2.7	1.2	21.86	1.7	5.00	4.47
9011, SVTM	1,355	0	3.3	0.8	0.5	20.74	1.5	5.14	4.39	13,912	0	2.8	1.6	0.6	20.71	1.8	5.66	4.43
1428, HZ	1,687	0	2.1	2.4	1.4	21.06	0.5	4.67	4.44	13,704	0	2.0	2.6	1.3	21.26	0.9	4.83	4.49
0319, DRI	1,246	0	1.6	0.5	0.4	21.37	1.6	5.30	4.38	13,612	0	1.9	1.2	0.5	21.61	2.4	5.73	4.42
403, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13,289	0	0.5	1.5	0.7	21.28	1.9	5.42	4.36
0811, BOS	1,312	0	2.1	1.0	0.5	20.19	0.7	4.82	4.43	12,761	0	1.3	1.5	0.6	20.19	0.7	5.17	4.40
0311, AB	670	0	2.8	0.7	0.5	21.03	1.5	5.86	4.39	12,747	0	2.3	1.2	0.5	20.78	1.8	5.84	4.39
4707, HEINZ	1,780	0	1.8	3.1	1.3	22.26	0.7	4.86	4.44	12,194	0	1.4	2.7	1.0	22.61	0.8	4.87	4.45
400, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	12,103	0	0.5	1.7	0.7	20.11	1.2	5.25	4.47
5608, HZ	20	0	7.2	1.7	1.2	20.88	0.6	4.29	4.61	11,066	0	1.6	1.4	0.6	20.37	1.1	5.14	4.45
5522, HM 61P	916	0	1.5	0.6	0.4	20.28	0.7	5.62	4.35	10,437	0	0.9	0.8	0.4	20.27	0.7	5.79	4.37
5235, HM	297	0	6.6	1.0	0.4	20.45	1.3	5.02	4.46	8,766	0	3.2	1.8	1.0	20.60	2.7	5.38	4.48
2756, SV	667	0	5.2	1.6	0.6	21.19	0.7	5.08	4.51	7,809	0	2.2	1.7	0.6	21.02	0.6	5.09	4.48
2401, HEINZ	1,222	0	2.4	2.5	0.8	21.60	1.0	4.81	4.35	7,239	0	2.0	2.3	0.7	21.73	1.1	4.90	4.38
9008, SVTM	1,647	0	4.1	2.4	0.7	20.60	0.4	5.15	4.36	6,521	0	2.2	1.6	0.5	20.72	0.5	5.34	4.35
9016, SVTM	1,046	0	2.1	1.1	1.0	21.47	0.8	4.92	4.34	6,389	0	2.5	2.0	0.8	21.70	0.7	4.96	4.38
58841, HM	762	0	1.2	0.7	0.4	21.29	0.6	4.93	4.39	6,041	0	1.3	1.0	0.6	20.99	0.7	5.21	4.39
9013, SVTM	203	0	7.8	1.0	1.0	20.89	1.3	4.86	4.51	5,988	0	2.3	1.5	0.6	20.72	1.4	5.18	4.43
6402, N	1	0	1.0	1.0	0.0	20.50	0.0	6.20	4.30	5,743	0	1.2	1.2	0.4	20.50	1.6	5.76	4.46
6366, SUN	175	0	0.5	0.4	0.3	21.69	1.4	5.41	4.41	5,663	0	1.0	1.2	0.3	20.92	1.9	5.39	4.46
16112, UG	1,245	0	2.1	2.6	0.6	19.98	0.3	5.13	4.42	5,111	0	1.3	2.3	0.5	20.56	0.3	5.09	4.39
3887, HM	273	0	4.4	1.6	0.9	20.43	1.6	5.51	4.44	5,108	0	1.7	2.5	0.5	21.14	1.6	5.54	4.45
13, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4,933	0	0.4	3.4	1.5	21.60	1.6	4.86	4.38
9014, SVTM	502	0	3.3	1.6	0.6	20.70	0.9	4.77	4.43	4,487	0	2.4	1.0	0.4	20.69	1.3	5.11	4.41
8163, HM	94	0	1.9	0.4	2.1	20.23	1.3	4.90	4.46	4,449	0	1.4	0.8	0.9	20.02	1.1	5.78	4.46
4521, HMX 61P	604	0	1.1	1.1	0.3	21.28	0.6	4.99	4.37	4,174	0	0.7	1.3	0.4	20.90	0.4	5.44	4.38
4885, HMX	832	0	1.4	2.1	0.7	20.85	1.0	4.84	4.35	3,991	0	1.3	1.9	0.5	21.02	1.0	5.08	4.39
1293, HZ	1	0	7.5	2.5	1.0	20.00	0.5	5.40	4.67	3,778	0	1.5	1.5	0.8	20.33	1.1	5.51	4.53
6434, N	191	0	5.2	2.4	1.6	21.89	1.1	4.47	4.55	3,611	0	1.9	2.7	1.2	22.02	2.2	5.12	4.51
58801, HM	670	0	2.9	1.5	0.4	21.56	2.1	4.91	4.45	3,083	0	2.4	1.7	0.5	21.74	2.6	5.16	4.48
413, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,015	0	1.9	2.7	0.9	21.43	1.7	4.67	4.53
4909, HMX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,722	0	1.2	0.8	0.4	22.69	1.1	5.51	4.25
6426, N	213	0	0.6	0.1	0.1	21.34	0.8	4.56	4.42	2,645	0	1.7	2.2	0.8	20.71	1.3	5.07	4.47
9000, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,566	0	0.4	0.8	0.3	20.86	0.5	5.05	4.42
1082, SVTM	79	0	2.4	1.7	1.6	21.07	1.9	5.46	4.35	2,502	0	1.2	1.0	0.7	21.51	1.5	5.40	4.33
7885, HMX	162	0	2.3	0.4	0.3	20.75	1.2	5.16	4.58	2,465	0	1.6	0.9	0.3	21.25	1.1	4.99	4.62

2020 Processing Tomato Season
PTAB Analysis (9/26/20) - Statewide by Variety



Variety Name	Week Ending 9/26/20									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
1015, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,349	0	0.4	2.3	1.0	20.79	1.2	5.20	4.44
58811, HM	110	0	1.5	1.7	0.3	22.53	1.0	4.89	4.40	2,291	0	1.1	1.1	0.7	22.05	1.0	5.06	4.44
6420, N	159	0	2.0	1.3	1.2	20.56	1.3	5.02	4.47	2,153	0	1.9	0.9	0.5	21.07	1.5	5.01	4.53
1310, HZ	815	0	5.0	5.7	2.0	21.85	1.9	4.84	4.52	2,036	0	5.0	4.2	1.8	21.99	2.3	4.93	4.55
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,931	0	0.8	1.4	0.3	21.29	2.3	4.84	4.40
43, BP	231	0	2.5	0.7	0.3	21.11	1.4	5.08	4.46	1,734	0	2.1	1.2	0.4	20.74	1.3	5.61	4.45
19406, UG	237	0	2.2	0.4	0.5	21.00	0.6	5.55	4.32	1,734	0	2.0	0.4	0.3	21.68	0.9	5.54	4.31
6416, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,524	0	0.4	2.3	0.5	21.10	1.4	5.17	4.36
9012, SVTM	219	0	2.1	0.2	0.2	20.83	1.5	5.17	4.41	1,438	0	2.9	0.8	0.3	20.66	1.9	5.51	4.43
9007, SVTM	415	0	2.6	3.0	1.2	22.10	1.5	4.58	4.57	1,436	0	1.7	2.8	0.9	22.35	1.7	4.73	4.55
4014, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,408	0	2.2	1.6	0.6	20.60	1.2	5.06	4.52
6415, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,396	0	0.4	1.9	0.3	21.52	0.8	5.18	4.44
5706, HZ	531	0	1.4	3.5	2.1	20.93	1.5	4.64	4.40	1,200	0	2.6	3.5	2.1	21.51	1.8	4.69	4.46
UNCODED	88	0	5.0	2.5	1.3	20.35	1.0	5.03	4.53	1,144	0	1.9	1.8	0.6	20.60	1.0	5.22	4.45
29814, UG	92	0	3.3	1.4	1.0	20.14	0.5	5.44	4.48	1,140	0	1.5	1.5	0.5	20.96	0.7	5.64	4.47
398, BQ	412	0	2.3	3.9	0.8	19.62	0.9	5.00	4.44	1,061	0	2.0	2.6	0.7	19.67	1.1	5.10	4.45
5702, HZ	168	0	2.9	1.8	0.4	20.48	0.4	4.71	4.53	928	0	2.2	1.6	0.5	20.57	0.6	4.84	4.55
1776, HZ	360	0	2.3	1.6	0.7	20.75	0.7	5.37	4.41	917	0	2.3	1.5	0.5	20.80	0.6	5.34	4.43
8504, HEINZ	54	0	0.9	0.9	0.3	22.07	1.0	5.30	4.36	881	0	1.7	1.8	1.3	22.03	1.3	4.68	4.32
16609, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	853	0	1.6	1.3	0.5	21.00	2.0	5.82	4.42
1892, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	839	0	1.5	2.3	0.8	21.26	2.0	5.57	4.54
6397, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	788	0	0.4	0.8	0.4	21.80	1.1	5.31	4.41
5900, HM	82	0	2.2	0.6	0.4	21.00	0.2	5.04	4.48	715	0	1.2	0.9	0.3	21.60	2.2	5.31	4.38
141, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	669	0	0.8	5.1	1.0	21.81	5.3	4.98	4.45
5508, HZ	448	0	2.6	1.3	0.5	20.94	0.5	4.88	4.45	637	0	2.9	1.3	0.6	20.93	0.6	4.89	4.46
42, BP	231	0	0.9	0.8	0.3	20.98	0.1	5.06	4.48	636	0	2.2	0.8	0.2	20.62	2.6	5.16	4.47
9905, HARRIS MO	336	0	1.7	0.4	0.1	20.53	0.8	4.77	4.49	535	0	1.4	0.3	0.2	20.55	0.8	4.78	4.49
63, NB	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	534	0	2.1	2.5	0.5	20.68	1.5	4.93	4.50
1422, HZ	326	0	2.5	5.5	4.9	20.83	2.4	4.55	4.48	534	0	3.4	4.2	3.6	21.07	3.5	4.82	4.51
422, BQ	344	0	7.9	2.0	0.9	21.20	2.1	4.92	4.64	512	0	7.0	1.7	0.8	21.21	2.4	4.92	4.60
1996, HZ	113	0	3.4	1.4	0.6	20.70	1.3	4.72	4.48	508	0	1.3	1.5	0.5	20.75	0.7	5.03	4.44
9663, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	501	0	2.3	1.9	0.8	20.21	1.8	4.85	4.40
1997, HZ	96	0	5.7	1.6	0.6	21.89	1.2	4.88	4.44	463	0	2.7	2.2	0.7	21.63	1.3	5.05	4.45
4326, HMX 61P	121	0	0.8	0.2	0.1	20.66	1.5	5.50	4.34	413	0	0.8	0.5	0.4	20.96	1.1	5.59	4.33
6463, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	392	0	0.8	1.1	0.4	20.38	0.7	4.88	4.42
HEINZ TRIAL	30	0	3.4	2.7	1.4	20.75	3.4	4.78	4.46	351	0	2.3	2.5	0.9	21.24	1.6	5.03	4.49
23, NB	109	0	1.3	4.0	1.6	20.69	1.1	6.09	4.39	312	0	1.9	2.4	0.8	20.55	1.5	5.78	4.44
9023, SVTM	50	0	2.6	0.4	0.4	22.34	1.9	4.63	4.51	310	0	3.3	0.9	0.3	22.21	1.4	5.25	4.48
6459, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	304	0	1.5	3.9	1.3	21.38	1.5	5.12	4.48

2020 Processing Tomato Season
PTAB Analysis (9/26/20) - Statewide by Variety



Variety Name	Week Ending 9/26/20									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
27713, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	292	0	2.6	1.8	0.8	19.84	3.0	6.02	4.48
6460, N	14	0	1.5	1.1	2.9	20.57	1.4	5.25	4.53	272	0	0.6	0.4	0.2	21.75	0.7	5.04	4.44
6377, SSA	171	0	1.4	1.1	0.2	21.67	1.6	5.25	4.42	268	0	1.4	1.0	0.5	21.69	1.1	5.39	4.37
51,BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	255	0	0.3	1.3	0.5	21.81	2.9	5.84	4.34
58881, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	217	0	0.9	4.4	0.7	21.16	2.8	5.20	4.47
7744, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	216	0	4.0	1.1	0.5	21.42	1.0	5.08	4.53
MIX	12	0	1.5	0.3	0.3	20.58	1.3	4.84	4.32	206	0	3.8	0.4	0.2	20.78	1.8	5.14	4.44
1765, HZ	7	0	0.9	0.3	0.1	22.36	5.1	6.39	4.40	198	0	0.1	1.3	0.3	20.91	1.0	5.50	4.39
3842, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	191	0	1.1	1.5	0.3	22.12	1.4	5.55	4.44
393, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	175	0	1.6	1.3	0.4	22.08	3.6	4.65	4.48
1991, HZ	66	0	7.4	4.0	1.5	20.32	0.8	4.59	4.45	161	0	4.7	2.5	1.0	20.41	1.2	4.73	4.47
MISC TRIAL	45	0	3.0	1.0	0.3	21.06	1.3	5.31	4.49	160	0	2.9	0.9	0.4	21.35	1.6	5.00	4.45
1292, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	118	0	0.2	1.5	0.5	20.06	0.8	6.03	4.48
18205, ISI	1	0	2.0	4.0	0.0	19.00	0.5	5.40	4.46	106	0	0.8	1.6	0.5	20.47	1.8	5.39	4.56
9025, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	105	0	0.9	0.9	0.3	21.93	0.4	5.31	4.25
6441, N	73	0	8.0	0.6	0.2	21.15	0.3	4.75	4.52	102	0	6.1	0.7	0.2	21.24	0.3	4.74	4.49
255, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	91	0	1.8	0.7	0.9	22.71	2.3	5.01	4.36
000, MISC	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	83	0	4.3	0.3	0.0	21.21	1.3	4.84	4.49
25033, ISI	3	0	0.7	1.2	0.0	19.83	0.5	5.23	4.37	83	0	0.5	2.1	0.5	21.13	0.9	5.32	4.39
1902, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	77	0	0.4	1.4	0.7	22.00	2.0	4.92	4.44
5369, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	77	0	1.3	0.5	0.3	20.70	1.1	5.52	4.53
9018, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	71	0	0.4	1.5	0.8	21.90	0.6	4.82	4.31
6465, N	27	0	2.1	0.1	0.4	22.02	0.7	4.80	4.43	68	0	1.3	0.4	0.4	21.13	0.8	5.00	4.40
50, BP	29	0	2.9	4.0	0.5	21.28	3.3	5.49	4.42	65	0	3.7	2.4	0.4	21.25	2.5	5.07	4.45
1994, HZ	1	0	6.5	0.0	0.0	20.00	0.5	4.90	4.50	63	0	1.6	2.6	0.2	21.44	0.5	5.09	4.42
47, BP	16	0	0.9	0.4	0.4	21.75	0.7	5.35	4.36	60	0	0.8	0.6	0.3	22.20	0.6	5.30	4.37
6464, N	16	0	1.2	0.3	0.1	22.00	0.9	4.87	4.41	60	0	1.4	0.5	0.5	21.25	1.0	5.57	4.36
1161, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	57	0	0.9	0.2	0.1	20.96	1.0	5.23	4.40
3888, HM	29	0	0.9	1.3	0.3	20.40	0.3	5.56	4.47	53	0	1.8	1.1	0.3	21.35	0.9	5.30	4.46
74, BP	3	0	0.7	1.3	0.3	22.00	1.3	5.30	4.39	45	0	1.8	1.4	0.5	21.70	0.8	5.45	4.36
108, HYPEEL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	45	0	0.8	1.9	0.4	21.97	1.7	5.42	4.49
29314	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	39	0	2.3	0.5	0.4	21.37	1.8	5.28	4.43
5511, HMX61P	2	0	0.3	0.5	0.8	22.25	5.5	5.30	4.53	30	0	1.9	1.8	0.6	21.05	2.6	5.30	4.42
9024, SVTM	11	0	0.5	0.0	0.2	22.09	0.9	4.46	4.34	30	0	1.3	0.9	0.3	21.83	0.8	4.91	4.33
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	25	0	0.1	1.0	0.2	21.84	0.7	6.02	4.33
9019, SVTM	3	0	0.3	0.7	0.3	22.33	1.0	5.43	4.35	21	0	1.0	2.4	0.6	21.86	1.2	5.39	4.27
4569, BOS	17	0	0.6	0.7	0.4	21.21	1.8	5.28	4.36	20	0	0.5	0.8	0.3	21.05	1.6	5.38	4.37
6140, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	17	0	0.8	0.1	0.1	19.65	0.5	5.18	4.33
6407, N	15	0	1.1	1.6	0.4	22.03	0.3	4.91	4.49	15	0	1.1	1.6	0.4	22.03	0.3	4.91	4.49

2020 Processing Tomato Season
PTAB Analysis (9/26/20) - Statewide by Variety



Variety Name	Week Ending 9/26/20									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
6440, N	10	0	8.6	0.4	0.2	21.15	0.5	4.84	4.49	13	0	7.1	0.4	0.2	21.42	0.7	4.82	4.50
7103, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13	0	0.1	0.3	0.2	20.73	1.1	5.58	4.37
9436, UG	13	0	3.0	1.6	0.6	18.31	0.7	5.81	4.48	13	0	3.0	1.6	0.6	18.31	0.7	5.81	4.48
LYCOMECH UG	12	0	0.8	3.3	0.5	19.92	0.5	5.33	4.50	12	0	0.8	3.3	0.5	19.92	0.5	5.33	4.50
LYKOBOL UG	11	0	1.1	2.7	0.6	19.18	1.0	5.68	4.53	11	0	1.1	2.7	0.6	19.18	1.0	5.68	4.53
23024, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11	0	0.0	1.0	0.4	20.14	0.1	5.51	4.48
26623, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11	0	0.1	1.2	0.1	20.64	0.4	5.79	4.36
4565, BOS	8	0	0.3	0.2	0.1	21.63	1.7	5.50	4.41	9	0	0.4	0.2	0.1	21.61	1.8	5.43	4.40
48, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8	0	0.8	0.9	0.6	21.06	2.4	5.69	4.43
49, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7	0	1.9	0.6	0.4	20.79	0.9	5.33	4.49
435, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7	0	1.9	1.6	0.6	21.43	1.9	4.40	4.44
2074, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	6	0	1.4	0.9	0.2	20.08	3.3	6.05	4.45
434, BQ	5	0	3.2	3.3	0.7	19.50	0.8	5.22	4.41	5	0	3.2	3.3	0.7	19.50	0.8	5.22	4.41
1311, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	3.2	0.1	0.1	22.00	3.4	5.20	4.47
1901, HZ	4	0	4.3	1.3	0.1	19.63	1.4	4.40	4.37	4	0	4.3	1.3	0.1	19.63	1.4	4.40	4.37
2493, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	6.0	0.5	0.0	22.00	1.5	5.70	4.53
7791, SVTM	3	0	3.0	0.3	0.0	20.33	0.3	5.13	4.46	3	0	3.0	0.3	0.0	20.33	0.3	5.13	4.46
9003, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.2	0.0	0.3	19.83	1.0	5.20	4.35
1115,FM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.0	2.0	0.3	20.50	1.3	6.10	4.51
2, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	21.50	1.5	5.70	4.46
16, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	7.0	0.0	0.0	21.50	2.0	4.70	4.50
19, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.5	1.0	0.0	24.50	0.5	5.70	4.51
20, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.0	1.0	0.0	21.00	1.5	5.00	4.32
15212, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.5	0.5	0.0	18.50	0.5	5.70	4.33
37314, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.5	19.00	0.5	5.50	4.48
STATEWIDE	36,653	0.0	2.7	1.9	0.9	21.15	1.1	4.96	4.44	386,614	0.0	1.7	1.8	0.7	21.14	1.4	5.24	4.43