

2021 California Cannery Tomato

Use Category Sort

Based on 10/16 PTAB

Variety	Supplier	Attributes	Loads		Brix		Mold	LU	Color	pH
			2021	2020	2021	2020				

Early

BQ273	SYN	-	13,317	24,279	5.22	5.38	0.6	1.5	20.94	4.39
BQ400	SYN	-	12,159	12,103	5.27	5.25	0.6	1.5	19.84	4.51
BQ403	SYN	-	11,366	13,289	5.42	5.42	0.3	1.8	21.10	4.34
BP13	BHN	F3	6,188	4,933	4.70	4.86	0.8	1.3	21.58	4.39
CXD187	HM	-	4,840	1,931	4.52	4.84	1.3	2.1	21.21	4.44
BQ413	SYN	F3	3,570	3,015	4.75	4.67	2.0	1.7	20.93	4.55
N6416	NS	-	3,529	1,524	4.88	5.17	0.5	1.4	21.10	4.40
SVTM9000	SVS	Lv	3,512	2,566	4.78	5.05	0.3	0.7	20.91	4.44
HM7103	HM	EFH	2,656	13	5.48	5.58	0.3	1.4	20.62	4.39
H1015	HZ	EFS™	2,567	2,349	4.88	5.20	0.6	1.0	21.16	4.43
SVTM9018	SVS	F3, Fr	1,809	71	4.64	4.82	0.6	0.7	21.93	4.33
BP51	BHN	F3, EFH	876	255	5.34	5.84	0.8	2.2	22.22	4.36
NB63	NB	F3	642	534	5.36	4.93	1.0	2.5	20.76	4.56
N6459	NS	F3	640	304	5.10	5.12	1.8	1.2	20.93	4.52
BOS3842	OS	-	639	191	5.43	5.55	0.6	1.3	20.81	4.38
N6397	NS	-	386	788	5.22	5.31	0.5	0.7	21.87	4.40
SVTM9027	SVS	F3, Lv	298	-	5.51	-	0.3	0.5	20.58	4.34
SVTM9032	SVS	F3, Fr, Lv	245	-	5.31	-	0.3	1.0	21.63	4.32
BOS6845	OS	F3	3	-	5.17	-	0.2	2.3	21.33	4.57
Total			69,242	68,145	5.09	5.26	0.7	1.5	20.90	4.42

Thin

DRI319	SVS	-	9,212	15,402	5.68	5.67	1.3	2.2	21.26	4.38
SVTM9011	SVS	F3	8,852	14,285	5.89	5.65	2.0	1.8	20.28	4.41
BP43	BHN	F3	8,548	2,278	5.42	5.53	2.1	1.2	20.97	4.46
SVTM1082	SVS	F3	7,914	2,875	5.68	5.41	1.2	1.7	21.12	4.36
N6402	NS	-	6,347	5,743	5.86	5.76	0.9	1.7	19.92	4.48
SVTM9012	SVS	F3	4,567	1,604	5.70	5.46	2.2	1.8	20.85	4.42
N6366	NS	-	4,540	6,008	5.35	5.39	0.9	2.3	20.36	4.45
AB0311	SVS	-	3,856	13,194	5.57	5.83	2.1	1.1	20.55	4.36
BP74	BHN	F3	3,704	139	5.46	5.27	2.2	1.4	20.58	4.45
HM5511	HM	F3, Fr	1,696	31	5.65	5.34	1.4	4.0	20.47	4.49
SVTM9019	SVS	F3, EFH	1,622	22	5.53	5.42	1.0	1.8	22.27	4.28
N6407	NS	EFH	512	310	5.53	5.36	1.0	0.9	21.70	4.33
N6474	NS	F3, EFH	496	-	5.18	-	2.1	1.5	21.56	4.43
UG16609	UG	-	454	868	5.58	5.80	1.5	2.8	20.65	4.45
SSA6377	SOS	-	156	501	5.28	5.25	1.3	2.2	21.98	4.39
H1161	HZ	-	58	57	5.47	5.23	2.0	0.9	21.73	4.42
BP48	BHN	F3	1	8	5.70	5.69	0.5	0.0	19.00	4.23
BQ163	SYN	-	1	-	5.30	-	1.5	0.0	23.00	4.28
BQ205	SYN	-	1	-	4.20	-	1.0	0.0	24.00	4.34
Total			62,537	63,325	5.64	5.65	1.6	1.8	20.76	4.42

2021 California Cannery Tomato

Use Category Sort

Based on 10/16 PTAB

Variety	Supplier	Attributes	Loads		Brix		Mold	LU	Color	pH
			2021	2020	2021	2020				

Intermediate

N6428	NS	F3, EFH	31,537	43,534	4.88	4.81	2.7	1.9	21.85	4.47
HM58841	HM	EFH	15,245	8,892	5.25	5.12	1.2	0.7	21.19	4.38
SVTM9014	SVS	F3	13,090	5,534	5.39	5.05	2.2	1.1	20.33	4.42
SVTM9013	SVS	F3	12,030	6,797	5.30	5.16	1.9	1.3	20.40	4.43
HM4521	HM	EFH	11,391	5,804	5.42	5.30	1.1	0.5	21.16	4.38
HM5522	HM	Fr	8,622	11,518	5.72	5.75	1.0	0.7	20.13	4.36
HM5235	HM	F3	6,891	8,843	5.29	5.38	2.1	2.1	20.30	4.43
N6434	NS	F3, EFH	5,365	4,082	5.13	5.06	2.3	1.7	22.07	4.45
SV8011TM	SVS	-	5,234	21,489	5.30	5.40	1.7	1.4	20.60	4.44
SVTM9021	SVS	F3, Fr	4,330	-	5.30	-	1.5	1.0	20.75	4.38
HM3887	HM	-	3,881	5,400	5.50	5.53	2.1	2.0	21.13	4.44
HM4909	HM	Fr	3,768	2,722	5.52	5.51	1.8	0.8	21.85	4.24
UG29814	UG	F3, EFH	2,205	1,299	5.37	5.61	1.7	0.7	20.73	4.45
HM58801	HM	F3, EFH	1,347	3,876	5.19	5.12	2.3	2.8	21.95	4.49
HM9905	HM	EFH	1,227	2,516	4.65	4.75	0.7	1.0	21.31	4.44
HM3888	HM	EFH	1,085	787	5.60	5.31	0.9	0.7	21.26	4.45
HM8237	HM	F3, Fr, EFH	762	-	5.17	-	0.8	0.6	21.56	4.33
UG19406	UG	EFH	685	2,187	5.47	5.51	1.8	1.3	22.07	4.32
SSA198	SOS	-	498	-	5.23	-	0.4	0.8	20.72	4.44
N6473	NS	F3, EFH	495	-	4.85	-	4.8	1.7	20.75	4.43
HM5900	HM	-	318	715	5.45	5.31	1.2	1.6	21.76	4.36
H2010	HZ	F3, EFS™	230	-	5.06	-	1.7	0.9	20.52	4.49
BP42	BHN	F3	194	636	5.35	5.16	2.9	2.8	20.63	4.50
N6441	NS	F3, EFH	182	185	4.89	4.81	0.7	0.6	21.12	4.39
BQ141	SYN	F3	117	669	4.41	4.98	1.4	5.3	22.12	4.49
BOS4565	OS	F3	79	23	5.71	5.17	2.2	1.0	19.76	4.43
H2011	HZ	F3, EFS™	60	-	5.06	-	1.5	0.8	22.29	4.40
HM1892	HM	EFH	24	839	5.47	5.57	1.8	0.6	21.79	4.36
H2012	HZ	F3, EFS™	22	-	5.44	-	1.4	1.3	21.95	4.44
BP32	BHN	F3, EFH	3	-	5.57	-	2.5	4.5	20.17	4.43
HM8268	HM	F3	3	-	5.67	-	0.3	2.8	20.50	4.43
UG10017	UG	F3	3	-	5.43	-	1.8	1.3	21.67	4.30
N6463	NS	EFH	1	392	5.50	4.88	1.0	2.5	18.50	4.60
SV8232TM	SVS	F3	1	-	5.40	-	1.0	1.0	21.00	4.40
BP62	BHN	F3, EFH	1	-	6.50	-	0.0	1.0	22.00	4.41

Total			130,926	138,739	5.24	5.17	1.9	1.3	21.09	4.42
-------	--	--	---------	---------	------	------	-----	-----	-------	------

2021 California Cannery Tomato

Use Category Sort

Based on 10/16 PTAB

Variety	Supplier	Attributes	Loads		Brix		Mold	LU	Color	pH
			2021	2020	2021	2020				

Thick

H1662	HZ	F3, Lv	23,791	23,619	5.10	4.99	2.2	1.4	22.00	4.45
H4707	HZ	EFS™	14,843	13,348	4.98	4.88	1.3	0.9	22.72	4.42
BOS811	OS	EFH	12,388	14,682	5.13	5.12	1.6	0.7	20.24	4.39
SVTM9024	SVS	F3, EFH	10,960	69	5.09	5.15	1.6	0.6	21.16	4.32
H5608	HZ	-	10,892	11,066	5.23	5.14	1.6	1.0	20.00	4.46
SVTM9016	SVS	F3, EFH	10,368	8,520	4.98	4.89	2.6	0.5	21.98	4.36
H1428	HZ	EFS™	8,852	14,195	5.05	4.83	1.6	0.9	21.33	4.46
SVTM9008	SVS	EFH	8,074	8,736	5.29	5.24	2.3	0.5	21.17	4.34
SVTM9023	SVS	F3, EFH	6,370	404	5.20	5.12	2.1	1.1	21.81	4.39
SVTM9025	SVS	F3, Fr, EFH	5,615	190	5.21	5.23	1.0	0.6	21.40	4.28
H2401	HZ	EFS™	4,226	9,630	5.14	4.86	2.6	1.1	21.34	4.36
H1776	HZ	EFS™	4,166	1,120	5.55	5.31	2.6	0.7	20.96	4.45
UG16112	UG	EFH	4,147	6,879	5.04	5.12	1.2	0.5	21.06	4.41
H1996	HZ	F3, EFS™	2,661	563	5.18	5.02	2.0	0.5	20.80	4.42
H5508	HZ	EFS™	1,974	4,354	4.71	4.65	1.8	0.4	21.38	4.36
H1310	HZ	F3, EFS™	1,960	2,239	4.86	4.98	3.3	1.8	22.03	4.48
H5706	HZ	EFS™	1,858	1,313	4.81	4.68	1.3	0.8	21.65	4.40
HM58811	HM	EFH	1,813	3,882	5.06	4.96	1.0	0.9	21.59	4.36
HM4885	HM	EFH	1,704	5,611	5.54	5.04	2.3	0.9	20.26	4.43
N6426	NS	EFH, Lv	1,482	3,096	5.16	5.01	0.7	1.4	20.55	4.49
BQ398	SYN	-	1,397	1,928	5.49	5.05	1.9	1.8	20.35	4.47
BQ395	SYN	F3	819	-	5.09	-	2.6	2.1	20.68	4.47
H1422	HZ	F3	622	539	4.84	4.82	3.1	2.1	21.45	4.51
H1991	HZ	F3	570	214	4.84	4.86	3.3	1.1	20.06	4.44
BQ391	SYN	F3	546	-	5.04	-	3.1	2.1	20.80	4.48
H8504	HZ	EFS™	491	1,040	5.04	4.68	2.5	1.5	22.34	4.35
H1994	HZ	F3, EFS™	467	81	5.22	5.12	4.1	0.8	21.44	4.43
N6415	NS	EFH	460	1,739	5.03	5.17	0.7	0.7	21.35	4.42
HZ Trial	HZ	-	411	431	5.10	4.94	2.3	1.5	21.64	4.44
SV2756TM	SVS	EFH	407	7,967	4.61	5.09	4.1	0.3	23.21	4.41
N6475	NS	F3, EFH	406	-	5.02	-	2.1	1.0	21.15	4.50
SVTM9028	SVS	F3	387	-	4.81	-	2.5	1.6	21.27	4.40
BP50	BHN	F3, EFH	339	100	4.39	5.02	3.1	1.9	22.35	4.35
H9663	HZ	-	319	501	4.85	4.85	1.7	1.7	19.79	4.40
SVTM9030	SVS	F3, EFH	227	-	4.77	-	1.6	0.7	21.75	4.39
H1997	HZ	F3	187	550	4.65	4.96	1.7	2.0	22.07	4.43
H2016	HZ	F3	160	-	4.91	-	2.1	0.6	20.43	4.37
SVTM9007	SVS	-	132	1,436	4.67	4.73	0.7	1.0	21.50	4.51
BOS4680	OS	-	81	11	5.34	5.48	1.2	0.8	20.38	4.40

2021 California Cannery Tomato

Use Category Sort

Based on 10/16 PTAB

Variety	Supplier	Attributes	Loads		Brix		Mold	LU	Color	pH
			2021	2020	2021	2020				
H2015	HZ	F3	74	-	4.94	-	1.5	0.9	20.56	4.38
BOS4569	OS	F3	49	20	5.41	5.38	2.7	1.6	19.98	4.44
BP78	BHN	F3, EFH	45	-	4.90	-	1.3	0.7	21.10	4.25
BOS6851	OS	F3	28	-	5.44	-	1.1	0.5	19.43	4.45
BOS6848	OS	F3	24	-	5.53	-	1.1	0.8	19.35	4.46
H1311	HZ	EFS™	10	5	6.67	5.20	0.4	1.2	22.15	4.35
BQ431	SYN	F3	10	43	5.33	4.75	1.7	5.8	21.50	4.47
IVF5234	SOS	-	2	-	5.55	-	2.3	2.3	18.50	4.48
BQ394	SYN	F3	1	-	5.40	-	0.0	1.0	21.00	4.45
Total			146,815	150,121	5.11	4.99	1.9	0.9	21.39	4.40

Pear

HM8163	HM	-	6,578	4,611	5.92	5.77	1.3	1.7	19.73	4.48
N6420	NS	-	2,019	2,180	5.25	5.02	1.4	2.0	20.73	4.53
H1293	HZ	-	1,945	3,795	5.57	5.51	1.4	1.6	20.00	4.56
HM7885	HM	EFH	1,123	2,467	5.20	4.99	1.0	2.1	20.57	4.61
HM5369	HM	-	297	77	5.54	5.52	0.5	1.0	20.95	4.57
BP88	BHN	F3	69	-	5.00	-	2.6	2.0	20.35	4.49
BP72	BHN	F3	53	-	5.02	-	1.4	1.1	20.57	4.44
H2128	HZ	F3	44	-	5.19	-	3.1	2.6	19.41	4.58
HP108	SVS	-	27	45	5.15	5.42	2.7	5.3	20.85	4.59
BP71	BHN	F3	20	-	5.14	-	1.8	0.9	19.95	4.47
BP60	BHN	F3	19	-	5.41	-	2.3	1.1	19.61	4.51
H1538	HZ	-	1	-	5.10	-	4.5	0.5	18.00	4.41
Pear Total			12,195	13,175	5.66	5.42	1.3	1.7	20.06	4.52
Misc Total			1,917	1,926	5.24	5.13	1.9	1.2	21.00	4.42
Dead Varieties Total			-	6,689	-	5.15	-	-	-	-
Statewide			423,632	442,120	5.24	5.20	1.6	1.3	21.08	4.42