

**2022 Processing Tomato Season**  
PTAB Analysis 7/23/22 - County by Variety



County	Variety Name	Week Ending 7/23/22								Year to Date									
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
CONTRA COSTA	7103, HMX61P	131	0.0	0.0	0.5	0.0	22.3	0.6	5.22	4.29	131	0.0	0.0	0.5	0.0	22.3	0.6	5.22	4.29
CONTRA COSTA	403, BQ	36	0.0	0.2	2.1	0.0	22.0	1.0	5.32	4.25	87	0.0	0.1	1.0	0.0	22.0	1.1	5.33	4.26
CONTRA COSTA	9032, SVTM	71	0.0	0.0	0.5	0.3	22.6	0.9	5.45	4.30	71	0.0	0.0	0.5	0.3	22.6	0.9	5.45	4.30
CONTRA COSTA	6366, SUN	14	0.0	0.0	0.5	0.0	21.6	0.3	5.54	4.27	14	0.0	0.0	0.5	0.0	21.6	0.3	5.54	4.27
CONTRA COSTA	9027, SVTM	14	0.0	0.1	0.8	0.1	22.0	0.3	5.71	4.30	14	0.0	0.1	0.8	0.1	22.0	0.3	5.71	4.30
<b>CONTRA COSTA</b>		<b>266</b>	<b>0.0</b>	<b>0.0</b>	<b>0.7</b>	<b>0.1</b>	<b>22.3</b>	<b>0.7</b>	<b>5.34</b>	<b>4.29</b>	<b>317</b>	<b>0.0</b>	<b>0.0</b>	<b>0.6</b>	<b>0.1</b>	<b>22.2</b>	<b>0.8</b>	<b>5.34</b>	<b>4.29</b>
FRESNO	7103, HMX61P	2,319	0.0	0.1	1.2	0.3	20.9	1.6	5.73	4.39	2,937	0.0	0.1	1.0	0.3	20.8	1.5	5.79	4.38
FRESNO	403, BQ	1,774	0.0	0.2	1.7	0.6	20.8	2.3	5.65	4.37	2,774	0.0	0.2	1.7	0.5	20.8	2.0	5.71	4.36
FRESNO	400, BQ	1,470	0.0	0.2	1.7	0.4	20.2	1.7	5.55	4.51	2,628	0.0	0.1	1.7	0.4	20.0	1.3	5.53	4.49
FRESNO	9027, SVTM	1,160	0.0	0.3	1.8	0.3	20.4	0.8	5.95	4.36	1,444	0.0	0.2	1.7	0.3	20.4	0.8	5.95	4.36
FRESNO	6416, N	125	0.0	0.3	5.1	0.9	21.1	3.3	5.79	4.41	1,339	0.0	0.5	2.3	0.5	21.2	1.8	5.31	4.38
FRESNO	273, BQ	730	0.0	0.1	1.2	0.5	20.9	1.1	5.44	4.37	1,233	0.0	0.2	1.7	0.6	21.0	1.2	5.52	4.37
FRESNO	6402, N	624	0.0	0.4	2.3	0.3	20.3	2.2	5.92	4.47	651	0.0	0.4	2.3	0.3	20.3	2.1	5.93	4.46
FRESNO	5511, HMX61P	586	0.0	0.2	2.2	0.3	21.3	2.9	5.86	4.43	628	0.0	0.2	2.2	0.3	21.2	2.9	5.87	4.43
FRESNO	5522, HM 61P	541	0.0	0.2	1.6	0.3	20.2	0.7	6.07	4.33	541	0.0	0.2	1.6	0.3	20.2	0.7	6.07	4.33
FRESNO	8163, HM	464	0.0	0.2	1.6	0.5	20.3	1.2	6.30	4.44	464	0.0	0.2	1.6	0.5	20.3	1.2	6.30	4.44
FRESNO	5608, HZ	352	0.0	0.3	1.5	0.6	20.6	1.8	5.24	4.44	436	0.0	0.3	1.6	0.5	20.7	1.8	5.21	4.45
FRESNO	9032, SVTM	226	0.0	0.2	1.9	0.5	21.2	0.9	5.85	4.31	325	0.0	0.2	1.5	0.5	21.2	0.8	5.83	4.29
FRESNO	9013, SVTM	318	0.0	0.3	1.9	0.3	20.8	1.4	5.60	4.40	318	0.0	0.3	1.9	0.3	20.8	1.4	5.60	4.40
FRESNO	6366, SUN	192	0.0	0.5	0.8	0.2	20.9	4.1	5.75	4.50	298	0.0	0.4	0.9	0.2	20.9	4.1	5.81	4.50
FRESNO	16609, UG	205	0.0	0.1	0.9	0.3	21.6	1.9	5.55	4.33	205	0.0	0.1	0.9	0.3	21.6	1.9	5.55	4.33
FRESNO	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	162	0.0	0.1	2.2	0.4	20.0	1.2	5.19	4.32
FRESNO	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	146	0.0	0.3	3.4	0.1	21.0	0.5	5.18	4.35
FRESNO	16112, UG	138	0.0	0.1	2.1	0.1	21.4	0.4	5.12	4.29	138	0.0	0.1	2.1	0.1	21.4	0.4	5.12	4.29
FRESNO	3842, BOS	75	0.0	1.0	1.5	0.2	21.2	2.0	5.75	4.47	100	0.0	0.8	1.5	0.1	21.3	2.2	5.77	4.49
FRESNO	9011, SVTM	74	0.0	0.3	0.6	0.1	20.5	1.0	5.92	4.36	74	0.0	0.3	0.6	0.1	20.5	1.0	5.92	4.36
FRESNO	9012, SVTM	52	0.0	0.4	0.5	0.2	20.6	1.2	5.89	4.38	52	0.0	0.4	0.5	0.2	20.6	1.2	5.89	4.38
FRESNO	3887, HM	51	0.0	0.4	5.8	0.1	21.4	2.0	5.86	4.41	51	0.0	0.4	5.8	0.1	21.4	2.0	5.86	4.41
FRESNO	6845, BOS	20	0.0	0.1	3.1	0.2	20.7	3.8	5.56	4.49	25	0.0	0.1	3.7	0.3	20.6	3.3	5.49	4.46
FRESNO	6426, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	0.3	3.2	0.1	20.3	0.5	5.12	4.37
FRESNO	169, NB	8	0.0	0.0	5.8	0.1	20.8	1.6	5.66	4.43	8	0.0	0.0	5.8	0.1	20.8	1.6	5.66	4.43
FRESNO	9014, SVTM	7	0.0	0.4	0.8	0.7	20.4	1.9	6.19	4.38	7	0.0	0.4	0.8	0.7	20.4	1.9	6.19	4.38
FRESNO	8131, BOS	1	0.0	0.0	0.0	0.5	20.5	2.0	5.60	4.43	5	0.0	0.4	1.5	0.2	21.3	1.3	5.28	4.34
FRESNO	6434, N	4	0.0	1.4	2.4	0.1	22.3	3.5	5.58	4.47	4	0.0	1.4	2.4	0.1	22.3	3.5	5.58	4.47
FRESNO	9174, HM	3	0.0	0.2	0.7	0.8	20.2	1.0	5.83	4.34	3	0.0	0.2	0.7	0.8	20.2	1.0	5.83	4.34
FRESNO	MIX	1	0.0	2.0	2.0	0.0	21.0	0.5	5.90	4.38	2	0.0	1.0	2.0	0.3	21.3	2.0	5.40	4.36
FRESNO	72, BP	2	0.0	0.5	0.8	0.0	21.0	0.3	5.45	4.40	2	0.0	0.5	0.8	0.0	21.0	0.3	5.45	4.40
FRESNO	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	2.0	0.5	20.5	2.0	4.70	4.35
<b>FRESNO</b>		<b>11,522</b>	<b>0.0</b>	<b>0.2</b>	<b>1.6</b>	<b>0.4</b>	<b>20.7</b>	<b>1.7</b>	<b>5.73</b>	<b>4.40</b>	<b>17,017</b>	<b>0.0</b>	<b>0.2</b>	<b>1.7</b>	<b>0.4</b>	<b>20.7</b>	<b>1.6</b>	<b>5.69</b>	<b>4.40</b>
KERN	400, BQ	969	0.0	0.4	1.9	0.9	20.5	1.3											

**2022 Processing Tomato Season**  
PTAB Analysis 7/23/22 - County by Variety



County	Variety Name	Week Ending 7/23/22								Year to Date									
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
KERN	7103, HMX61P	24	0.0	0.0	1.3	1.3	21.3	3.9	5.28	4.48	812	0.0	0.2	1.9	0.3	20.9	1.5	5.30	4.39
KERN	6416, N	248	0.0	0.7	3.7	0.3	21.0	1.6	4.74	4.37	695	0.0	0.5	4.0	0.4	21.5	1.0	4.74	4.36
KERN	5511, HMX61P	228	0.0	0.8	2.3	0.6	21.4	4.3	5.49	4.49	569	0.0	0.8	2.5	0.4	21.0	3.0	5.43	4.48
KERN	9013, SVTM	68	0.0	0.7	0.3	0.3	20.9	1.2	5.65	4.39	509	0.0	1.4	2.5	0.2	21.0	1.0	4.94	4.37
KERN	6366, SUN	304	0.0	0.5	1.3	1.1	20.6	3.0	5.18	4.45	495	0.0	0.4	1.4	1.2	20.7	3.0	5.19	4.45
KERN	0811, BOS	409	0.0	0.9	1.6	0.3	21.3	0.7	4.66	4.39	409	0.0	0.9	1.6	0.3	21.3	0.7	4.66	4.39
KERN	8163, HM	383	0.0	0.6	0.9	0.3	20.7	0.8	5.51	4.38	383	0.0	0.6	0.9	0.3	20.7	0.8	5.51	4.38
KERN	9014, SVTM	294	0.1	1.0	2.1	0.6	20.8	1.3	5.30	4.41	309	0.1	1.0	2.2	0.7	20.8	1.3	5.30	4.41
KERN	1662, HZ	250	0.0	0.2	2.1	1.1	22.7	1.1	4.81	4.37	253	0.0	0.2	2.1	1.1	22.7	1.1	4.80	4.37
KERN	9011, SVTM	248	0.0	1.4	0.7	0.7	20.8	1.8	5.61	4.37	248	0.0	1.4	0.7	0.7	20.8	1.8	5.61	4.37
KERN	9027, SVTM	99	0.0	0.1	0.1	0.1	20.4	0.6	5.91	4.41	238	0.0	0.4	0.3	0.3	20.6	0.6	5.64	4.39
KERN	3887, HM	185	0.0	0.2	4.1	0.3	21.3	2.9	5.34	4.44	210	0.0	0.2	4.0	0.3	21.3	2.9	5.35	4.44
KERN	6426, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	170	0.0	1.5	2.7	0.5	21.0	0.8	4.65	4.36
KERN	6402, N	142	0.0	1.3	0.8	0.8	21.9	2.9	5.16	4.47	143	0.0	1.3	0.8	0.8	21.9	2.9	5.16	4.47
KERN	9012, SVTM	139	0.0	2.2	2.2	0.7	20.8	1.5	5.07	4.35	139	0.0	2.2	2.2	0.7	20.8	1.5	5.07	4.35
KERN	9019, SVTM	86	0.0	0.9	1.6	0.2	23.6	2.5	5.28	4.31	101	0.0	0.8	1.7	0.2	23.7	2.4	5.29	4.30
KERN	4680, BOS	75	0.0	0.2	4.4	0.3	20.9	1.6	5.27	4.46	75	0.0	0.2	4.4	0.3	20.9	1.6	5.27	4.46
KERN	2016, HZ	64	0.0	0.3	2.4	0.6	21.2	1.4	5.22	4.45	64	0.0	0.3	2.4	0.6	21.2	1.4	5.22	4.45
KERN	4521, HMX 61P	60	0.0	0.5	1.3	0.9	21.7	0.8	5.46	4.37	60	0.0	0.5	1.3	0.9	21.7	0.8	5.46	4.37
KERN	9025, SVTM	57	0.0	0.6	0.5	0.2	23.4	0.5	5.65	4.24	57	0.0	0.6	0.5	0.2	23.4	0.5	5.65	4.24
KERN	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	53	0.0	2.2	1.5	0.1	21.6	0.9	4.60	4.41
KERN	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	40	0.0	0.6	1.0	0.4	21.2	0.7	5.23	4.46
KERN	9032, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	0.5	2.7	0.3	22.6	1.5	5.00	4.35
KERN	9023, SVTM	21	0.0	1.1	1.6	0.1	22.8	1.2	4.87	4.44	21	0.0	1.1	1.6	0.1	22.8	1.2	4.87	4.44
KERN	UNCODED	15	0.0	1.0	2.3	0.4	21.3	2.7	5.22	4.56	15	0.0	1.0	2.3	0.4	21.3	2.7	5.22	4.56
KERN	MISC TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	1.8	0.6	0.3	21.4	0.9	4.54	4.51
KERN	8011, SV	5	0.0	1.2	2.5	0.0	22.5	3.8	4.56	4.51	5	0.0	1.2	2.5	0.0	22.5	3.8	4.56	4.51
KERN	MIX	1	0.0	0.5	0.5	1.0	22.5	1.0	5.00	4.49	2	0.0	0.3	0.3	0.8	21.8	1.0	5.55	4.48
KERN	5522, HM 61P	2	0.0	1.3	2.3	0.5	20.0	0.8	5.20	4.42	2	0.0	1.3	2.3	0.5	20.0	0.8	5.20	4.42
<b>KERN</b>		<b>7,482</b>	<b>0.0</b>	<b>0.8</b>	<b>2.2</b>	<b>0.6</b>	<b>21.0</b>	<b>1.7</b>	<b>5.13</b>	<b>4.44</b>	<b>14,143</b>	<b>0.0</b>	<b>0.8</b>	<b>2.3</b>	<b>0.5</b>	<b>21.0</b>	<b>1.5</b>	<b>5.10</b>	<b>4.42</b>
KINGS	5608, HZ	867	0.0	0.4	2.4	0.2	20.2	1.2	5.23	4.40	1,823	0.0	0.5	3.0	0.2	20.2	1.2	5.38	4.40
KINGS	273, BQ	888	0.0	0.2	1.4	0.5	21.4	1.4	5.44	4.36	1,646	0.0	0.2	2.0	0.4	21.4	1.1	5.31	4.35
KINGS	7103, HMX61P	589	0.0	0.2	1.6	0.3	21.4	1.5	5.17	4.39	1,107	0.0	0.1	2.1	0.3	21.4	1.0	5.11	4.36
KINGS	400, BQ	401	0.0	0.3	3.9	0.3	20.3	1.7	5.40	4.51	1,058	0.0	0.2	3.2	0.2	20.5	1.0	5.28	4.47
KINGS	5522, HM 61P	800	0.0	0.1	0.8	0.1	20.0	1.2	6.31	4.38	800	0.0	0.1	0.8	0.1	20.0	1.2	6.31	4.38
KINGS	403, BQ	325	0.0	0.3	2.7	0.7	21.2	3.3	5.31	4.37	771	0.0	0.2	3.9	0.6	21.1	2.5	5.47	4.35
KINGS	6416, N	233	0.0	0.6	8.0	3.6	21.2	1.8	4.97	4.39	418	0.0	0.4	5.4	2.1	21.3	1.6	4.91	4.39
KINGS	9027, SVTM	126	0.0	0.3	1.0	0.1	20.1	0.4	6.14	4.37	314	0.0	0.1	0.9	0.1	20.0	0.5	6.06	4.36
KINGS	6366, SUN	237	0.0	0.5	1.9	0.3	20.6	4.0	5.44	4.43	237	0.0	0.5	1.9	0.3	20.6	4.0	5.44	4.43
KINGS	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	204	0.0	0.1	1.5	0.0	21.6	0.6	4.82	4.40
KINGS	9014, SVTM																		

**2022 Processing Tomato Season**  
PTAB Analysis 7/23/22 - County by Variety



County	Variety Name	Week Ending 7/23/22									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
KINGS	9019, SVTM	21	0.0	0.0	2.1	0.1	23.1	4.5	6.11	4.27	70	0.0	0.1	3.7	0.2	23.2	1.9	5.62	4.21
	4680, BOS	1	0.0	0.0	1.5	0.0	20.5	0.0	5.30	4.30	65	0.0	0.1	3.5	0.1	20.5	0.5	5.31	4.33
	UNCODED	57	0.0	0.4	2.0	0.4	20.8	1.0	5.11	4.41	57	0.0	0.4	2.0	0.4	20.8	1.0	5.11	4.41
	9025, SVTM	52	0.0	0.3	1.4	0.1	23.0	0.9	5.87	4.35	52	0.0	0.3	1.4	0.1	23.0	0.9	5.87	4.35
	8163, HM	48	0.0	0.2	0.4	0.2	20.5	0.3	5.38	4.35	48	0.0	0.2	0.4	0.2	20.5	0.3	5.38	4.35
	169, NB	25	0.0	0.1	0.6	0.3	19.9	1.0	5.73	4.52	25	0.0	0.1	0.6	0.3	19.9	1.0	5.73	4.52
	6845, BOS	20	0.0	0.0	1.5	0.1	20.4	1.4	5.80	4.28	20	0.0	0.0	1.5	0.1	20.4	1.4	5.80	4.28
	9023, SVTM	9	0.0	0.1	1.8	0.4	22.1	1.9	5.39	4.38	13	0.0	0.1	1.7	0.3	22.0	1.8	5.47	4.37
	6402, N	8	0.0	0.3	4.3	1.3	20.9	1.8	5.51	4.35	8	0.0	0.3	4.3	1.3	20.9	1.8	5.51	4.35
	3887, HM	4	0.0	0.1	4.1	0.4	21.4	0.9	5.65	4.38	4	0.0	0.1	4.1	0.4	21.4	0.9	5.65	4.38
<b>KINGS</b>		<b>4,988</b>	<b>0.0</b>	<b>0.3</b>	<b>2.2</b>	<b>0.5</b>	<b>20.8</b>	<b>1.6</b>	<b>5.52</b>	<b>4.39</b>	<b>9,278</b>	<b>0.0</b>	<b>0.3</b>	<b>2.6</b>	<b>0.4</b>	<b>20.8</b>	<b>1.3</b>	<b>5.41</b>	<b>4.38</b>
MERCED	9018, SVTM	144	0.0	0.4	0.9	0.9	22.7	2.7	5.57	4.38	215	0.0	0.2	1.2	0.9	22.6	1.9	5.55	4.35
MERCED	9027, SVTM	24	0.0	0.2	1.1	0.5	21.6	2.5	6.18	4.40	24	0.0	0.2	1.1	0.5	21.6	2.5	6.18	4.40
MERCED	9032, SVTM	12	0.0	0.8	1.7	1.4	23.1	6.3	6.43	4.42	12	0.0	0.8	1.7	1.4	23.1	6.3	6.43	4.42
<b>MERCED</b>		<b>180</b>	<b>0.0</b>	<b>0.4</b>	<b>1.0</b>	<b>0.9</b>	<b>22.6</b>	<b>2.9</b>	<b>5.71</b>	<b>4.39</b>	<b>251</b>	<b>0.0</b>	<b>0.3</b>	<b>1.2</b>	<b>0.8</b>	<b>22.5</b>	<b>2.2</b>	<b>5.66</b>	<b>4.36</b>
SOLANO	400, BQ	15	0.0	0.1	0.4	0.1	21.4	0.0	5.65	4.38	15	0.0	0.1	0.4	0.1	21.4	0.0	5.65	4.38
SOLANO	403, BQ	7	0.0	0.3	1.1	0.0	22.3	0.2	5.87	4.32	7	0.0	0.3	1.1	0.0	22.3	0.2	5.87	4.32
<b>SOLANO</b>		<b>22</b>	<b>0.0</b>	<b>0.2</b>	<b>0.6</b>	<b>0.0</b>	<b>21.7</b>	<b>0.1</b>	<b>5.72</b>	<b>4.36</b>	<b>22</b>	<b>0.0</b>	<b>0.2</b>	<b>0.6</b>	<b>0.0</b>	<b>21.7</b>	<b>0.1</b>	<b>5.72</b>	<b>4.36</b>
STANISLAUS	9018, SVTM	74	0.0	0.2	1.3	0.3	22.3	0.6	5.05	4.33	89	0.0	0.2	1.5	0.3	22.2	0.5	5.04	4.33
<b>STANISLAUS</b>		<b>74</b>	<b>0.0</b>	<b>0.2</b>	<b>1.3</b>	<b>0.3</b>	<b>22.3</b>	<b>0.6</b>	<b>5.05</b>	<b>4.33</b>	<b>89</b>	<b>0.0</b>	<b>0.2</b>	<b>1.5</b>	<b>0.3</b>	<b>22.2</b>	<b>0.5</b>	<b>5.04</b>	<b>4.33</b>
SUTTER	1015, HEINZ	48	0.0	0.3	4.1	0.8	21.4	0.8	4.71	4.46	48	0.0	0.3	4.1	0.8	21.4	0.8	4.71	4.46
<b>SUTTER</b>		<b>48</b>	<b>0.0</b>	<b>0.3</b>	<b>4.1</b>	<b>0.8</b>	<b>21.4</b>	<b>0.8</b>	<b>4.71</b>	<b>4.46</b>	<b>48</b>	<b>0.0</b>	<b>0.3</b>	<b>4.1</b>	<b>0.8</b>	<b>21.4</b>	<b>0.8</b>	<b>4.71</b>	<b>4.46</b>
TULARE	6416, N	224	0.0	0.6	6.6	0.6	20.9	1.5	4.44	4.38	433	0.0	0.5	9.4	0.6	21.6	1.2	4.31	4.37
TULARE	403, BQ	237	0.0	0.2	4.5	2.0	21.4	2.0	5.19	4.29	332	0.0	0.2	4.8	2.0	21.4	1.8	5.24	4.28
TULARE	400, BQ	275	0.0	0.7	12.0	0.7	21.0	0.9	4.51	4.56	275	0.0	0.7	12.0	0.7	21.0	0.9	4.51	4.56
TULARE	6366, SUN	53	0.0	0.9	3.4	0.3	21.7	3.8	4.66	4.42	53	0.0	0.9	3.4	0.3	21.7	3.8	4.66	4.42
<b>TULARE</b>		<b>789</b>	<b>0.0</b>	<b>0.5</b>	<b>7.6</b>	<b>1.0</b>	<b>21.1</b>	<b>1.6</b>	<b>4.70</b>	<b>4.42</b>	<b>1,093</b>	<b>0.0</b>	<b>0.5</b>	<b>8.4</b>	<b>1.0</b>	<b>21.4</b>	<b>1.4</b>	<b>4.66</b>	<b>4.39</b>
YOLO	403, BQ	170	0.0	0.2	0.6	0.3	23.3	0.8	5.32	4.31	170	0.0	0.2	0.6	0.3	23.3	0.8	5.32	4.31
YOLO	9027, SVTM	144	0.0	0.3	2.0	0.2	22.6	0.3	4.93	4.30	144	0.0	0.3	2.0	0.2	22.6	0.3	4.93	4.30
YOLO	273, BQ	75	0.0	0.1	0.3	0.1	22.7	0.2	5.04	4.28	123	0.0	0.2	0.3	0.1	22.4	0.1	5.05	4.26
YOLO	9032, SVTM	64	0.0	0.2	1.1	0.5	22.8	0.3	4.95	4.27	64	0.0	0.2	1.1	0.5	22.8	0.3	4.95	4.27
YOLO	6397, N	36	0.0	0.2	1.6	0.6	22.1	1.4	5.90	4.43	36	0.0	0.2	1.6	0.6	22.1	1.4	5.90	4.43
YOLO	3842, BOS	32	0.0	0.4	0.4	0.3	23.2	0.5	4.99	4.34	32	0.0	0.4	0.4	0.3	23.2	0.5	4.99	4.34
YOLO	400, BQ	6	0.0	0.3	0.3	0.1	23.7	0.6	4.77	4.35	6	0.0	0.3	0.3	0.1	23.7	0.6	4.77	4.35
<b>YOLO</b>		<b>527</b>	<b>0.0</b>	<b>0.2</b>	<b>1.1</b>	<b>0.3</b>	<b>22.9</b>	<b>0.5</b>	<b>5.14</b>	<b>4.31</b>	<b>575</b>	<b>0.0</b>	<b>0.2</b>	<b>1.0</b>	<b>0.3</b>	<b>22.8</b>	<b>0.5</b>	<b>5.14</b>	<b>4.30</b>