

**2022 Processing Tomato Season**  
PTAB Analysis 8/6/22 - County by Variety



County	Variety Name	Week Ending 8/6/22									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
COLUSA	9027, SVTM	764	0.0	0.6	3.1	0.8	21.3	0.5	5.41	4.34	1,022	0.0	0.5	2.8	0.8	21.4	0.7	5.48	4.36
COLUSA	1015, HEINZ	129	0.0	0.6	1.5	1.0	22.2	3.1	5.14	4.51	461	0.0	0.5	1.6	1.0	22.1	2.4	5.13	4.50
COLUSA	13, BP	266	0.0	0.8	5.0	0.9	21.5	2.3	4.67	4.36	458	0.0	0.7	5.1	1.2	21.7	2.0	4.91	4.37
COLUSA	9032, SVTM	227	0.0	0.4	1.3	0.6	23.3	3.0	5.38	4.35	362	0.0	0.3	1.3	0.6	23.1	2.4	5.44	4.35
COLUSA	9013, SVTM	236	0.0	0.9	4.2	0.5	21.4	1.5	5.12	4.34	236	0.0	0.9	4.2	0.5	21.4	1.5	5.12	4.34
COLUSA	9018, SVTM	146	0.0	0.3	1.0	1.2	21.4	0.7	4.91	4.28	146	0.0	0.3	1.0	1.2	21.4	0.7	4.91	4.28
COLUSA	7103, HMX61P	90	0.0	0.3	1.6	0.9	20.9	1.1	5.74	4.32	90	0.0	0.3	1.6	0.9	20.9	1.1	5.74	4.32
COLUSA	8163, HM	71	0.0	1.0	1.1	0.1	21.1	1.4	5.66	4.39	71	0.0	1.0	1.1	0.1	21.1	1.4	5.66	4.39
COLUSA	0311, AB	66	0.0	2.3	1.8	0.4	21.4	0.7	5.83	4.32	66	0.0	2.3	1.8	0.4	21.4	0.7	5.83	4.32
COLUSA	UNCODED	19	0.0	0.9	2.5	1.3	20.8	1.5	5.04	4.30	19	0.0	0.9	2.5	1.3	20.8	1.5	5.04	4.30
<b>COLUSA</b>		<b>2,014</b>	<b>0.0</b>	<b>0.7</b>	<b>2.9</b>	<b>0.8</b>	<b>21.6</b>	<b>1.4</b>	<b>5.26</b>	<b>4.35</b>	<b>2,931</b>	<b>0.0</b>	<b>0.6</b>	<b>2.7</b>	<b>0.8</b>	<b>21.7</b>	<b>1.5</b>	<b>5.29</b>	<b>4.37</b>
CONTRA COSTA	403, BQ	289	0.0	0.2	1.1	0.3	21.8	2.6	5.14	4.35	509	0.0	0.2	1.3	0.2	21.9	2.1	5.21	4.33
CONTRA COSTA	6402, N	408	0.0	0.4	0.4	0.1	20.9	1.3	5.40	4.39	439	0.0	0.3	0.4	0.1	20.9	1.3	5.41	4.39
CONTRA COSTA	7103, HMX61P	105	0.0	0.1	0.6	0.4	20.3	2.0	5.73	4.42	361	0.0	0.0	0.5	0.1	21.5	1.3	5.42	4.36
CONTRA COSTA	9032, SVTM	14	0.0	0.5	1.1	2.1	22.8	0.9	5.02	4.30	232	0.0	0.1	0.5	0.6	22.4	1.1	5.29	4.30
CONTRA COSTA	6366, SUN	3	0.0	0.3	0.8	0.0	21.3	0.7	5.33	4.37	130	0.0	0.1	0.6	0.2	21.1	1.1	5.43	4.39
CONTRA COSTA	9027, SVTM	73	0.0	0.4	0.2	0.2	21.2	0.4	5.43	4.32	129	0.0	0.2	0.8	0.2	21.3	0.3	5.60	4.33
CONTRA COSTA	1082, SVTM	62	0.0	0.1	0.3	0.0	21.8	0.5	5.43	4.27	89	0.0	0.1	0.4	0.0	21.8	0.7	5.42	4.27
CONTRA COSTA	0311, AB	81	0.0	1.4	1.2	0.2	20.7	2.2	5.63	4.34	81	0.0	1.4	1.2	0.2	20.7	2.2	5.63	4.34
CONTRA COSTA	9019, SVTM	17	0.0	0.2	1.2	0.1	21.9	0.1	5.50	4.20	17	0.0	0.2	1.2	0.1	21.9	0.1	5.50	4.20
CONTRA COSTA	5522, HM 61P	2	0.0	0.5	1.0	1.0	20.8	0.0	5.85	4.23	2	0.0	0.5	1.0	1.0	20.8	0.0	5.85	4.23
<b>CONTRA COSTA</b>		<b>1,054</b>	<b>0.0</b>	<b>0.4</b>	<b>0.7</b>	<b>0.2</b>	<b>21.2</b>	<b>1.7</b>	<b>5.38</b>	<b>4.36</b>	<b>1,989</b>	<b>0.0</b>	<b>0.2</b>	<b>0.7</b>	<b>0.2</b>	<b>21.5</b>	<b>1.4</b>	<b>5.37</b>	<b>4.35</b>
FRESNO	5522, HM 61P	1,919	0.0	0.2	1.0	0.4	20.5	1.0	5.98	4.36	5,691	0.0	0.2	1.2	0.4	20.4	0.9	5.99	4.36
FRESNO	7103, HMX61P	436	0.0	0.3	0.5	0.5	21.1	1.8	5.54	4.44	4,355	0.0	0.1	0.9	0.3	20.9	1.7	5.71	4.40
FRESNO	403, BQ	175	0.0	0.1	1.5	1.0	21.2	4.0	5.84	4.50	3,594	0.0	0.2	1.8	0.6	20.9	2.4	5.70	4.38
FRESNO	400, BQ	107	0.0	0.1	0.3	1.0	20.6	2.2	5.44	4.61	3,435	0.0	0.1	1.6	0.5	20.0	1.4	5.52	4.50
FRESNO	9027, SVTM	437	0.0	0.4	1.0	0.4	20.6	1.1	5.97	4.42	3,017	0.0	0.3	1.5	0.3	20.5	1.1	6.02	4.39
FRESNO	273, BQ	781	0.0	0.3	2.4	0.9	21.1	2.6	5.33	4.41	2,817	0.0	0.3	1.9	0.7	21.1	1.9	5.46	4.40
FRESNO	6402, N	1,170	0.0	0.9	1.1	0.5	20.3	2.3	5.99	4.50	2,623	0.0	0.7	1.5	0.5	20.2	2.2	5.96	4.49
FRESNO	5608, HZ	1,059	0.0	0.7	1.3	0.2	20.3	2.3	5.24	4.47	2,163	0.0	0.5	1.6	0.4	20.3	2.0	5.26	4.45
FRESNO	5511, HMX61P	467	0.0	0.4	1.9	0.4	20.6	2.4	5.98	4.41	1,718	0.0	0.3	1.9	0.4	20.9	3.2	6.02	4.43
FRESNO	8163, HM	599	0.0	0.6	0.7	0.4	20.4	1.7	6.26	4.46	1,713	0.0	0.4	1.2	0.5	20.3	1.6	6.32	4.45
FRESNO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,339	0.0	0.5	2.3	0.5	21.2	1.8	5.31	4.38
FRESNO	0811, BOS	652	0.0	0.1	2.0	0.4	20.2	0.9	5.47	4.37	981	0.0	0.1	1.7	0.3	20.1	0.7	5.47	4.36
FRESNO	1082, SVTM	573	0.0	0.2	3.2	0.5	21.1	1.3	6.08	4.34	801	0.0	0.2	2.9	0.5	21.2	1.2	5.99	4.34
FRESNO	9032, SVTM	96	0.0	0.2	1.0	0.6	21.2	0.9	5.93	4.31	792	0.0	0.1	1.6	0.5	21.5	1.2	5.78	4.31
FRESNO	3887, HM	333	0.0	1.4	1.6	0.1	22.1	3.0	5.70	4.45	733	0.0	1.2	2.4	0.2	21.9	2.7	5.81	4.45
FRESNO	9013, SVTM	118	0.0	0.4	2.4	0.5	20.9	2.1	5.73	4.43	634	0.0	0.3	1.8	0.4	20.9	1.5	5.61	4.42
FRESNO	6366, SUN	69	0.0	0.2	0.2	0.3	20.8	1.6	5.48	4.52	617	0.0	0.3	0.6	0.2	20.8	2.6	5.66	4.48
FRESNO	9014, SVTM	445	0.0	0.6	1.3	0.2	20.4	1.5	5.90	4.40	593	0.0	0.6	1.3	0.2	20.4	1.5	5.90	4.40
FRESNO	9023, SVTM	494	0.0	0.2	1.0	0.2	21.8	0.9	5.44	4.37	569	0.0	0.2	1.0	0.2	21.8	0.8	5.45	4.36
FRESNO	9025, SVTM	238	0.0	0.5	0.6	0.2	22.0	0.6	5.56	4.24	552	0.0	0.4	2.2	0.4	22.5	1.5	5.72	4.30
FRESNO	6434, N	290	0.0	0.9	2.0	0.9	22.4	2.2	5.10	4.52	478	0.0	0.9	1.8	1.2	22.7	2.2	5.11	4.52

**2022 Processing Tomato Season**  
PTAB Analysis 8/6/22 - County by Variety



County	Variety Name	Week Ending 8/6/22									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
FRESNO	9012, SVTM	136	0.0	1.2	0.4	0.3	20.7	1.7	6.14	4.38	424	0.0	0.8	0.8	0.4	20.8	2.3	6.18	4.41
FRESNO	58841, HM	293	0.0	0.4	2.7	1.1	21.5	1.7	5.93	4.48	421	0.0	0.4	2.6	1.2	21.7	1.7	6.04	4.50
FRESNO	1776, HZ	406	0.0	0.2	1.9	0.8	21.1	1.3	5.91	4.41	406	0.0	0.2	1.9	0.8	21.1	1.3	5.91	4.41
FRESNO	9011, SVTM	133	0.0	1.2	1.3	0.6	20.2	0.9	5.60	4.40	389	0.0	0.7	1.2	0.4	20.8	1.5	5.75	4.40
FRESNO	16112, UG	139	0.0	0.2	1.0	0.2	20.9	0.8	5.25	4.38	388	0.0	0.2	1.5	0.2	21.0	0.7	5.20	4.33
FRESNO	9008, SVTM	132	0.0	0.4	1.2	0.1	21.8	1.2	5.73	4.41	269	0.0	0.3	1.1	0.1	22.0	1.0	5.65	4.38
FRESNO	9019, SVTM	217	0.0	0.3	2.9	0.4	21.9	2.2	6.07	4.25	257	0.0	0.2	2.6	0.3	22.1	2.3	6.15	4.26
FRESNO	6420, N	226	0.0	0.6	0.8	0.4	21.9	1.9	5.34	4.56	226	0.0	0.6	0.8	0.4	21.9	1.9	5.34	4.56
FRESNO	8268, HM	226	0.0	0.2	2.2	0.3	20.1	1.6	5.76	4.47	226	0.0	0.2	2.2	0.3	20.1	1.6	5.76	4.47
FRESNO	4521, HMX 61P	213	0.0	0.3	2.5	0.1	21.1	0.7	5.49	4.40	223	0.0	0.3	2.5	0.1	21.1	0.8	5.51	4.40
FRESNO	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	205	0.0	0.1	0.9	0.3	21.6	1.9	5.55	4.33
FRESNO	9016, SVTM	143	0.0	0.1	1.1	0.2	21.4	0.3	5.52	4.41	194	0.0	0.1	1.1	0.2	21.4	0.3	5.52	4.40
FRESNO	8237, HM	77	0.0	0.0	0.9	0.0	21.4	0.1	5.73	4.26	169	0.0	0.0	0.9	0.2	21.3	0.1	5.86	4.28
FRESNO	6848, BOS	97	0.0	0.3	1.3	0.2	20.8	1.8	5.09	4.46	167	0.0	0.3	1.4	0.3	20.6	1.5	5.10	4.44
FRESNO	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	162	0.0	0.1	2.2	0.4	20.0	1.2	5.19	4.32
FRESNO	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	146	0.0	0.3	3.4	0.1	21.0	0.5	5.18	4.35
FRESNO	74, BP	145	0.0	1.4	2.8	0.9	21.3	2.1	5.52	4.47	145	0.0	1.4	2.8	0.9	21.3	2.1	5.52	4.47
FRESNO	6428, N	135	0.0	1.5	5.4	1.2	22.1	2.0	5.05	4.41	135	0.0	1.5	5.4	1.2	22.1	2.0	5.05	4.41
FRESNO	3842, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	132	0.0	1.0	1.7	0.2	21.1	2.2	5.81	4.50
FRESNO	5369, HMX61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	128	0.0	0.3	1.3	0.3	21.6	1.6	5.40	4.57
FRESNO	1996, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	101	0.0	0.3	1.6	0.5	19.8	0.6	5.56	4.36
FRESNO	6473, N	95	0.0	1.1	0.2	0.2	20.4	1.9	5.11	4.54	95	0.0	1.1	0.2	0.2	20.4	1.9	5.11	4.54
FRESNO	72, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	78	0.1	1.2	1.6	0.8	21.1	2.7	6.34	4.42
FRESNO	88, BP	68	0.0	0.3	0.1	0.3	20.8	2.3	5.35	4.50	68	0.0	0.3	0.1	0.3	20.8	2.3	5.35	4.50
FRESNO	9021, SVTM	31	0.0	1.2	0.5	0.7	21.3	1.6	5.37	4.35	31	0.0	1.2	0.5	0.7	21.3	1.6	5.37	4.35
FRESNO	169, NB	21	0.0	1.2	0.9	0.2	20.2	3.4	6.19	4.55	29	0.0	0.8	2.2	0.2	20.4	2.9	6.04	4.52
FRESNO	6845, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	0.1	3.7	0.3	20.6	3.3	5.49	4.46
FRESNO	43, BP	17	0.0	1.4	1.8	0.2	21.3	0.9	5.69	4.46	17	0.0	1.4	1.8	0.2	21.3	0.9	5.69	4.46
FRESNO	6426, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	0.3	3.2	0.1	20.3	0.5	5.12	4.37
FRESNO	71, BP	8	0.0	0.3	0.8	1.3	21.1	0.7	5.84	4.60	8	0.0	0.3	0.8	1.3	21.1	0.7	5.84	4.60
FRESNO	6475, N	8	0.0	1.4	1.1	0.5	21.0	2.1	5.08	4.57	8	0.0	1.4	1.1	0.5	21.0	2.1	5.08	4.57
FRESNO	MIX	4	0.0	1.6	0.4	0.3	20.8	1.4	5.85	4.35	7	0.0	1.3	0.9	0.2	20.8	1.6	5.71	4.36
FRESNO	247, E	7	0.0	2.1	2.5	0.4	21.0	1.2	5.69	4.34	7	0.0	2.1	2.5	0.4	21.0	1.2	5.69	4.34
FRESNO	628512, HMC	7	0.0	0.1	3.7	0.1	20.9	3.6	5.90	4.43	7	0.0	0.1	3.7	0.1	20.9	3.6	5.90	4.43
FRESNO	391, BQ	5	0.0	0.1	6.9	0.3	20.2	1.1	5.70	4.46	5	0.0	0.1	6.9	0.3	20.2	1.1	5.70	4.46
FRESNO	8131, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.4	1.5	0.2	21.3	1.3	5.28	4.34
FRESNO	MISC TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.3	1.6	0.3	21.3	1.4	5.23	4.37
FRESNO	627849, HMC	4	0.0	0.6	2.9	1.0	22.5	8.6	5.68	4.47	4	0.0	0.6	2.9	1.0	22.5	8.6	5.68	4.47
FRESNO	5341, BOS	3	0.0	0.0	4.5	0.5	20.3	3.3	6.00	4.46	3	0.0	0.0	4.5	0.5	20.3	3.3	6.00	4.46
FRESNO	9174, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	0.7	0.8	20.2	1.0	5.83	4.34
FRESNO	78, BP	2	0.0	0.8	3.5	0.0	22.8	2.0	5.50	4.39	2	0.0	0.8	3.5	0.0	22.8	2.0	5.50	4.39
FRESNO	604, BQ	2	0.0	0.0	1.3	0.0	21.8	3.5	5.30	4.42	2	0.0	0.0	1.3	0.0	21.8	3.5	5.30	4.42
FRESNO	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	2.0	0.5	20.5	2.0	4.70	4.35
FRESNO	0599, SV	1	0.0	0.0	2.0	0.5	22.5	0.5	5.80	4.42	1	0.0	0.0	2.0	0.5	22.5	0.5	5.80	4.42

**2022 Processing Tomato Season**  
PTAB Analysis 8/6/22 - County by Variety



County	Variety Name	Week Ending 8/6/22									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
FRESNO	4569, BOS	1	0.0	0.5	0.5	0.5	20.5	2.5	5.50	4.48	1	0.0	0.5	0.5	0.5	20.5	2.5	5.50	4.48
FRESNO	6517, UG	1	0.0	0.0	2.5	0.5	27.5	1.5	5.30	4.56	1	0.0	0.0	2.5	0.5	27.5	1.5	5.30	4.56
<b>FRESNO</b>		<b>13,461</b>	<b>0.0</b>	<b>0.5</b>	<b>1.5</b>	<b>0.5</b>	<b>20.9</b>	<b>1.7</b>	<b>5.72</b>	<b>4.42</b>	<b>44,556</b>	<b>0.0</b>	<b>0.3</b>	<b>1.6</b>	<b>0.4</b>	<b>20.8</b>	<b>1.6</b>	<b>5.74</b>	<b>4.41</b>
KERN	5608, HZ	455	0.0	2.0	1.2	0.5	20.5	1.1	4.56	4.42	2,813	0.0	1.4	1.4	0.5	20.7	1.6	4.83	4.47
KERN	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,456	0.0	0.4	2.4	0.7	20.6	1.1	5.05	4.49
KERN	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,909	0.0	1.0	3.1	0.8	21.3	1.7	5.20	4.42
KERN	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,720	0.0	0.4	2.7	0.7	21.3	1.9	5.27	4.35
KERN	0811, BOS	359	0.0	0.7	1.8	2.0	20.1	0.7	5.04	4.34	1,126	0.0	0.8	2.1	0.8	20.7	0.7	4.72	4.35
KERN	9013, SVTM	470	0.0	0.9	0.6	0.5	20.5	1.5	5.24	4.42	1,097	0.0	1.1	1.5	0.3	20.8	1.4	5.09	4.40
KERN	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,025	0.0	1.8	2.2	0.4	20.8	1.8	4.69	4.38
KERN	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	825	0.0	0.5	3.8	0.5	21.4	1.1	4.81	4.37
KERN	7103, HMX61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	812	0.0	0.2	1.9	0.3	20.9	1.5	5.30	4.39
KERN	5511, HMX61P	91	0.0	3.2	3.3	0.3	21.5	12.3	5.53	4.54	739	0.0	1.1	2.4	0.4	21.1	4.0	5.42	4.47
KERN	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	634	0.0	0.5	1.3	1.1	20.7	3.1	5.15	4.45
KERN	5522, HM 61P	118	0.0	0.9	0.3	0.1	21.0	1.0	5.56	4.33	575	0.0	0.7	3.1	0.7	21.0	1.0	5.59	4.36
KERN	1662, HZ	137	0.0	0.7	1.1	0.2	22.9	2.0	5.04	4.43	495	0.0	0.3	1.8	0.7	22.7	1.4	4.88	4.38
KERN	9014, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	495	0.1	1.4	2.1	0.7	20.9	1.4	5.21	4.40
KERN	8163, HM	59	0.0	2.2	0.4	2.3	21.0	1.8	5.87	4.51	474	0.0	0.8	0.9	0.6	20.7	0.9	5.54	4.40
KERN	9011, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	248	0.0	1.4	0.7	0.7	20.8	1.8	5.61	4.37
KERN	9027, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	238	0.0	0.4	0.3	0.3	20.6	0.6	5.64	4.39
KERN	3887, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	210	0.0	0.2	4.0	0.3	21.3	2.9	5.35	4.44
KERN	9023, SVTM	1	0.0	0.5	1.0	0.5	20.5	0.5	4.90	4.45	208	0.1	1.1	0.7	0.1	23.4	1.8	4.72	4.45
KERN	6402, N	31	0.0	1.2	0.6	0.6	20.9	4.0	4.92	4.51	206	0.0	1.2	0.8	0.8	21.6	3.6	5.14	4.48
KERN	9012, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	196	0.0	2.1	2.0	0.6	20.8	1.6	5.17	4.35
KERN	6426, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	170	0.0	1.5	2.7	0.5	21.0	0.8	4.65	4.36
KERN	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	167	0.0	1.0	1.5	0.2	22.5	2.1	4.36	4.48
KERN	4521, HMX 61P	20	0.0	0.3	1.6	0.7	21.8	0.9	5.06	4.48	134	0.0	0.4	1.6	0.6	21.8	0.8	5.23	4.42
KERN	9019, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	101	0.0	0.8	1.7	0.2	23.7	2.4	5.29	4.30
KERN	6428, N	93	0.0	1.3	0.5	0.0	22.1	0.7	4.73	4.42	93	0.0	1.3	0.5	0.0	22.1	0.7	4.73	4.42
KERN	8237, HM	76	0.0	0.3	1.8	0.4	21.6	0.2	5.02	4.33	76	0.0	0.3	1.8	0.4	21.6	0.2	5.02	4.33
KERN	4680, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	75	0.0	0.2	4.4	0.3	20.9	1.6	5.27	4.46
KERN	2016, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	64	0.0	0.3	2.4	0.6	21.2	1.4	5.22	4.45
KERN	9025, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	57	0.0	0.6	0.5	0.2	23.4	0.5	5.65	4.24
KERN	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	53	0.0	2.2	1.5	0.1	21.6	0.9	4.60	4.41
KERN	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	46	0.0	0.5	4.4	0.6	22.4	0.9	4.73	4.31
KERN	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	40	0.0	0.6	1.0	0.4	21.2	0.7	5.23	4.46
KERN	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	37	0.0	1.5	2.8	0.8	21.5	4.2	5.51	4.59
KERN	9032, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	0.5	2.7	0.3	22.6	1.5	5.00	4.35
KERN	MISC TRIAL	2	0.0	1.5	0.8	0.3	20.8	1.5	5.65	4.39	7	0.0	1.7	0.6	0.3	21.2	1.1	4.86	4.47
KERN	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	0.3	0.8	21.8	1.0	5.55	4.48
<b>KERN</b>		<b>1,912</b>	<b>0.0</b>	<b>1.3</b>	<b>1.2</b>	<b>0.7</b>	<b>20.9</b>	<b>1.7</b>	<b>5.04</b>	<b>4.41</b>	<b>19,648</b>	<b>0.0</b>	<b>0.9</b>	<b>2.1</b>	<b>0.6</b>	<b>21.0</b>	<b>1.6</b>	<b>5.07</b>	<b>4.42</b>
KINGS	5608, HZ	1,142	0.0	0.5	1.9	0.4	20.0	0.8	5.33	4.45	3,786	0.0	0.6	2.6	0.3	20.1	1.1	5.30	4.42
KINGS	273, BQ	625	0.0	0.5	1.6	0.5	21.4	3.0	5.47	4.47	3,181	0.0	0.3	1.7	0.5	21.5	1.9	5.36	4.40
KINGS	5522, HM 61P	424	0.0	0.2	0.9	0.3	20.1	0.8	6.00	4.38	2,946	0.0	0.1	0.9	0.2	20.1	0.9	6.09	4.38

**2022 Processing Tomato Season**  
PTAB Analysis 8/6/22 - County by Variety



County	Variety Name	Week Ending 8/6/22									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
KINGS	5511, HMX61P	1,309	0.0	0.9	1.4	0.4	21.1	4.3	5.57	4.49	1,768	0.0	0.8	1.3	0.3	21.1	4.6	5.64	4.50
KINGS	7103, HMX61P	192	0.0	0.6	0.4	0.4	21.2	4.9	5.78	4.53	1,723	0.0	0.2	1.7	0.3	21.2	2.0	5.37	4.41
KINGS	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,519	0.0	0.2	2.8	0.3	20.4	1.5	5.23	4.49
KINGS	4521, HMX 61P	1,034	0.0	0.3	0.9	0.3	20.9	0.6	5.61	4.35	1,109	0.0	0.3	0.9	0.3	20.9	0.6	5.58	4.35
KINGS	9027, SVTM	167	0.0	0.6	1.2	1.0	21.3	2.1	5.25	4.47	893	0.0	0.3	1.3	1.0	20.8	1.0	5.55	4.39
KINGS	8163, HM	467	0.0	0.8	1.4	0.5	20.6	0.9	5.57	4.45	816	0.0	0.6	1.2	0.4	20.6	0.8	5.46	4.43
KINGS	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	771	0.0	0.2	3.9	0.6	21.1	2.5	5.47	4.35
KINGS	6402, N	513	0.0	0.7	0.9	0.5	20.1	3.0	6.14	4.52	565	0.0	0.7	0.9	0.5	20.1	2.9	6.09	4.51
KINGS	187, CXD	80	0.0	0.9	1.7	2.0	21.7	4.4	4.69	4.52	528	0.0	0.7	2.6	1.1	21.0	3.5	4.84	4.45
KINGS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	456	0.0	0.5	5.5	2.2	21.3	1.7	4.90	4.39
KINGS	0811, BOS	322	0.0	0.6	3.8	1.3	20.6	1.6	5.19	4.43	322	0.0	0.6	3.8	1.3	20.6	1.6	5.19	4.43
KINGS	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	294	0.0	0.5	1.9	0.2	20.6	3.8	5.44	4.42
KINGS	1776, HZ	283	0.0	0.5	2.2	0.7	20.7	1.1	5.48	4.38	283	0.0	0.5	2.2	0.7	20.7	1.1	5.48	4.38
KINGS	3887, HM	174	0.0	1.3	3.1	0.2	21.5	2.2	6.13	4.44	268	0.0	1.6	3.6	0.3	21.4	2.1	5.83	4.44
KINGS	9014, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	246	0.0	0.7	2.6	0.1	21.2	1.5	6.24	4.39
KINGS	9023, SVTM	52	0.0	2.0	0.9	0.8	22.1	1.2	4.92	4.38	242	0.0	0.6	0.7	0.4	21.7	1.0	5.21	4.38
KINGS	9025, SVTM	165	0.0	0.4	0.3	0.2	21.2	0.5	5.52	4.24	223	0.0	0.4	0.6	0.2	21.6	0.6	5.60	4.26
KINGS	9019, SVTM	142	0.0	0.8	1.3	0.4	22.6	2.7	5.71	4.28	212	0.0	0.6	2.1	0.3	22.8	2.4	5.68	4.25
KINGS	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	204	0.0	0.1	1.5	0.0	21.6	0.6	4.82	4.40
KINGS	9016, SVTM	147	0.0	0.3	1.4	0.1	21.4	0.6	5.33	4.33	179	0.0	0.4	1.3	0.1	21.4	0.6	5.32	4.33
KINGS	4565, BOS	134	0.0	0.7	3.1	0.4	20.5	2.3	5.08	4.37	147	0.0	0.6	2.9	0.4	20.5	2.2	5.09	4.37
KINGS	43, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	121	0.0	0.3	1.7	0.2	21.2	2.9	5.49	4.50
KINGS	9012, SVTM	44	0.0	1.0	0.7	0.1	20.6	2.1	5.87	4.42	120	0.0	0.8	0.9	0.2	20.4	2.2	5.88	4.39
KINGS	2016, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	112	0.0	0.1	4.4	0.3	21.1	0.3	4.66	4.32
KINGS	72, BP	11	0.1	1.6	0.7	0.4	21.1	2.9	5.27	4.43	79	0.1	1.2	1.6	0.3	21.0	2.4	5.44	4.40
KINGS	4680, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	65	0.0	0.1	3.5	0.1	20.5	0.5	5.31	4.33
KINGS	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	60	0.0	0.4	2.0	0.4	20.8	1.0	5.13	4.41
KINGS	169, NB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	51	0.0	0.3	0.4	0.3	19.9	2.6	5.85	4.56
KINGS	8237, HM	40	0.0	0.3	1.2	0.3	21.8	0.3	5.51	4.37	41	0.0	0.3	1.2	0.3	21.7	0.3	5.49	4.37
KINGS	6845, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	38	0.0	0.0	1.4	0.2	20.3	3.4	5.76	4.42
KINGS	628507, HMC	5	0.0	1.6	1.0	0.7	20.3	2.0	5.00	4.51	10	0.0	1.0	1.3	0.6	20.3	1.6	5.19	4.48
KINGS	71, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.8	1.9	0.9	23.0	1.1	4.58	4.43
KINGS	88, BP	4	0.0	4.0	1.9	0.5	21.9	2.9	4.40	4.52	4	0.0	4.0	1.9	0.5	21.9	2.9	4.40	4.52
KINGS	2128, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.0	0.8	0.5	20.5	1.8	5.07	4.56
<b>KINGS</b>		<b>7,476</b>	<b>0.0</b>	<b>0.6</b>	<b>1.5</b>	<b>0.5</b>	<b>20.8</b>	<b>2.0</b>	<b>5.56</b>	<b>4.43</b>	<b>23,389</b>	<b>0.0</b>	<b>0.4</b>	<b>1.9</b>	<b>0.4</b>	<b>20.8</b>	<b>1.7</b>	<b>5.49</b>	<b>4.41</b>
MADERA	6475, N	188	0.0	1.2	9.5	0.9	21.1	1.2	4.50	4.46	188	0.0	1.2	9.5	0.9	21.1	1.2	4.50	4.46
<b>MADERA</b>		<b>188</b>	<b>0.0</b>	<b>1.2</b>	<b>9.5</b>	<b>0.9</b>	<b>21.1</b>	<b>1.2</b>	<b>4.50</b>	<b>4.46</b>	<b>188</b>	<b>0.0</b>	<b>1.2</b>	<b>9.5</b>	<b>0.9</b>	<b>21.1</b>	<b>1.2</b>	<b>4.50</b>	<b>4.46</b>
MERCED	9027, SVTM	171	0.0	0.3	1.0	0.3	21.1	1.0	6.34	4.43	328	0.0	0.2	1.2	0.5	21.2	1.5	6.31	4.43
MERCED	9018, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	250	0.0	0.3	1.2	0.9	22.6	1.9	5.64	4.35
MERCED	5511, HMX61P	162	0.0	0.5	2.9	0.4	22.0	5.1	6.13	4.50	193	0.0	0.6	2.7	0.5	21.9	5.1	6.11	4.50
MERCED	1996, HZ	138	0.0	0.0	5.0	1.3	21.0	0.4	5.28	4.37	138	0.0	0.0	5.0	1.3	21.0	0.4	5.28	4.37
MERCED	9016, SVTM	25	0.0	0.1	0.8	0.4	21.6	1.3	6.26	4.35	106	0.0	0.2	1.2	0.5	22.6	1.9	6.33	4.34
MERCED	1082, SVTM	76	0.0	0.2	1.1	0.7	23.0	3.3	6.04	4.38	81	0.0	0.2	1.3	0.7	23.0	3.3	6.06	4.38
MERCED	9013, SVTM	59	0.0	0.3	2.4	0.5	20.4	0.8	5.08	4.44	59	0.0	0.3	2.4	0.5	20.4	0.8	5.08	4.44

**2022 Processing Tomato Season**  
PTAB Analysis 8/6/22 - County by Variety



County	Variety Name	Week Ending 8/6/22									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
MERCED	9032, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	0.4	1.8	2.0	23.4	9.2	6.37	4.44
MERCED	43, BP	10	0.0	0.4	1.6	0.4	23.2	4.6	6.23	4.54	10	0.0	0.4	1.6	0.4	23.2	4.6	6.23	4.54
<b>MERCED</b>		<b>641</b>	<b>0.0</b>	<b>0.3</b>	<b>2.5</b>	<b>0.6</b>	<b>21.5</b>	<b>2.2</b>	<b>5.90</b>	<b>4.43</b>	<b>1,190</b>	<b>0.0</b>	<b>0.3</b>	<b>2.0</b>	<b>0.7</b>	<b>21.9</b>	<b>2.3</b>	<b>5.94</b>	<b>4.41</b>
SAN JOAQUIN	0811, BOS	51	0.0	0.3	0.6	0.2	21.4	0.8	4.85	4.32	81	0.0	0.2	0.7	0.2	21.4	1.0	5.07	4.34
SAN JOAQUIN	403, BQ	54	0.0	0.4	0.9	0.4	20.7	3.7	5.38	4.33	54	0.0	0.4	0.9	0.4	20.7	3.7	5.38	4.33
<b>SAN JOAQUIN</b>		<b>105</b>	<b>0.0</b>	<b>0.3</b>	<b>0.8</b>	<b>0.3</b>	<b>21.0</b>	<b>2.3</b>	<b>5.12</b>	<b>4.33</b>	<b>135</b>	<b>0.0</b>	<b>0.3</b>	<b>0.8</b>	<b>0.3</b>	<b>21.1</b>	<b>2.1</b>	<b>5.19</b>	<b>4.34</b>
SOLANO	4909, HMX	197	0.0	1.2	1.0	0.3	23.2	0.5	5.82	4.24	235	0.0	1.1	0.9	0.3	23.3	0.5	5.80	4.23
SOLANO	6397, N	35	0.0	0.1	1.1	0.1	20.5	0.7	5.78	4.44	103	0.0	0.1	0.7	0.1	20.6	0.5	5.80	4.41
SOLANO	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	64	0.0	0.1	0.2	0.2	21.2	0.0	5.53	4.39
SOLANO	9027, SVTM	51	0.0	1.0	1.8	0.9	22.4	0.5	5.84	4.34	58	0.0	1.0	1.8	0.8	22.4	0.5	5.80	4.34
SOLANO	247, E	51	0.0	0.3	1.2	0.1	21.6	0.8	5.38	4.35	51	0.0	0.3	1.2	0.1	21.6	0.8	5.38	4.35
SOLANO	7103, HMX61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	32	0.0	0.9	1.6	0.2	23.0	0.8	5.60	4.30
SOLANO	9032, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	26	0.0	0.6	0.4	0.5	23.2	0.4	5.53	4.27
SOLANO	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.3	1.1	0.1	22.6	0.6	6.18	4.32
<b>SOLANO</b>		<b>334</b>	<b>0.0</b>	<b>0.9</b>	<b>1.1</b>	<b>0.3</b>	<b>22.5</b>	<b>0.6</b>	<b>5.75</b>	<b>4.29</b>	<b>587</b>	<b>0.0</b>	<b>0.7</b>	<b>0.9</b>	<b>0.3</b>	<b>22.3</b>	<b>0.5</b>	<b>5.72</b>	<b>4.31</b>
STANISLAUS	9018, SVTM	2	0.0	0.0	4.5	0.0	21.3	1.0	5.30	4.24	146	0.0	0.2	1.8	0.3	22.3	0.7	5.13	4.32
STANISLAUS	43, BP	46	0.0	0.4	3.1	0.6	23.1	4.5	6.44	4.59	99	0.0	0.3	2.0	0.5	23.0	3.7	6.06	4.49
STANISLAUS	1082, SVTM	9	0.0	0.0	6.1	1.3	21.9	1.1	5.87	4.27	9	0.0	0.0	6.1	1.3	21.9	1.1	5.87	4.27
<b>STANISLAUS</b>		<b>57</b>	<b>0.0</b>	<b>0.3</b>	<b>3.6</b>	<b>0.7</b>	<b>22.8</b>	<b>3.9</b>	<b>6.31</b>	<b>4.52</b>	<b>254</b>	<b>0.0</b>	<b>0.3</b>	<b>2.0</b>	<b>0.4</b>	<b>22.6</b>	<b>1.9</b>	<b>5.52</b>	<b>4.38</b>
SUTTER	13, BP	212	0.0	0.6	2.1	1.6	22.1	2.1	5.40	4.38	212	0.0	0.6	2.1	1.6	22.1	2.1	5.40	4.38
SUTTER	7103, HMX61P	16	0.0	2.1	2.1	1.5	23.2	2.0	4.96	4.38	137	0.0	1.8	2.6	0.9	23.2	1.4	4.88	4.37
SUTTER	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	118	0.0	0.4	2.2	0.2	21.6	0.4	4.75	4.39
SUTTER	51, BP	53	0.0	0.6	1.9	0.4	22.8	1.3	5.13	4.25	107	0.0	0.6	2.4	0.5	22.9	1.3	5.17	4.26
SUTTER	413, BQ	78	0.0	3.4	5.6	1.1	21.8	2.1	4.46	4.50	78	0.0	3.4	5.6	1.1	21.8	2.1	4.46	4.50
SUTTER	9032, SVTM	77	0.0	0.3	1.6	0.8	22.6	1.0	5.21	4.26	77	0.0	0.3	1.6	0.8	22.6	1.0	5.21	4.26
SUTTER	9027, SVTM	72	0.0	0.8	1.4	1.4	21.6	0.8	5.21	4.30	72	0.0	0.8	1.4	1.4	21.6	0.8	5.21	4.30
SUTTER	9011, SVTM	32	0.0	0.8	2.7	0.6	20.7	1.6	5.60	4.32	32	0.0	0.8	2.7	0.6	20.7	1.6	5.60	4.32
<b>SUTTER</b>		<b>540</b>	<b>0.0</b>	<b>1.0</b>	<b>2.4</b>	<b>1.2</b>	<b>22.1</b>	<b>1.6</b>	<b>5.18</b>	<b>4.35</b>	<b>833</b>	<b>0.0</b>	<b>1.0</b>	<b>2.5</b>	<b>0.9</b>	<b>22.2</b>	<b>1.4</b>	<b>5.08</b>	<b>4.35</b>
TULARE	403, BQ	162	0.0	0.5	2.0	0.8	21.4	5.0	5.27	4.53	972	0.0	0.5	4.1	1.2	21.5	3.7	5.09	4.40
TULARE	273, BQ	530	0.0	1.6	2.7	0.7	21.4	3.0	4.57	4.39	530	0.0	1.6	2.7	0.7	21.4	3.0	4.57	4.39
TULARE	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	433	0.0	0.5	9.4	0.6	21.6	1.2	4.31	4.37
TULARE	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	406	0.0	0.6	11.7	0.6	21.1	0.9	4.52	4.56
TULARE	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	334	0.0	1.7	2.4	0.6	21.7	5.0	4.52	4.43
<b>TULARE</b>		<b>692</b>	<b>0.0</b>	<b>1.4</b>	<b>2.5</b>	<b>0.7</b>	<b>21.4</b>	<b>3.4</b>	<b>4.73</b>	<b>4.42</b>	<b>2,675</b>	<b>0.0</b>	<b>0.9</b>	<b>5.6</b>	<b>0.9</b>	<b>21.5</b>	<b>2.9</b>	<b>4.70</b>	<b>4.42</b>
YOLO	9027, SVTM	837	0.0	0.7	2.7	0.4	22.0	0.6	5.02	4.34	1,360	0.0	0.5	2.4	0.5	22.2	0.5	5.00	4.33
YOLO	9032, SVTM	314	0.0	0.6	1.2	1.5	22.7	1.5	5.21	4.31	932	0.0	0.3	1.4	0.9	22.6	0.9	5.13	4.27
YOLO	13, BP	482	0.0	0.5	3.6	1.6	21.8	1.7	4.74	4.36	614	0.0	0.4	3.5	1.4	21.8	1.5	4.75	4.35
YOLO	403, BQ	22	0.0	1.0	1.9	1.0	22.5	1.9	6.22	4.31	475	0.0	0.3	0.9	0.5	23.2	1.6	5.37	4.35
YOLO	4909, HMX	336	0.0	0.9	1.0	0.4	22.7	1.5	5.43	4.28	342	0.0	0.9	1.0	0.4	22.8	1.5	5.43	4.28
YOLO	7103, HMX61P	117	0.0	0.1	1.5	0.4	22.5	1.3	5.56	4.39	295	0.0	0.1	1.8	0.3	23.2	1.2	5.38	4.38
YOLO	5235, HM	278	0.0	0.7	2.9	0.5	20.3	1.8	5.46	4.43	287	0.0	0.7	2.9	0.5	20.3	1.8	5.46	4.43
YOLO	6428, N	154	0.0	0.3	5.6	0.4	23.0	0.5	5.05	4.35	154	0.0	0.3	5.6	0.4	23.0	0.5	5.05	4.35
YOLO	58841, HM	148	0.0	0.2	1.2	0.5	21.7	1.1	5.89	4.34	148	0.0	0.2	1.2	0.5	21.7	1.1	5.89	4.34

**2022 Processing Tomato Season**  
 PTAB Analysis 8/6/22 - County by Variety



County	Variety Name	Week Ending 8/6/22									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
YOLO	273, BQ	13	0.0	0.4	1.0	0.0	23.2	0.8	5.18	4.34	136	0.0	0.2	0.4	0.1	22.5	0.2	5.06	4.27
YOLO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	116	0.0	0.2	1.9	0.3	22.9	1.3	5.31	4.43
YOLO	63, NB	90	0.0	0.5	2.2	0.3	21.8	1.6	5.20	4.48	103	0.0	0.4	3.2	0.3	21.7	1.5	5.16	4.47
YOLO	5511, HMX61P	76	0.0	0.9	1.0	0.2	22.3	1.9	5.29	4.45	80	0.0	0.8	1.0	0.2	22.4	1.8	5.29	4.44
YOLO	1015, HEINZ	63	0.0	0.6	3.3	1.8	21.8	1.7	5.07	4.48	63	0.0	0.6	3.3	1.8	21.8	1.7	5.07	4.48
YOLO	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	46	0.0	0.3	0.5	0.6	22.1	0.7	5.35	4.48
YOLO	3842, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	38	0.0	0.5	0.4	0.4	23.2	0.5	4.95	4.34
YOLO	198, SSA	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	33	0.0	0.1	2.0	0.2	22.3	0.4	4.90	4.39
YOLO	9013, SVTM	17	0.0	0.9	0.8	0.2	22.8	1.4	4.74	4.37	18	0.0	0.9	0.9	0.2	22.8	1.4	4.76	4.37
YOLO	9011, SVTM	5	0.0	0.5	1.1	0.4	21.5	1.4	5.14	4.40	5	0.0	0.5	1.1	0.4	21.5	1.4	5.14	4.40
<b>YOLO</b>		<b>2,952</b>	<b>0.0</b>	<b>0.6</b>	<b>2.5</b>	<b>0.8</b>	<b>22.0</b>	<b>1.2</b>	<b>5.17</b>	<b>4.35</b>	<b>5,245</b>	<b>0.0</b>	<b>0.4</b>	<b>2.1</b>	<b>0.6</b>	<b>22.3</b>	<b>1.0</b>	<b>5.15</b>	<b>4.34</b>