

2022 Processing Tomato Season
PTAB Analysis FINAL - Statewide by Variety



Variety Name										Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
58841, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	33,686	0	3.9	1.8	1.0	21.85	1.0	5.21	4.45
6428, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	29,137	0	3.6	3.8	1.5	22.44	2.2	4.89	4.50
9013, SVTM	2	0	2.3	47.3	19.5	24.50	3.0	5.55	4.41	23,680	0	1.8	3.0	1.1	21.13	1.8	5.14	4.44
5522, HM 61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	22,895	0	1.0	1.1	0.4	20.63	1.0	5.81	4.38
9016, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	22,370	0	4.0	3.1	0.9	22.05	0.7	5.07	4.41
1662, HZ	42	0	1.3	49.9	2.5	24.42	0.6	5.16	4.35	15,928	0	3.0	3.4	1.2	22.30	1.9	5.10	4.45
0811, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11,398	0	1.4	1.7	0.7	20.60	0.8	5.05	4.39
5608, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10,702	0	1.1	1.9	0.4	20.39	1.5	5.10	4.45
1082, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10,382	0	1.1	2.1	0.7	21.66	1.7	5.64	4.35
1996, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9,711	0	2.3	3.3	1.7	21.30	1.3	5.07	4.45
273, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9,583	0	0.6	2.2	0.8	21.29	1.9	5.29	4.40
4521, HMX 61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9,333	0	2.0	1.9	0.5	21.34	0.8	5.53	4.40
9014, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9,061	0	2.1	2.4	0.7	20.97	1.7	5.34	4.45
9023, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8,944	0	2.0	1.5	0.7	22.16	1.6	5.22	4.43
7103, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8,706	0	0.2	1.3	0.3	21.09	1.7	5.57	4.40
9027, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8,508	0	0.5	1.9	0.5	21.09	0.9	5.64	4.38
4707, HEINZ	5	0	3.4	14.7	5.6	23.40	2.2	5.28	4.52	8,419	0	2.4	3.3	1.7	23.01	1.2	4.76	4.47
403, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8,398	0	0.3	2.4	0.7	21.28	2.4	5.46	4.37
400, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8,191	0	0.3	2.7	0.5	20.36	1.3	5.27	4.50
5511, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7,329	0	0.8	1.8	0.4	21.34	4.0	5.66	4.47
8163, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7,263	0	1.4	1.0	0.7	20.61	1.6	5.93	4.47
74, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7,223	0	2.7	1.6	0.6	20.99	1.6	5.44	4.47
9025, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	6,930	0	1.7	2.0	0.5	21.99	1.0	5.41	4.31
2015, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5,670	0	5.7	4.1	2.0	20.46	1.7	4.45	4.48
43, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4,927	0	2.2	1.7	0.7	21.39	1.3	5.46	4.47
6402, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4,879	0	0.7	1.2	0.4	20.42	2.2	5.82	4.48
9021, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4,739	0	1.2	2.2	0.9	21.58	1.3	5.08	4.39
1776, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4,592	0	0.7	2.6	0.8	21.07	1.0	5.40	4.44
6475, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4,589	0	3.1	3.2	0.8	21.56	1.0	4.77	4.54
6434, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4,506	0	2.0	3.4	1.5	23.12	2.5	4.92	4.49
8268, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,996	0	1.5	2.3	0.7	20.78	2.2	5.42	4.45
29814, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,792	0	3.1	2.7	0.6	20.79	1.3	5.35	4.50
5235, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,723	0	1.3	2.7	0.7	21.10	2.4	5.16	4.43
9011, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,632	0	1.9	0.9	0.4	20.97	1.9	5.64	4.40
9008, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,450	0	1.6	1.9	0.3	21.50	1.0	5.26	4.36
16112, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,415	0	1.2	2.0	0.3	20.96	0.7	5.06	4.42
8237, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,149	0	2.0	1.8	0.6	21.96	0.9	5.14	4.39
6416, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,053	0	0.5	4.2	0.7	21.30	1.5	4.97	4.38
9032, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,794	0	0.2	1.8	0.8	22.21	1.3	5.45	4.31
1428, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,789	0	3.3	3.2	2.0	21.48	1.1	4.72	4.48

2022 Processing Tomato Season
PTAB Analysis FINAL - Statewide by Variety



Variety Name										Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
9019, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,725	0	1.5	1.2	0.5	22.91	2.1	5.46	4.28
9012, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,675	0	2.1	1.0	0.5	21.24	2.0	5.68	4.41
6366, SUN	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,668	0	1.2	1.2	0.7	20.99	2.9	5.28	4.45
13, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,504	0	0.5	4.2	1.3	21.86	2.0	4.92	4.37
3887, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,260	0	1.7	2.5	0.4	21.68	2.5	5.65	4.44
4909, HMX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,045	0	1.4	1.0	0.3	22.83	1.0	5.70	4.28
2016, HZ	5	0	1.0	38.4	2.8	22.70	1.4	5.18	4.33	2,014	0	2.5	3.9	0.9	20.89	1.9	4.77	4.42
9905, HARRIS MO	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,892	0	1.2	2.6	1.7	21.00	0.9	4.97	4.48
6848, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,737	0	1.4	3.1	0.9	20.18	1.3	4.91	4.45
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,715	0	1.3	2.3	0.6	20.78	2.3	4.79	4.40
0319, DRI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,691	0	3.3	1.0	1.1	22.58	2.3	5.50	4.43
6420, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,631	0	1.6	1.0	0.6	22.04	2.2	5.11	4.56
UNCODED	54	0	0.5	65.2	2.5	22.73	0.5	4.78	4.40	1,557	0	1.9	9.6	2.2	21.99	1.1	5.00	4.39
2010, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,504	0	7.2	3.0	2.0	21.29	2.2	4.88	4.47
2012, HZ	1	0	0.5	62.5	0.5	24.00	0.5	5.20	4.25	1,435	0	0.7	3.1	1.0	22.63	2.1	5.18	4.47
6474, N	3	0	0.0	73.7	2.3	24.00	0.5	5.23	4.43	1,412	0	2.7	3.3	0.8	22.47	1.5	5.13	4.46
1015, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,390	0	0.7	2.3	1.1	21.76	1.9	5.00	4.46
9028, SVTM	2	0	0.0	62.8	6.5	25.25	0.0	4.65	4.32	1,374	0	1.0	3.6	0.8	20.71	1.6	5.08	4.45
1991, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,353	0	4.2	2.3	0.8	20.56	3.2	4.84	4.46
88, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,248	0	2.6	0.9	1.0	21.38	2.4	4.92	4.52
5508, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,177	0	1.3	1.7	0.4	21.15	0.6	4.88	4.35
9018, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	864	0	0.4	1.3	0.9	21.98	1.2	5.32	4.32
5369, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	857	0	0.8	1.2	0.4	21.83	1.2	5.61	4.57
0311, AB	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	739	0	1.2	1.2	0.3	21.21	1.5	5.80	4.35
58811, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	703	0	5.2	1.6	1.6	22.46	1.6	5.16	4.47
6473, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	670	0	2.3	2.5	1.4	20.99	2.4	4.94	4.56
2401, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	603	0	1.9	3.4	0.9	21.98	2.2	5.03	4.36
8011, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	603	0	3.6	1.1	0.4	21.29	1.7	4.83	4.47
1310, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	599	0	8.9	7.0	2.0	22.42	2.0	4.40	4.53
51,BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	561	0	0.5	3.6	1.3	23.46	2.4	5.23	4.34
7885, HMX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	553	0	1.1	1.9	0.4	20.50	1.3	4.86	4.58
3888, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	490	0	3.3	1.5	1.2	21.76	1.3	5.33	4.51
HEINZ TRIAL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	468	0	2.5	3.3	0.6	23.12	3.7	5.04	4.39
72, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	418	0	1.5	1.6	0.4	21.43	2.3	5.56	4.43
413, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	396	0	2.2	4.2	1.0	21.78	2.0	4.57	4.56
9000, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	390	0	0.2	2.1	0.1	21.34	0.6	5.00	4.39
9037, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	388	0	3.1	1.9	0.8	22.41	1.6	5.15	4.40
6426, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	370	0	0.9	3.5	0.5	21.02	2.2	5.16	4.43
63, NB	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	366	0	0.8	2.9	0.5	21.50	4.0	5.05	4.53
1994, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	362	0	1.7	1.5	0.5	21.88	2.0	4.97	4.38

2022 Processing Tomato Season
PTAB Analysis FINAL - Statewide by Variety



Variety Name										Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
9024, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	358	0	2.1	2.0	0.9	21.86	0.8	5.10	4.36
4885, HMX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	335	0	2.2	0.7	0.3	21.96	1.7	4.68	4.49
9038, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	296	0	3.0	2.7	0.9	22.11	1.0	4.79	4.41
4680, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	239	0	0.2	3.5	0.2	20.28	0.8	5.33	4.38
1293, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	226	0	1.2	1.8	0.8	21.76	2.2	5.17	4.59
4565, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	226	0	1.2	2.0	0.3	21.17	1.8	4.89	4.41
6397, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	219	0	0.1	1.3	0.2	21.79	0.9	5.54	4.42
16609, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	205	0	0.1	0.9	0.3	21.59	1.9	5.55	4.33
6407, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	201	0	0.9	0.9	1.0	21.98	0.5	5.29	4.36
60, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	190	0	0.4	1.4	0.4	20.99	1.6	6.13	4.56
6377, SSA	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	190	0	2.6	0.8	1.3	22.83	2.1	5.66	4.47
71, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	174	0	0.9	1.0	0.6	21.54	2.0	5.25	4.54
3842, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	170	0	0.9	1.4	0.2	21.56	1.8	5.62	4.46
MIX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	150	0	2.6	0.8	0.7	20.99	1.4	5.39	4.41
391, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	147	0	0.4	6.8	1.1	20.33	1.9	5.54	4.48
6460, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	139	0	0.1	8.9	1.5	22.02	0.8	5.30	4.35
169, NB	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	137	0	0.8	1.1	0.4	20.46	3.1	5.60	4.51
9036, SVTM	2	0	0.0	64.3	4.8	27.00	0.8	4.45	4.29	125	0	2.8	6.2	0.6	22.39	2.8	5.00	4.45
5706, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	124	0	16.4	6.5	3.0	21.90	0.7	4.20	4.52
49, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	110	0	4.0	0.9	0.6	22.32	1.4	5.29	4.46
2128, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	110	0	2.3	0.4	0.8	20.27	3.3	4.81	4.59
6441, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	95	0	0.4	1.9	0.4	21.50	0.6	5.35	4.53
1657, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	94	0	0.2	4.4	0.7	19.74	0.6	5.26	4.46
MISC TRIAL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	75	0	1.6	1.2	0.3	21.43	1.8	5.15	4.47
6845, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	63	0	0.1	2.3	0.2	20.45	3.3	5.65	4.44
198, SSA	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	60	0	0.2	1.5	0.1	22.15	1.1	4.91	4.44
247, E	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	58	0	0.5	1.3	0.2	21.49	0.9	5.42	4.35
6415, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	53	0	2.2	1.5	0.1	21.58	0.9	4.60	4.41
6459, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	48	0	0.4	3.9	1.3	21.47	1.3	5.31	4.57
9030, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	48	0	3.9	4.9	0.6	20.50	0.2	4.71	4.49
628507, HMC	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	33	0	1.2	1.1	0.5	20.18	1.8	5.45	4.51
604, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	25	0	1.1	3.5	0.5	21.34	2.2	5.26	4.40
93, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	22	0	7.7	0.7	0.8	20.89	0.7	4.65	4.52
78, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	20	0	1.2	1.1	0.4	21.75	2.9	5.14	4.40
1311, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	19	0	0.6	1.4	0.6	19.03	0.9	5.15	4.49
262, SSA	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	18	0	2.2	3.1	0.9	22.17	3.2	4.91	4.44
6485, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	16	0	1.3	0.5	0.9	20.97	0.6	4.64	4.51
59, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	15	0	1.6	1.0	0.6	21.27	0.0	5.73	4.42
101, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	15	0	1.4	1.0	0.3	21.50	2.3	4.83	4.50
1161, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	15	0	0.3	1.0	0.7	23.23	1.5	5.43	4.45

2022 Processing Tomato Season
PTAB Analysis FINAL - Statewide by Variety



Variety Name										Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
5900, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	15	0	0.4	0.5	0.4	23.63	1.1	5.36	4.45
58, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	14	0	2.1	1.0	0.4	21.61	0.4	5.46	4.38
628512, HMC	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	0.2	3.7	0.3	21.25	5.5	5.68	4.44
29216, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9	0	1.3	0.6	0.5	21.39	8.4	5.09	4.52
627849, HMC	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9	0	0.5	2.2	0.6	22.28	8.2	5.43	4.47
5341, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8	0	0.3	3.7	0.6	20.25	2.9	5.60	4.42
8131, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	0.4	1.5	0.2	21.30	1.3	5.28	4.34
6517, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.5	2.2	0.3	24.33	1.3	5.23	4.44
8422, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.0	3.0	0.5	20.17	4.2	5.90	4.52
8423, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.3	2.3	0.3	20.67	6.2	5.80	4.50
9174, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	0.7	0.8	20.17	1.0	5.83	4.34
108, HYPEEL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	5.0	3.0	1.3	24.25	3.0	4.60	4.53
1901, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	2.3	0.3	0.3	20.75	1.8	5.10	4.42
58801, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	14.0	0.8	0.5	20.75	0.5	4.85	4.55
UNCODED OTHER	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.0	0.0	0.0	21.50	1.0	4.70	4.35
34, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.5	0.5	0.0	20.50	4.5	5.10	4.62
42, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.5	0.0	1.0	21.50	6.5	5.00	4.52
48, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.0	2.5	0.0	22.50	2.0	5.60	4.36
0204, LS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	1.0	1.5	20.50	1.5	5.80	4.54
312, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.0	0.0	1.0	20.00	2.0	5.20	4.50
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	2.0	0.5	22.50	0.5	5.80	4.42
2241, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	6.5	1.5	0.5	22.00	3.5	5.70	4.52
3817, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.0	0.5	0.0	23.50	4.5	5.00	4.29
6617, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.0	23.50	1.5	5.20	4.44
9022, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.0	24.00	2.5	4.90	4.30
10217, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	21.50	1.5	6.50	4.37
STATEWIDE	116	0.0	0.9	56.2	3.0	23.56	0.7	4.98	4.38	418,842	0.0	2.1	2.4	0.9	21.48	1.6	5.25	4.43