

2022 Processing Tomato Season
PTAB Analysis 10/01/22 - Statewide by Variety



Variety Name	Week Ending 10/1/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
58841, HM	2,712	0	5.0	1.7	1.8	21.61	1.2	5.13	4.47	23,422	0	1.5	1.8	0.8	21.96	1.1	5.27	4.44
6428, N	1,595	0	5.9	2.7	1.2	21.75	1.4	4.89	4.53	21,804	0	2.1	3.2	1.1	22.49	2.5	4.96	4.50
9013, SVTM	2,935	0	3.9	2.5	1.8	20.65	1.3	5.03	4.46	21,746	0	1.6	2.7	1.0	21.12	1.9	5.15	4.44
5522, HM 61P	1,238	0	3.4	0.8	1.1	20.66	0.9	5.44	4.38	21,355	0	0.7	1.1	0.4	20.61	1.0	5.85	4.38
9016, SVTM	3,494	0	5.9	3.4	1.1	21.65	0.6	4.97	4.41	17,515	0	2.7	3.1	0.7	22.02	0.8	5.16	4.40
1662, HZ	1,949	0	7.4	3.0	1.8	21.89	2.0	5.08	4.50	12,584	0	2.2	2.9	1.0	22.37	2.1	5.11	4.46
5608, HZ	3	0	6.2	0.8	5.2	22.67	0.7	4.47	4.49	10,617	0	0.9	1.9	0.4	20.38	1.5	5.11	4.45
0811, BOS	1,107	0	2.3	1.7	0.8	20.79	0.7	4.72	4.37	10,146	0	1.2	1.8	0.6	20.54	0.9	5.08	4.39
1082, SVTM	451	0	3.6	2.1	1.6	21.48	2.7	5.69	4.38	9,726	0	0.9	2.1	0.7	21.67	1.7	5.65	4.34
273, BQ	140	0	1.9	2.7	1.0	20.92	2.2	5.22	4.37	9,295	0	0.6	2.2	0.7	21.34	1.9	5.30	4.40
7103, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8,706	0	0.2	1.3	0.3	21.09	1.7	5.57	4.40
1996, HZ	1,512	0	6.4	3.0	2.6	20.88	1.4	4.79	4.49	8,643	0	2.0	3.0	1.4	21.33	1.4	5.07	4.45
403, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8,398	0	0.3	2.4	0.7	21.28	2.4	5.46	4.37
4521, HMX 61P	450	0	7.6	2.4	1.2	22.23	1.6	4.99	4.47	8,362	0	1.5	2.0	0.5	21.29	0.8	5.60	4.40
400, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8,191	0	0.3	2.7	0.5	20.36	1.3	5.27	4.50
9027, SVTM	53	0	1.8	1.7	1.5	20.48	0.5	5.09	4.41	8,176	0	0.4	1.8	0.5	21.07	1.0	5.68	4.38
9014, SVTM	823	0	4.0	1.7	1.1	20.21	1.3	5.21	4.43	8,072	0	1.7	2.3	0.6	21.03	1.8	5.38	4.45
5511, HMX61P	18	0	9.5	0.5	1.9	21.47	3.1	4.84	4.53	7,303	0	0.8	1.8	0.4	21.34	4.0	5.66	4.47
8163, HM	305	0	4.0	0.8	1.2	20.67	2.3	5.89	4.52	7,263	0	1.4	1.0	0.7	20.61	1.6	5.93	4.47
9023, SVTM	894	0	3.0	1.6	1.1	21.61	1.5	4.94	4.43	7,067	0	1.2	1.5	0.6	22.22	1.8	5.28	4.43
4707, HEINZ	751	0	11.1	3.8	3.1	23.43	1.4	4.40	4.51	6,917	0	1.8	2.9	1.4	23.10	1.2	4.83	4.46
74, BP	767	0	4.2	1.2	1.0	20.48	1.9	5.38	4.48	5,743	0	1.9	1.7	0.6	20.98	1.7	5.48	4.47
9025, SVTM	465	0	2.7	2.7	0.7	21.28	0.8	5.16	4.32	5,645	0	1.0	2.1	0.5	22.18	1.1	5.48	4.30
6402, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4,879	0	0.7	1.2	0.4	20.42	2.2	5.82	4.48
43, BP	876	0	4.3	1.4	1.3	20.95	1.0	5.03	4.45	4,687	0	2.1	1.7	0.7	21.40	1.4	5.47	4.48
9021, SVTM	1	0	7.0	1.0	5.0	21.00	0.5	4.40	4.37	4,632	0	1.0	2.3	0.9	21.60	1.3	5.09	4.39
1776, HZ	53	0	1.1	3.0	3.0	20.42	0.8	5.82	4.34	4,305	0	0.7	2.5	0.7	21.14	1.0	5.37	4.44
2015, HZ	748	0	10.4	3.4	2.8	20.27	1.3	4.50	4.49	4,192	0	3.2	3.1	1.7	20.55	2.0	4.51	4.48
6434, N	87	0	3.2	3.9	4.8	23.18	2.8	4.74	4.61	4,125	0	1.5	3.4	1.4	23.11	2.6	4.94	4.50
6475, N	681	0	4.6	3.0	0.6	20.93	0.4	4.77	4.55	3,992	0	2.5	3.2	0.7	21.59	1.0	4.77	4.54
5235, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,723	0	1.3	2.7	0.7	21.10	2.4	5.16	4.43
8268, HM	347	0	3.0	3.5	0.9	19.84	1.6	5.35	4.44	3,651	0	1.1	2.1	0.6	20.79	2.3	5.44	4.45
29814, UG	345	0	6.0	3.6	0.8	20.31	0.6	5.40	4.50	3,631	0	3.0	2.6	0.6	20.80	1.3	5.36	4.50
9011, SVTM	171	0	4.8	0.3	0.7	20.17	1.0	5.58	4.39	3,601	0	1.8	0.9	0.4	20.98	2.0	5.64	4.40
16112, UG	788	0	2.9	2.9	0.5	20.46	0.3	4.88	4.45	3,324	0	1.1	1.9	0.3	20.98	0.7	5.07	4.42
6416, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,053	0	0.5	4.2	0.7	21.30	1.5	4.97	4.38
9032, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,794	0	0.2	1.8	0.8	22.21	1.3	5.45	4.31
6366, SUN	69	0	2.5	0.8	0.7	21.48	2.8	5.96	4.47	2,668	0	1.2	1.2	0.7	20.99	2.9	5.28	4.45
9012, SVTM	11	0	5.9	0.1	1.1	21.05	1.7	5.27	4.41	2,549	0	1.9	1.1	0.5	21.20	2.0	5.71	4.41
13, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,504	0	0.5	4.2	1.3	21.86	2.0	4.92	4.37

2022 Processing Tomato Season
PTAB Analysis 10/01/22 - Statewide by Variety



Variety Name	Week Ending 10/1/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
9008, SVTM	288	0	1.4	1.6	0.5	20.61	0.7	5.34	4.37	2,480	0	1.1	1.6	0.3	21.44	1.2	5.42	4.36
8237, HM	499	0	2.4	2.5	0.8	21.93	0.9	4.85	4.43	2,471	0	1.2	1.9	0.6	22.10	1.0	5.16	4.38
9019, SVTM	148	0	5.0	1.4	0.7	23.43	4.5	4.93	4.28	2,368	0	1.0	1.3	0.4	22.95	2.3	5.52	4.28
1428, HZ	628	0	6.2	2.7	3.5	21.51	1.0	4.56	4.46	2,330	0	2.5	3.2	1.8	21.52	1.2	4.77	4.49
3887, HM	73	0	1.9	0.4	1.2	22.16	1.6	5.45	4.39	2,212	0	1.6	2.6	0.4	21.69	2.6	5.64	4.44
4909, HMX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,045	0	1.4	1.0	0.3	22.83	1.0	5.70	4.28
2016, HZ	217	0	7.0	3.6	1.6	20.00	2.3	4.80	4.46	1,780	0	2.0	2.8	0.7	20.87	1.9	4.76	4.43
6848, BOS	40	0	1.5	1.2	1.0	19.53	0.7	5.01	4.42	1,737	0	1.4	3.1	0.9	20.18	1.3	4.91	4.45
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,715	0	1.3	2.3	0.6	20.78	2.3	4.79	4.40
6420, N	84	0	2.5	0.4	0.9	21.44	1.2	5.15	4.47	1,631	0	1.6	1.0	0.6	22.04	2.2	5.11	4.56
0319, DRI	254	0	2.5	0.8	1.5	22.19	2.4	5.59	4.40	1,565	0	3.3	1.1	0.9	22.62	2.3	5.50	4.43
1015, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,390	0	0.7	2.3	1.1	21.76	1.9	5.00	4.46
9028, SVTM	129	0	0.5	4.9	1.2	20.20	0.8	4.78	4.45	1,318	0	0.9	3.2	0.8	20.67	1.7	5.11	4.45
2012, HZ	86	0	2.6	4.5	0.9	21.94	1.0	5.23	4.45	1,283	0	0.7	2.9	0.8	22.74	2.2	5.14	4.48
1991, HZ	33	0	8.6	3.4	0.5	20.02	2.2	4.58	4.46	1,247	0	3.8	2.3	0.8	20.58	3.4	4.85	4.46
6474, N	97	0	3.4	0.3	0.8	22.00	0.9	5.33	4.47	1,185	0	2.5	2.1	0.6	22.49	1.6	5.18	4.46
88, BP	73	0	6.0	0.4	1.1	21.21	3.9	4.78	4.59	1,069	0	2.5	0.7	0.7	21.32	2.5	4.98	4.53
9018, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	864	0	0.4	1.3	0.9	21.98	1.2	5.32	4.32
5369, HMX61P	8	0	1.0	0.3	0.4	21.25	1.8	6.49	4.65	857	0	0.8	1.2	0.4	21.83	1.2	5.61	4.57
2010, HZ	407	0	8.1	2.9	2.4	20.95	1.8	4.70	4.45	829	0	4.3	1.8	1.7	21.32	2.4	5.03	4.44
0311, AB	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	737	0	1.2	1.2	0.3	21.21	1.5	5.80	4.35
5508, HZ	34	0	1.6	1.4	0.5	20.75	0.4	5.37	4.30	722	0	0.6	1.7	0.3	20.60	0.5	4.98	4.34
6473, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	636	0	2.1	2.1	1.3	20.94	2.4	4.90	4.56
2401, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	603	0	1.9	3.4	0.9	21.98	2.2	5.03	4.36
8011, SV	60	0	6.4	1.4	1.6	20.79	1.0	4.68	4.44	603	0	3.6	1.1	0.4	21.29	1.7	4.83	4.47
UNCODED	139	0	4.6	3.2	1.3	21.04	1.0	4.89	4.43	584	0	2.6	3.4	1.2	21.10	1.7	5.14	4.45
51,BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	561	0	0.5	3.6	1.3	23.46	2.4	5.23	4.34
7885, HMX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	553	0	1.1	1.9	0.4	20.50	1.3	4.86	4.58
58811, HM	87	0	8.8	3.1	3.5	21.83	1.2	4.99	4.39	473	0	2.6	1.4	1.4	22.78	1.8	5.20	4.45
9905, HARRIS MO	300	0	1.1	3.8	2.7	21.40	1.0	4.88	4.48	427	0	0.9	3.7	3.1	21.45	0.8	4.84	4.49
72, BP	29	0	2.6	0.3	0.6	21.33	1.4	5.00	4.46	418	0	1.5	1.6	0.4	21.43	2.3	5.56	4.43
413, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	396	0	2.2	4.2	1.0	21.78	2.0	4.57	4.56
9000, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	390	0	0.2	2.1	0.1	21.34	0.6	5.00	4.39
6426, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	370	0	0.9	3.5	0.5	21.02	2.2	5.16	4.43
63, NB	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	366	0	0.8	2.9	0.5	21.50	4.0	5.05	4.53
1994, HZ	25	0	2.9	1.8	1.0	21.72	2.6	5.14	4.51	362	0	1.7	1.5	0.5	21.88	2.0	4.97	4.38
4885, HMX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	335	0	2.2	0.7	0.3	21.96	1.7	4.68	4.49
9037, SVTM	148	0	2.8	2.2	0.7	22.31	1.6	5.12	4.38	333	0	2.0	1.6	0.6	22.58	1.7	5.21	4.40
HEINZ TRIAL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	301	0	1.0	3.9	0.5	24.03	5.1	4.96	4.40
3888, HM	276	0	3.1	1.4	1.4	22.08	1.7	5.27	4.52	276	0	3.1	1.4	1.4	22.08	1.7	5.27	4.52

2022 Processing Tomato Season
PTAB Analysis 10/01/22 - Statewide by Variety



Variety Name	Week Ending 10/1/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
9024, SVTM	44	0	3.5	1.9	3.5	21.61	0.6	4.96	4.38	256	0	1.4	2.3	1.0	22.12	0.9	5.20	4.36
1310, HZ	44	0	14.4	4.8	4.2	23.25	3.4	4.41	4.61	244	0	6.4	4.8	1.4	22.08	2.8	4.49	4.56
4680, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	239	0	0.2	3.5	0.2	20.28	0.8	5.33	4.38
9038, SVTM	99	0	2.8	2.3	0.3	22.27	1.1	4.67	4.43	234	0	1.9	2.5	0.5	22.20	1.1	4.72	4.42
1293, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	226	0	1.2	1.8	0.8	21.76	2.2	5.17	4.59
4565, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	226	0	1.2	2.0	0.3	21.17	1.8	4.89	4.41
6397, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	219	0	0.1	1.3	0.2	21.79	0.9	5.54	4.42
16609, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	205	0	0.1	0.9	0.3	21.59	1.9	5.55	4.33
6377, SSA	97	0	4.6	0.9	1.9	21.98	2.0	5.24	4.47	190	0	2.6	0.8	1.3	22.83	2.1	5.66	4.47
60, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	189	0	0.3	1.4	0.4	20.98	1.6	6.13	4.56
71, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	174	0	0.9	1.0	0.6	21.54	2.0	5.25	4.54
3842, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	170	0	0.9	1.4	0.2	21.56	1.8	5.62	4.46
6407, N	94	0	0.9	1.1	1.2	22.07	0.5	5.21	4.35	157	0	0.8	1.1	1.1	22.06	0.5	5.33	4.36
391, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	147	0	0.4	6.8	1.1	20.33	1.9	5.54	4.48
6460, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	139	0	0.1	8.9	1.5	22.02	0.8	5.30	4.35
169, NB	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	137	0	0.8	1.1	0.4	20.46	3.1	5.60	4.51
MIX	59	0	2.9	0.5	1.0	20.50	1.7	5.40	4.42	120	0	2.8	0.7	0.9	21.05	1.7	5.46	4.43
2128, HZ	10	0	6.2	0.4	1.1	19.95	4.3	5.14	4.63	110	0	2.3	0.4	0.8	20.27	3.3	4.81	4.59
9036, SVTM	92	0	3.2	2.8	0.4	22.04	3.1	5.03	4.46	99	0	3.1	2.7	0.4	22.09	3.1	5.04	4.45
6441, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	95	0	0.4	1.9	0.4	21.50	0.6	5.35	4.53
1657, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	94	0	0.2	4.4	0.7	19.74	0.6	5.26	4.46
MISC TRIAL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	75	0	1.6	1.2	0.3	21.43	1.8	5.15	4.47
6845, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	63	0	0.1	2.3	0.2	20.45	3.3	5.65	4.44
198, SSA	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	60	0	0.2	1.5	0.1	22.15	1.1	4.91	4.44
247, E	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	58	0	0.5	1.3	0.2	21.49	0.9	5.42	4.35
6415, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	53	0	2.2	1.5	0.1	21.58	0.9	4.60	4.41
49, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	50	0	2.6	0.9	0.3	23.55	1.9	4.50	4.49
6459, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	48	0	0.4	3.9	1.3	21.47	1.3	5.31	4.57
9030, SVTM	11	0	7.4	4.7	1.0	20.36	0.1	4.55	4.51	36	0	2.6	4.9	0.5	20.46	0.2	4.80	4.48
628507, HMC	1	0	1.0	1.0	2.0	19.50	1.0	5.60	4.41	33	0	1.2	1.1	0.5	20.18	1.8	5.45	4.51
604, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	22	0	1.3	2.9	0.6	21.23	2.3	5.26	4.40
78, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	20	0	1.2	1.1	0.4	21.75	2.9	5.14	4.40
1311, HZ	11	0	0.8	1.1	0.4	18.51	0.5	5.33	4.45	19	0	0.6	1.4	0.6	19.03	0.9	5.15	4.49
262, SSA	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	18	0	2.2	3.1	0.9	22.17	3.2	4.91	4.44
6485, N	10	0	1.8	0.4	1.4	20.75	0.7	4.73	4.51	16	0	1.3	0.5	0.9	20.97	0.6	4.64	4.51
101, BP	5	0	2.8	1.2	0.3	21.00	0.5	5.24	4.46	15	0	1.4	1.0	0.3	21.50	2.3	4.83	4.50
1161, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	15	0	0.3	1.0	0.7	23.23	1.5	5.43	4.45
5900, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	15	0	0.4	0.5	0.4	23.63	1.1	5.36	4.45
628512, HMC	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	0.2	3.7	0.3	21.25	5.5	5.68	4.44
29216, UG	2	0	1.0	0.5	1.0	20.00	2.0	5.45	4.34	9	0	1.3	0.6	0.5	21.39	8.4	5.09	4.52

2022 Processing Tomato Season
PTAB Analysis 10/01/22 - Statewide by Variety



Variety Name	Week Ending 10/1/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
627849, HMC	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9	0	0.5	2.2	0.6	22.28	8.2	5.43	4.47
5341, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8	0	0.3	3.7	0.6	20.25	2.9	5.60	4.42
8131, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	0.4	1.5	0.2	21.30	1.3	5.28	4.34
6517, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.5	2.2	0.3	24.33	1.3	5.23	4.44
8422, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.0	3.0	0.5	20.17	4.2	5.90	4.52
8423, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.3	2.3	0.3	20.67	6.2	5.80	4.50
9174, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	0.7	0.8	20.17	1.0	5.83	4.34
108, HYPEEL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	5.0	3.0	1.3	24.25	3.0	4.60	4.53
1901, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	2.3	0.3	0.3	20.75	1.8	5.10	4.42
34, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.5	0.5	0.0	20.50	4.5	5.10	4.62
42, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.5	0.0	1.0	21.50	6.5	5.00	4.52
48, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.0	2.5	0.0	22.50	2.0	5.60	4.36
0204, LS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	1.0	1.5	20.50	1.5	5.80	4.54
312, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.0	0.0	1.0	20.00	2.0	5.20	4.50
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	2.0	0.5	22.50	0.5	5.80	4.42
2241, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	6.5	1.5	0.5	22.00	3.5	5.70	4.52
3817, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.0	0.5	0.0	23.50	4.5	5.00	4.29
6617, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.0	23.50	1.5	5.20	4.44
9022, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.0	24.00	2.5	4.90	4.30
10217, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	21.50	1.5	6.50	4.37
58801, HM	1	0	2.5	0.0	1.0	21.50	1.0	5.20	4.45	1	0	2.5	0.0	1.0	21.50	1.0	5.20	4.45
STATEWIDE	30,581	0.0	5.0	2.4	1.5	21.26	1.3	5.02	4.45	365,183	0.0	1.4	2.2	0.7	21.45	1.6	5.29	4.43