

2022 Processing Tomato Season
PTAB Analysis 10/08/22 - Statewide by Variety



Variety Name	Week Ending 10/8/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
58841, HM	3,940	0	7.1	1.5	1.4	21.57	1.0	5.08	4.46	27,362	0	2.3	1.8	0.9	21.90	1.1	5.25	4.44
6428, N	2,319	0	9.1	4.9	2.3	22.07	1.2	4.85	4.52	24,123	0	2.8	3.3	1.2	22.45	2.4	4.95	4.50
9013, SVTM	921	0	4.3	3.3	1.8	21.07	1.2	5.26	4.43	22,667	0	1.8	2.8	1.1	21.12	1.8	5.15	4.44
5522, HM 61P	765	0	4.8	0.8	0.9	20.62	1.0	5.37	4.36	22,120	0	0.9	1.1	0.4	20.61	1.0	5.83	4.38
9016, SVTM	1,750	0	7.8	3.0	1.4	21.83	0.7	4.88	4.43	19,266	0	3.1	3.1	0.8	22.00	0.8	5.13	4.41
1662, HZ	1,354	0	10.3	3.7	2.0	21.97	1.4	5.00	4.46	13,938	0	3.0	3.0	1.1	22.33	2.1	5.10	4.46
0811, BOS	761	0	3.0	0.7	0.9	21.02	0.7	4.60	4.40	10,907	0	1.3	1.7	0.7	20.58	0.9	5.05	4.39
5608, HZ	74	0	22.9	0.7	2.2	22.17	1.1	4.02	4.62	10,691	0	1.1	1.9	0.4	20.39	1.5	5.10	4.45
1082, SVTM	379	0	5.2	1.4	1.5	21.43	1.8	5.59	4.37	10,105	0	1.0	2.1	0.7	21.66	1.7	5.65	4.34
1996, HZ	878	0	6.0	3.9	3.3	20.93	0.9	5.03	4.45	9,521	0	2.3	3.1	1.6	21.29	1.4	5.07	4.45
273, BQ	203	0	2.0	2.7	2.8	20.20	1.8	4.86	4.43	9,498	0	0.6	2.2	0.8	21.31	1.9	5.29	4.40
4521, HMX 61P	703	0	6.2	1.1	0.8	21.92	0.8	5.00	4.42	9,065	0	1.8	1.9	0.5	21.33	0.8	5.55	4.40
7103, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8,706	0	0.2	1.3	0.3	21.09	1.7	5.57	4.40
9014, SVTM	376	0	6.6	2.3	1.4	20.49	1.1	5.34	4.47	8,448	0	1.9	2.3	0.6	21.01	1.8	5.37	4.45
403, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8,398	0	0.3	2.4	0.7	21.28	2.4	5.46	4.37
9023, SVTM	1,319	0	3.9	1.3	1.0	21.79	1.0	5.09	4.41	8,386	0	1.6	1.5	0.7	22.15	1.7	5.25	4.43
9027, SVTM	66	0	1.5	8.1	1.2	21.67	0.4	4.97	4.45	8,242	0	0.4	1.8	0.5	21.07	0.9	5.67	4.38
400, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8,191	0	0.3	2.7	0.5	20.36	1.3	5.27	4.50
5511, HMX61P	26	0	13.2	0.7	1.4	21.60	2.6	4.73	4.54	7,329	0	0.8	1.8	0.4	21.34	4.0	5.66	4.47
4707, HEINZ	368	0	5.9	3.3	2.5	22.74	1.1	4.39	4.55	7,285	0	2.0	2.9	1.5	23.08	1.2	4.81	4.47
8163, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7,263	0	1.4	1.0	0.7	20.61	1.6	5.93	4.47
74, BP	989	0	6.1	1.0	0.8	20.80	1.4	5.23	4.51	6,732	0	2.6	1.6	0.6	20.96	1.7	5.44	4.48
9025, SVTM	527	0	5.9	2.0	0.9	21.00	1.0	5.27	4.32	6,172	0	1.4	2.1	0.5	22.08	1.1	5.46	4.30
2015, HZ	1,120	0	16.2	5.8	2.7	20.15	0.8	4.18	4.51	5,312	0	5.9	3.7	1.9	20.47	1.7	4.44	4.49
6402, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4,879	0	0.7	1.2	0.4	20.42	2.2	5.82	4.48
43, BP	164	0	5.2	2.3	0.8	21.23	0.3	4.95	4.35	4,851	0	2.2	1.7	0.7	21.39	1.4	5.45	4.47
9021, SVTM	107	0	9.3	0.8	0.5	21.11	1.1	4.91	4.45	4,739	0	1.2	2.2	0.9	21.58	1.3	5.08	4.39
1776, HZ	150	0	0.8	2.5	2.2	20.27	0.8	5.86	4.39	4,455	0	0.7	2.5	0.7	21.11	1.0	5.39	4.44
6434, N	268	0	7.4	3.4	3.5	23.65	1.0	4.57	4.48	4,393	0	1.8	3.4	1.5	23.15	2.5	4.92	4.49
6475, N	172	0	6.5	1.7	1.1	21.47	1.3	4.87	4.58	4,164	0	2.7	3.1	0.7	21.58	1.1	4.77	4.55
8268, HM	248	0	7.1	2.9	1.2	20.38	1.4	5.31	4.43	3,899	0	1.5	2.2	0.7	20.76	2.3	5.43	4.45
29814, UG	161	0	5.0	4.2	1.1	20.61	0.7	5.26	4.54	3,792	0	3.1	2.7	0.6	20.79	1.3	5.35	4.50
5235, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,723	0	1.3	2.7	0.7	21.10	2.4	5.16	4.43
9011, SVTM	31	0	9.2	0.5	1.2	20.53	0.8	5.58	4.41	3,632	0	1.9	0.9	0.4	20.97	1.9	5.64	4.40
16112, UG	91	0	3.6	5.6	0.9	20.21	0.2	4.79	4.49	3,415	0	1.2	2.0	0.3	20.96	0.7	5.06	4.42
9008, SVTM	740	0	2.5	3.1	0.3	21.89	0.7	4.92	4.35	3,220	0	1.4	1.9	0.3	21.55	1.1	5.31	4.36
6416, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,053	0	0.5	4.2	0.7	21.30	1.5	4.97	4.38
9032, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,794	0	0.2	1.8	0.8	22.21	1.3	5.45	4.31
1428, HZ	461	0	7.7	3.1	2.9	21.33	0.6	4.45	4.46	2,790	0	3.3	3.2	2.0	21.48	1.1	4.72	4.48
8237, HM	312	0	5.7	1.2	1.1	21.30	0.7	5.15	4.46	2,783	0	1.7	1.8	0.7	22.01	0.9	5.16	4.39

2022 Processing Tomato Season
PTAB Analysis 10/08/22 - Statewide by Variety



Variety Name	Week Ending 10/8/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
6366, SUN	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,668	0	1.2	1.2	0.7	20.99	2.9	5.28	4.45
9012, SVTM	20	0	14.3	2.9	0.4	22.13	1.8	5.26	4.45	2,569	0	2.0	1.1	0.5	21.20	2.0	5.70	4.41
9019, SVTM	142	0	3.2	0.7	0.6	22.52	1.9	5.13	4.30	2,510	0	1.1	1.3	0.5	22.92	2.2	5.49	4.28
13, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,504	0	0.5	4.2	1.3	21.86	2.0	4.92	4.37
3887, HM	48	0	5.5	1.3	1.5	20.98	1.7	6.04	4.31	2,260	0	1.7	2.5	0.4	21.68	2.5	5.65	4.44
4909, HMX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,045	0	1.4	1.0	0.3	22.83	1.0	5.70	4.28
2016, HZ	139	0	9.0	2.7	2.6	20.46	2.1	4.77	4.44	1,919	0	2.5	2.8	0.9	20.84	1.9	4.77	4.43
6848, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,737	0	1.4	3.1	0.9	20.18	1.3	4.91	4.45
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,715	0	1.3	2.3	0.6	20.78	2.3	4.79	4.40
0319, DRI	126	0	3.5	0.5	3.0	22.15	2.6	5.44	4.40	1,691	0	3.3	1.0	1.1	22.58	2.3	5.50	4.43
6420, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,631	0	1.6	1.0	0.6	22.04	2.2	5.11	4.56
2012, HZ	144	0	0.7	1.5	2.7	21.50	1.5	5.49	4.38	1,427	0	0.7	2.8	1.0	22.62	2.1	5.17	4.47
1015, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,390	0	0.7	2.3	1.1	21.76	1.9	5.00	4.46
2010, HZ	502	0	11.0	4.2	2.2	21.14	2.0	4.75	4.51	1,331	0	6.9	2.7	1.9	21.25	2.3	4.92	4.47
9028, SVTM	3	0	1.0	1.3	2.8	19.33	0.8	6.60	4.36	1,321	0	0.9	3.2	0.8	20.66	1.7	5.11	4.45
1991, HZ	47	0	13.2	1.1	0.7	20.28	2.0	4.60	4.52	1,294	0	4.1	2.2	0.8	20.57	3.3	4.84	4.46
6474, N	24	0	5.1	0.5	0.4	21.40	0.4	5.23	4.42	1,209	0	2.5	2.1	0.6	22.47	1.6	5.18	4.46
88, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,069	0	2.5	0.7	0.7	21.32	2.5	4.98	4.53
9905, HARRIS MO	628	0	2.1	2.7	1.5	21.06	0.9	4.80	4.51	1,055	0	1.6	3.1	2.1	21.22	0.9	4.82	4.50
5508, HZ	207	0	2.0	1.9	0.6	22.08	1.1	4.84	4.36	929	0	1.0	1.7	0.3	20.93	0.6	4.94	4.34
9018, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	864	0	0.4	1.3	0.9	21.98	1.2	5.32	4.32
5369, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	857	0	0.8	1.2	0.4	21.83	1.2	5.61	4.57
0311, AB	2	0	1.8	3.5	1.5	20.50	3.8	6.30	4.40	739	0	1.2	1.2	0.3	21.21	1.5	5.80	4.35
6473, N	34	0	5.4	9.7	2.1	21.91	2.6	5.68	4.54	670	0	2.3	2.5	1.4	20.99	2.4	4.94	4.56
58811, HM	187	0	10.8	2.4	2.3	21.97	1.1	5.09	4.49	660	0	4.9	1.7	1.6	22.55	1.6	5.16	4.46
UNCODED	54	0	6.4	2.9	2.6	21.69	0.9	4.85	4.45	638	0	3.0	3.3	1.3	21.14	1.7	5.11	4.45
2401, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	603	0	1.9	3.4	0.9	21.98	2.2	5.03	4.36
8011, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	603	0	3.6	1.1	0.4	21.29	1.7	4.83	4.47
51,BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	561	0	0.5	3.6	1.3	23.46	2.4	5.23	4.34
7885, HMX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	553	0	1.1	1.9	0.4	20.50	1.3	4.86	4.58
3888, HM	189	0	3.8	1.6	1.1	21.27	0.9	5.43	4.49	465	0	3.4	1.5	1.2	21.75	1.4	5.33	4.51
1310, HZ	187	0	5.0	11.5	1.6	23.18	1.6	4.40	4.45	431	0	5.8	7.7	1.5	22.56	2.3	4.45	4.51
72, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	418	0	1.5	1.6	0.4	21.43	2.3	5.56	4.43
HEINZ TRIAL	111	0	5.4	2.5	0.7	21.46	1.5	5.14	4.40	412	0	2.2	3.5	0.6	23.34	4.1	5.01	4.40
413, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	396	0	2.2	4.2	1.0	21.78	2.0	4.57	4.56
9000, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	390	0	0.2	2.1	0.1	21.34	0.6	5.00	4.39
6426, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	370	0	0.9	3.5	0.5	21.02	2.2	5.16	4.43
63, NB	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	366	0	0.8	2.9	0.5	21.50	4.0	5.05	4.53
1994, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	362	0	1.7	1.5	0.5	21.88	2.0	4.97	4.38
9024, SVTM	101	0	3.7	1.0	0.7	21.20	0.7	4.84	4.35	357	0	2.1	2.0	0.9	21.86	0.8	5.10	4.36

2022 Processing Tomato Season
PTAB Analysis 10/08/22 - Statewide by Variety



Variety Name	Week Ending 10/8/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
9037, SVTM	23	0	7.7	2.9	1.7	21.04	1.2	5.09	4.38	356	0	2.4	1.7	0.6	22.48	1.7	5.20	4.40
4885, HMX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	335	0	2.2	0.7	0.3	21.96	1.7	4.68	4.49
9038, SVTM	36	0	6.6	3.6	2.1	21.78	0.7	5.06	4.37	270	0	2.5	2.6	0.7	22.14	1.0	4.77	4.41
4680, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	239	0	0.2	3.5	0.2	20.28	0.8	5.33	4.38
1293, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	226	0	1.2	1.8	0.8	21.76	2.2	5.17	4.59
4565, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	226	0	1.2	2.0	0.3	21.17	1.8	4.89	4.41
6397, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	219	0	0.1	1.3	0.2	21.79	0.9	5.54	4.42
16609, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	205	0	0.1	0.9	0.3	21.59	1.9	5.55	4.33
6407, N	44	0	1.4	0.3	0.4	21.67	0.5	5.15	4.36	201	0	0.9	0.9	1.0	21.98	0.5	5.29	4.36
6377, SSA	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	190	0	2.6	0.8	1.3	22.83	2.1	5.66	4.47
60, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	189	0	0.3	1.4	0.4	20.98	1.6	6.13	4.56
71, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	174	0	0.9	1.0	0.6	21.54	2.0	5.25	4.54
3842, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	170	0	0.9	1.4	0.2	21.56	1.8	5.62	4.46
MIX	29	0	1.7	0.9	0.0	20.72	0.2	5.15	4.32	149	0	2.6	0.8	0.7	20.99	1.4	5.40	4.41
391, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	147	0	0.4	6.8	1.1	20.33	1.9	5.54	4.48
6460, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	139	0	0.1	8.9	1.5	22.02	0.8	5.30	4.35
169, NB	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	137	0	0.8	1.1	0.4	20.46	3.1	5.60	4.51
9036, SVTM	18	0	2.1	3.2	0.4	22.64	2.6	4.94	4.50	117	0	2.9	2.8	0.4	22.17	3.0	5.02	4.46
2128, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	110	0	2.3	0.4	0.8	20.27	3.3	4.81	4.59
6441, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	95	0	0.4	1.9	0.4	21.50	0.6	5.35	4.53
1657, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	94	0	0.2	4.4	0.7	19.74	0.6	5.26	4.46
MISC TRIAL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	75	0	1.6	1.2	0.3	21.43	1.8	5.15	4.47
6845, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	63	0	0.1	2.3	0.2	20.45	3.3	5.65	4.44
198, SSA	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	60	0	0.2	1.5	0.1	22.15	1.1	4.91	4.44
247, E	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	58	0	0.5	1.3	0.2	21.49	0.9	5.42	4.35
6415, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	53	0	2.2	1.5	0.1	21.58	0.9	4.60	4.41
49, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	50	0	2.6	0.9	0.3	23.55	1.9	4.50	4.49
6459, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	48	0	0.4	3.9	1.3	21.47	1.3	5.31	4.57
9030, SVTM	12	0	7.5	4.7	0.8	20.63	0.0	4.43	4.52	48	0	3.9	4.9	0.6	20.50	0.2	4.71	4.49
5706, HZ	33	0	14.4	7.0	2.7	21.91	0.8	4.16	4.49	33	0	14.4	7.0	2.7	21.91	0.8	4.16	4.49
628507, HMC	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	33	0	1.2	1.1	0.5	20.18	1.8	5.45	4.51
604, BQ	3	0	0.2	7.7	0.0	22.17	1.3	5.27	4.39	25	0	1.1	3.5	0.5	21.34	2.2	5.26	4.40
78, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	20	0	1.2	1.1	0.4	21.75	2.9	5.14	4.40
1311, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	19	0	0.6	1.4	0.6	19.03	0.9	5.15	4.49
262, SSA	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	18	0	2.2	3.1	0.9	22.17	3.2	4.91	4.44
6485, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	16	0	1.3	0.5	0.9	20.97	0.6	4.64	4.51
101, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	15	0	1.4	1.0	0.3	21.50	2.3	4.83	4.50
1161, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	15	0	0.3	1.0	0.7	23.23	1.5	5.43	4.45
5900, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	15	0	0.4	0.5	0.4	23.63	1.1	5.36	4.45
628512, HMC	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	0.2	3.7	0.3	21.25	5.5	5.68	4.44

2022 Processing Tomato Season
PTAB Analysis 10/08/22 - Statewide by Variety



Variety Name	Week Ending 10/8/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
29216, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9	0	1.3	0.6	0.5	21.39	8.4	5.09	4.52
627849, HMC	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9	0	0.5	2.2	0.6	22.28	8.2	5.43	4.47
5341, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8	0	0.3	3.7	0.6	20.25	2.9	5.60	4.42
8131, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	0.4	1.5	0.2	21.30	1.3	5.28	4.34
6517, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.5	2.2	0.3	24.33	1.3	5.23	4.44
8422, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.0	3.0	0.5	20.17	4.2	5.90	4.52
8423, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.3	2.3	0.3	20.67	6.2	5.80	4.50
9174, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	0.7	0.8	20.17	1.0	5.83	4.34
108, HYPEEL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	5.0	3.0	1.3	24.25	3.0	4.60	4.53
1901, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	2.3	0.3	0.3	20.75	1.8	5.10	4.42
34, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.5	0.5	0.0	20.50	4.5	5.10	4.62
42, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.5	0.0	1.0	21.50	6.5	5.00	4.52
48, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.0	2.5	0.0	22.50	2.0	5.60	4.36
0204, LS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	1.0	1.5	20.50	1.5	5.80	4.54
312, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.0	0.0	1.0	20.00	2.0	5.20	4.50
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	2.0	0.5	22.50	0.5	5.80	4.42
2241, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	6.5	1.5	0.5	22.00	3.5	5.70	4.52
3817, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.0	0.5	0.0	23.50	4.5	5.00	4.29
6617, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.0	23.50	1.5	5.20	4.44
9022, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.0	24.00	2.5	4.90	4.30
10217, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	21.50	1.5	6.50	4.37
58801, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.5	0.0	1.0	21.50	1.0	5.20	4.45
STATEWIDE	24,836	0.0	6.9	2.7	1.6	21.45	1.1	4.97	4.45	390,019	0.0	1.8	2.3	0.8	21.45	1.6	5.27	4.43