

2022 Processing Tomato Season
PTAB Analysis 7/16/22 - Statewide by Variety



Variety Name	Week Ending 7/16/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
400, BQ	3,102	0	0.2	2.4	0.4	20.39	0.9	5.29	4.46	3,174	0	0.2	2.4	0.4	20.39	0.9	5.29	4.46
403, BQ	2,236	0	0.2	2.6	0.6	21.16	1.7	5.59	4.35	2,486	0	0.2	2.4	0.6	21.19	1.6	5.58	4.34
6416, N	1,975	0	0.4	3.6	0.4	21.45	1.3	5.00	4.37	2,055	0	0.4	3.5	0.4	21.46	1.3	5.00	4.37
7103, HMX61P	1,924	0	0.1	1.7	0.2	20.91	1.0	5.45	4.36	1,924	0	0.1	1.7	0.2	20.91	1.0	5.45	4.36
273, BQ	1,619	0	0.5	2.2	0.5	21.38	0.9	5.31	4.34	1,701	0	0.6	2.2	0.5	21.44	0.9	5.31	4.34
5608, HZ	1,265	0	0.8	3.0	0.3	20.32	1.2	5.35	4.41	1,354	0	0.8	3.0	0.3	20.35	1.1	5.34	4.41
187, CXD	333	0	0.7	1.6	0.5	20.33	2.7	4.89	4.40	1,329	0	1.4	2.2	0.4	20.60	1.8	4.82	4.37
9027, SVTM	559	0	0.2	1.1	0.2	20.44	0.6	5.94	4.36	629	0	0.2	1.0	0.2	20.50	0.6	5.87	4.35
9013, SVTM	428	0	1.6	2.8	0.1	21.01	1.0	4.84	4.37	441	0	1.6	2.9	0.1	21.01	0.9	4.84	4.37
9000, SVTM	244	0	0.2	1.4	0.1	21.55	0.6	4.89	4.41	390	0	0.2	2.1	0.1	21.34	0.6	5.00	4.39
5511, HMX61P	383	0	0.6	2.5	0.3	20.80	2.3	5.44	4.46	383	0	0.6	2.5	0.3	20.80	2.3	5.44	4.46
6366, SUN	297	0	0.2	1.3	0.9	20.88	3.5	5.47	4.46	297	0	0.2	1.3	0.9	20.88	3.5	5.47	4.46
6426, N	92	0	1.2	1.8	0.3	20.78	0.9	4.79	4.37	186	0	1.4	2.8	0.4	20.98	0.8	4.69	4.36
9032, SVTM	124	0	0.2	1.0	0.4	21.55	0.7	5.63	4.26	124	0	0.2	1.0	0.4	21.55	0.7	5.63	4.26
9018, SVTM	86	0	0.0	1.8	0.6	22.26	0.4	5.43	4.29	86	0	0.0	1.8	0.6	22.26	0.4	5.43	4.29
2016, HZ	66	0	0.1	5.3	0.3	21.08	0.4	4.71	4.33	66	0	0.1	5.3	0.3	21.08	0.4	4.71	4.33
4680, BOS	64	0	0.1	3.6	0.1	20.48	0.6	5.31	4.33	64	0	0.1	3.6	0.1	20.48	0.6	5.31	4.33
9019, SVTM	64	0	0.2	4.0	0.2	23.45	1.0	5.39	4.21	64	0	0.2	4.0	0.2	23.45	1.0	5.39	4.21
6415, N	53	0	2.2	1.5	0.1	21.58	0.9	4.60	4.41	53	0	2.2	1.5	0.1	21.58	0.9	4.60	4.41
6402, N	28	0	0.2	3.3	0.3	20.00	2.0	6.16	4.44	28	0	0.2	3.3	0.3	20.00	2.0	6.16	4.44
9014, SVTM	27	0	0.9	4.2	0.6	20.81	1.7	5.71	4.39	27	0	0.9	4.2	0.6	20.81	1.7	5.71	4.39
3842, BOS	25	0	0.2	1.4	0.1	21.54	2.9	5.84	4.54	25	0	0.2	1.4	0.1	21.54	2.9	5.84	4.54
3887, HM	25	0	0.1	3.0	0.2	21.18	2.7	5.37	4.41	25	0	0.1	3.0	0.2	21.18	2.7	5.37	4.41
MISC TRIAL	5	0	1.8	0.6	0.3	21.40	0.9	4.54	4.51	5	0	1.8	0.6	0.3	21.40	0.9	4.54	4.51
6845, BOS	5	0	0.4	6.1	0.4	20.30	1.6	5.24	4.38	5	0	0.4	6.1	0.4	20.30	1.6	5.24	4.38
8131, BOS	4	0	0.5	1.9	0.1	21.50	1.1	5.20	4.32	4	0	0.5	1.9	0.1	21.50	1.1	5.20	4.32
9023, SVTM	4	0	0.0	1.5	0.0	21.88	1.6	5.65	4.37	4	0	0.0	1.5	0.0	21.88	1.6	5.65	4.37
1662, HZ	3	0	0.2	3.7	0.8	22.17	2.2	4.60	4.43	3	0	0.2	3.7	0.8	22.17	2.2	4.60	4.43
MIX	2	0	0.0	1.0	0.5	21.25	2.3	5.50	4.40	2	0	0.0	1.0	0.5	21.25	2.3	5.50	4.40
UNCODED	1	0	1.5	2.0	0.5	20.50	2.0	4.70	4.35	1	0	1.5	2.0	0.5	20.50	2.0	4.70	4.35
STATEWIDE	15,043	0.0	0.4	2.4	0.4	20.91	1.2	5.33	4.39	16,935	0.0	0.5	2.4	0.4	20.92	1.2	5.29	4.38