

2022 Processing Tomato Season
PTAB Analysis 7/30/22 - Statewide by Variety



Variety Name	Week Ending 7/30/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
400, BQ	1,509	0	0.3	2.4	0.7	20.23	1.6	5.24	4.54	7,819	0	0.3	2.6	0.5	20.35	1.3	5.27	4.50
403, BQ	1,841	0	0.4	2.7	0.8	21.69	3.2	5.30	4.40	7,411	0	0.3	2.5	0.7	21.25	2.3	5.47	4.36
7103, HMX61P	1,860	0	0.3	1.1	0.3	21.41	2.2	5.55	4.43	6,847	0	0.1	1.3	0.3	21.11	1.6	5.54	4.39
5522, HM 61P	5,408	0	0.2	1.4	0.4	20.37	0.9	5.96	4.37	6,751	0	0.2	1.3	0.4	20.32	0.9	6.01	4.36
273, BQ	2,192	0	0.4	1.7	0.7	21.55	2.3	5.35	4.46	6,626	0	0.5	2.1	0.6	21.34	1.6	5.34	4.40
5608, HZ	2,019	0	0.8	2.0	0.5	20.24	1.6	5.08	4.43	6,106	0	0.8	2.1	0.4	20.40	1.5	5.13	4.44
9027, SVTM	2,367	0	0.2	1.7	0.7	21.17	1.2	5.75	4.40	4,545	0	0.2	1.6	0.5	20.88	0.9	5.80	4.38
6416, N	168	0	0.4	3.6	1.7	20.63	1.7	5.11	4.40	3,053	0	0.5	4.2	0.7	21.30	1.5	4.97	4.38
5511, HMX61P	1,196	0	0.4	1.4	0.4	20.92	4.5	6.00	4.47	2,393	0	0.4	1.9	0.4	21.03	3.7	5.83	4.46
6366, SUN	840	0	0.9	1.2	0.5	21.01	3.0	5.08	4.43	1,937	0	0.6	1.3	0.6	20.90	3.3	5.26	4.44
8163, HM	983	0	0.4	1.2	0.5	20.44	1.4	6.03	4.44	1,878	0	0.4	1.2	0.5	20.46	1.2	5.97	4.42
9032, SVTM	1,246	0	0.1	1.5	0.6	22.28	1.1	5.37	4.30	1,743	0	0.2	1.4	0.5	22.13	1.1	5.45	4.30
6402, N	909	0	0.6	1.3	0.5	20.24	2.4	5.87	4.49	1,711	0	0.5	1.6	0.5	20.39	2.3	5.83	4.48
187, CXD	283	0	0.9	3.1	1.3	21.40	3.9	4.66	4.47	1,635	0	1.4	2.3	0.6	20.74	2.2	4.79	4.39
9013, SVTM	317	0	0.5	1.3	0.3	20.93	1.9	5.38	4.44	1,144	0	0.8	2.0	0.2	20.92	1.4	5.25	4.40
0811, BOS	717	0	0.5	1.9	0.2	20.49	0.6	4.97	4.33	1,126	0	0.6	1.8	0.2	20.77	0.6	4.85	4.35
9014, SVTM	391	0	1.3	1.6	0.5	20.74	1.7	5.56	4.41	889	0	1.1	2.1	0.5	20.92	1.4	5.61	4.40
3887, HM	439	0	1.3	3.1	0.3	21.65	2.5	5.78	4.46	704	0	0.9	3.6	0.3	21.53	2.6	5.65	4.45
9012, SVTM	369	0	0.8	1.1	0.4	20.76	2.6	6.05	4.40	560	0	1.1	1.3	0.5	20.77	2.2	5.79	4.39
9011, SVTM	182	0	0.6	1.3	0.4	21.46	2.1	5.78	4.41	504	0	0.9	0.9	0.5	21.01	1.8	5.72	4.38
9023, SVTM	438	0	0.6	0.6	0.2	22.41	1.2	5.07	4.40	472	0	0.6	0.7	0.2	22.42	1.2	5.07	4.40
1015, HEINZ	450	0	0.4	1.8	0.8	21.91	1.7	5.03	4.47	450	0	0.4	1.8	0.8	21.91	1.7	5.03	4.47
9025, SVTM	320	0	0.2	3.3	0.5	22.91	2.2	5.83	4.34	429	0	0.3	2.7	0.4	22.99	1.8	5.81	4.33
9018, SVTM	90	0	0.4	1.8	0.6	22.58	1.3	5.63	4.32	394	0	0.3	1.4	0.7	22.51	1.5	5.45	4.34
9000, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	390	0	0.2	2.1	0.1	21.34	0.6	5.00	4.39
1662, HZ	105	0	0.3	2.1	0.5	22.54	1.4	4.87	4.37	358	0	0.2	2.1	0.9	22.65	1.2	4.82	4.37
13, BP	324	0	0.4	4.5	1.2	21.85	1.3	5.06	4.34	324	0	0.4	4.5	1.2	21.85	1.3	5.06	4.34
1082, SVTM	260	0	0.1	2.0	0.3	21.65	1.1	5.73	4.34	260	0	0.1	2.0	0.3	21.65	1.1	5.73	4.34
16112, UG	111	0	0.3	1.4	0.3	20.65	0.8	5.24	4.31	249	0	0.2	1.8	0.2	21.07	0.6	5.17	4.30
9019, SVTM	40	0	0.1	1.2	0.2	22.86	2.9	6.60	4.35	211	0	0.4	2.3	0.2	23.36	2.3	5.65	4.28
16609, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	205	0	0.1	0.9	0.3	21.59	1.9	5.55	4.33
4521, HMX 61P	139	0	0.2	1.3	0.3	21.46	1.0	5.22	4.39	199	0	0.3	1.3	0.5	21.54	0.9	5.29	4.39
6434, N	184	0	0.8	1.5	1.6	23.07	2.2	5.11	4.54	188	0	0.8	1.6	1.6	23.05	2.2	5.12	4.54
6426, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	186	0	1.4	2.8	0.4	20.98	0.8	4.69	4.36
6397, N	148	0	0.1	1.3	0.1	22.02	0.8	5.40	4.42	184	0	0.1	1.4	0.2	22.05	1.0	5.50	4.42
2016, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	176	0	0.2	3.7	0.4	21.13	0.7	4.87	4.36
43, BP	101	0	0.2	1.2	0.4	22.17	3.2	5.61	4.46	174	0	0.3	1.6	0.3	21.74	2.9	5.56	4.47
3842, BOS	38	0	1.6	1.9	0.4	20.93	1.7	5.75	4.49	170	0	0.9	1.4	0.2	21.56	1.8	5.62	4.46
8011, SV	162	0	1.0	1.5	0.2	22.49	2.1	4.35	4.48	167	0	1.0	1.5	0.2	22.49	2.1	4.36	4.48
9016, SVTM	164	0	0.3	1.2	0.4	22.05	1.3	5.89	4.35	164	0	0.3	1.2	0.4	22.05	1.3	5.89	4.35

2022 Processing Tomato Season
PTAB Analysis 7/30/22 - Statewide by Variety



Variety Name	Week Ending 7/30/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
72, BP	144	0	1.2	1.7	0.6	21.08	2.5	5.94	4.41	146	0	1.2	1.7	0.6	21.08	2.5	5.93	4.41
4680, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	140	0	0.1	4.0	0.2	20.69	1.1	5.29	4.40
9008, SVTM	137	0	0.2	1.1	0.1	22.17	0.7	5.57	4.36	137	0	0.2	1.1	0.1	22.17	0.7	5.57	4.36
5369, HMX61P	128	0	0.3	1.3	0.3	21.64	1.6	5.40	4.57	128	0	0.3	1.3	0.3	21.64	1.6	5.40	4.57
58841, HM	128	0	0.4	2.2	1.2	21.98	2.0	6.29	4.54	128	0	0.4	2.2	1.2	21.98	2.0	6.29	4.54
1996, HZ	101	0	0.3	1.6	0.5	19.84	0.6	5.56	4.36	101	0	0.3	1.6	0.5	19.84	0.6	5.56	4.36
UNCODED	25	0	1.6	2.8	0.9	21.54	4.6	5.67	4.60	98	0	0.8	2.3	0.5	21.05	2.2	5.27	4.48
8237, HM	93	0	0.0	0.9	0.4	21.16	0.2	5.95	4.30	93	0	0.0	0.9	0.4	21.16	0.2	5.95	4.30
6848, BOS	70	0	0.3	1.6	0.4	20.21	1.1	5.12	4.42	70	0	0.3	1.6	0.4	20.21	1.1	5.12	4.42
6845, BOS	18	0	0.1	1.3	0.3	20.31	5.5	5.72	4.57	63	0	0.1	2.3	0.2	20.45	3.3	5.65	4.44
169, NB	26	0	0.6	0.1	0.3	19.85	4.1	5.97	4.59	59	0	0.3	1.1	0.3	20.01	2.4	5.83	4.54
51,BP	54	0	0.5	3.0	0.5	22.93	1.3	5.21	4.26	54	0	0.5	3.0	0.5	22.93	1.3	5.21	4.26
6415, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	53	0	2.2	1.5	0.1	21.58	0.9	4.60	4.41
HEINZ TRIAL	46	0	0.5	4.4	0.6	22.43	0.9	4.73	4.31	46	0	0.5	4.4	0.6	22.43	0.9	4.73	4.31
4909, HMX	44	0	0.4	1.1	0.1	23.73	0.5	5.66	4.21	44	0	0.4	1.1	0.1	23.73	0.5	5.66	4.21
198, SSA	33	0	0.1	2.0	0.2	22.27	0.4	4.90	4.39	33	0	0.1	2.0	0.2	22.27	0.4	4.90	4.39
63, NB	13	0	0.1	10.5	0.3	21.73	1.0	4.87	4.43	13	0	0.1	10.5	0.3	21.73	1.0	4.87	4.43
4565, BOS	13	0	0.0	1.1	0.3	20.27	1.3	5.29	4.35	13	0	0.0	1.1	0.3	20.27	1.3	5.29	4.35
MISC TRIAL	4	0	0.3	1.6	0.3	21.25	1.4	5.23	4.37	9	0	1.1	1.1	0.3	21.33	1.1	4.84	4.45
5235, HM	9	0	0.8	1.6	0.3	19.61	1.4	5.44	4.34	9	0	0.8	1.6	0.3	19.61	1.4	5.44	4.34
MIX	1	0	0.5	0.5	0.0	20.00	1.5	5.80	4.36	5	0	0.6	1.0	0.4	21.20	1.5	5.54	4.41
8131, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	0.4	1.5	0.2	21.30	1.3	5.28	4.34
628507, HMC	5	0	0.3	1.6	0.4	20.20	1.1	5.38	4.44	5	0	0.3	1.6	0.4	20.20	1.1	5.38	4.44
71, BP	4	0	0.8	1.9	0.9	23.00	1.1	4.58	4.43	4	0	0.8	1.9	0.9	23.00	1.1	4.58	4.43
2128, HZ	3	0	0.0	0.8	0.5	20.50	1.8	5.07	4.56	3	0	0.0	0.8	0.5	20.50	1.8	5.07	4.56
9174, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	0.7	0.8	20.17	1.0	5.83	4.34
STATEWIDE	29,409	0.0	0.4	1.7	0.5	21.06	1.8	5.55	4.41	72,194	0.0	0.4	2.0	0.5	20.96	1.6	5.46	4.40