

2022 Processing Tomato Season
PTAB Analysis 8/13/22 - Statewide by Variety



Variety Name	Week Ending 8/13/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
5522, HM 61P	2,517	0	0.5	0.7	0.3	20.25	1.1	5.98	4.37	11,731	0	0.3	1.1	0.4	20.33	1.0	6.00	4.37
5608, HZ	993	0	1.1	1.9	0.3	20.17	1.6	5.20	4.46	9,732	0	0.9	1.9	0.4	20.32	1.5	5.14	4.45
273, BQ	95	0	0.5	3.4	1.1	20.88	2.7	5.06	4.39	8,668	0	0.5	2.1	0.6	21.33	1.9	5.30	4.40
403, BQ	211	0	1.1	1.7	0.7	21.20	2.6	5.47	4.40	8,324	0	0.3	2.4	0.7	21.27	2.4	5.46	4.37
7103, HMX61P	349	0	0.3	1.2	0.7	20.68	1.8	5.54	4.37	8,154	0	0.2	1.2	0.3	21.10	1.7	5.55	4.39
400, BQ	15	0	0.4	3.1	0.8	20.03	1.5	5.27	4.46	7,941	0	0.3	2.6	0.5	20.35	1.3	5.27	4.50
9027, SVTM	201	0	0.6	1.5	0.6	20.90	1.6	6.10	4.41	7,318	0	0.4	1.8	0.5	21.06	0.9	5.68	4.38
5511, HMX61P	719	0	0.8	2.2	0.8	21.32	6.7	5.81	4.54	5,217	0	0.7	1.8	0.4	21.11	4.3	5.77	4.48
6402, N	511	0	0.9	1.2	0.3	20.12	1.8	5.90	4.47	4,344	0	0.7	1.2	0.4	20.34	2.2	5.87	4.48
9013, SVTM	2,287	0	0.6	3.5	0.7	21.03	1.3	5.12	4.39	4,331	0	0.7	2.8	0.5	20.96	1.3	5.18	4.39
0811, BOS	1,332	0	0.6	1.8	0.8	20.44	1.0	5.00	4.39	3,842	0	0.5	2.0	0.7	20.48	0.9	5.06	4.37
8163, HM	735	0	1.4	0.9	0.7	20.44	1.4	6.00	4.47	3,809	0	0.7	1.1	0.5	20.47	1.3	5.97	4.44
4521, HMX 61P	2,108	0	0.4	1.5	0.3	20.97	0.5	5.72	4.37	3,574	0	0.4	1.4	0.3	20.98	0.6	5.64	4.36
6416, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,053	0	0.5	4.2	0.7	21.30	1.5	4.97	4.38
6428, N	2,617	0	0.8	3.5	0.6	21.74	1.8	5.22	4.48	2,999	0	0.9	3.6	0.6	21.83	1.7	5.19	4.47
9032, SVTM	231	0	0.3	5.2	2.3	21.54	1.2	5.84	4.34	2,702	0	0.2	1.7	0.8	22.23	1.3	5.45	4.30
9014, SVTM	837	0	1.4	1.6	0.6	21.16	2.2	5.46	4.47	2,171	0	1.1	1.7	0.5	20.91	1.7	5.61	4.43
9023, SVTM	1,111	0	0.7	1.9	0.5	21.90	1.4	5.41	4.42	2,130	0	0.6	1.4	0.4	21.99	1.2	5.33	4.40
6366, SUN	109	0	1.1	0.6	0.1	20.82	1.5	5.18	4.40	2,118	0	0.6	1.3	0.5	20.89	3.1	5.26	4.44
1082, SVTM	866	0	0.3	2.4	0.6	21.25	1.0	5.65	4.33	1,845	0	0.2	2.5	0.5	21.35	1.2	5.81	4.33
58841, HM	1,185	0	0.3	1.8	0.6	21.27	0.9	5.78	4.39	1,754	0	0.3	2.0	0.7	21.40	1.1	5.85	4.41
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,715	0	1.3	2.3	0.6	20.78	2.3	4.79	4.40
13, BP	380	0	0.3	4.8	0.9	21.54	1.8	4.70	4.35	1,664	0	0.5	4.1	1.2	21.73	1.8	4.87	4.36
3887, HM	407	0	1.8	2.7	0.3	21.65	2.6	5.58	4.45	1,618	0	1.3	2.9	0.2	21.68	2.6	5.69	4.45
9011, SVTM	940	0	1.1	0.9	0.3	20.88	1.3	5.69	4.38	1,614	0	1.0	1.0	0.4	20.86	1.5	5.69	4.38
5235, HM	1,167	0	1.1	2.7	1.0	20.82	1.5	5.13	4.41	1,454	0	1.0	2.7	0.9	20.72	1.6	5.20	4.42
9025, SVTM	451	0	0.7	1.2	0.2	22.44	0.4	5.35	4.27	1,283	0	0.5	1.5	0.3	22.39	0.9	5.57	4.28
1776, HZ	429	0	0.9	2.3	0.7	20.57	1.8	5.56	4.47	1,118	0	0.5	2.1	0.7	20.79	1.4	5.67	4.42
4909, HMX	518	0	1.1	1.0	0.2	22.59	1.1	5.63	4.28	1,095	0	1.0	1.0	0.3	22.78	1.1	5.60	4.27
1662, HZ	525	0	0.8	2.0	0.3	22.28	1.9	5.15	4.44	1,020	0	0.6	1.9	0.5	22.50	1.7	5.02	4.41
9012, SVTM	126	0	2.3	1.5	0.6	21.17	3.9	6.27	4.47	867	0	1.3	1.2	0.4	20.80	2.4	5.92	4.40
1015, HEINZ	207	0	0.7	3.7	0.9	20.58	1.5	5.51	4.47	849	0	0.5	2.3	0.9	21.62	1.9	5.17	4.47
9021, SVTM	796	0	0.7	3.4	0.8	21.76	0.9	5.00	4.33	827	0	0.7	3.3	0.8	21.74	0.9	5.01	4.33
9018, SVTM	222	0	0.2	1.3	0.7	21.42	0.8	5.31	4.25	764	0	0.2	1.3	0.8	21.97	1.1	5.31	4.30
6434, N	282	0	0.8	3.0	0.9	21.88	1.9	5.13	4.47	760	0	0.9	2.3	1.1	22.38	2.1	5.12	4.51
9016, SVTM	246	0	0.7	2.5	0.6	22.67	0.8	5.86	4.42	725	0	0.4	1.6	0.4	21.99	0.8	5.71	4.38
9019, SVTM	119	0	0.6	1.9	0.3	22.33	2.6	5.63	4.28	706	0	0.5	2.2	0.3	22.57	2.4	5.78	4.27
16112, UG	284	0	0.3	1.4	0.3	21.40	0.8	5.13	4.39	672	0	0.3	1.5	0.3	21.18	0.7	5.17	4.35
43, BP	317	0	1.2	2.5	0.5	21.09	1.3	5.94	4.50	564	0	0.9	2.2	0.4	21.50	2.1	5.86	4.50
8237, HM	271	0	0.2	1.7	0.8	21.03	0.6	5.69	4.32	556	0	0.2	1.4	0.5	21.23	0.4	5.64	4.31

2022 Processing Tomato Season
PTAB Analysis 8/13/22 - Statewide by Variety



Variety Name	Week Ending 8/13/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
1996, HZ	300	0	0.1	4.2	1.0	21.30	0.4	5.28	4.37	539	0	0.1	3.9	1.0	20.95	0.4	5.33	4.37
6475, N	338	0	0.8	3.8	0.6	21.51	1.1	4.93	4.53	534	0	0.9	5.7	0.8	21.34	1.2	4.78	4.50
8268, HM	302	0	0.4	2.2	0.3	19.73	1.5	5.69	4.47	528	0	0.3	2.2	0.3	19.89	1.6	5.72	4.47
9008, SVTM	241	0	0.7	1.0	0.4	21.94	2.5	5.74	4.34	510	0	0.5	1.0	0.3	21.97	1.7	5.69	4.36
9000, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	390	0	0.2	2.1	0.1	21.34	0.6	5.00	4.39
51,BP	263	0	0.3	5.1	1.8	24.45	2.0	4.92	4.35	370	0	0.4	4.3	1.4	24.00	1.8	4.99	4.32
0311, AB	218	0	1.6	1.5	0.2	20.79	1.3	5.78	4.35	365	0	1.7	1.5	0.2	20.89	1.4	5.76	4.34
6420, N	95	0	1.3	0.9	0.9	21.25	2.0	5.48	4.54	321	0	0.8	0.8	0.6	21.74	1.9	5.38	4.56
5369, HMX61P	169	0	0.7	1.4	0.5	21.85	1.1	5.63	4.55	297	0	0.5	1.4	0.4	21.76	1.3	5.53	4.56
63, NB	163	0	0.8	3.9	0.5	21.46	2.9	4.98	4.52	266	0	0.6	3.7	0.5	21.57	2.3	5.05	4.50
2016, HZ	76	0	0.2	1.4	0.4	19.82	0.4	5.27	4.38	252	0	0.2	3.0	0.4	20.74	0.6	4.99	4.37
6848, BOS	77	0	0.7	0.9	0.2	19.83	0.8	5.15	4.42	244	0	0.4	1.2	0.3	20.33	1.3	5.12	4.43
4680, BOS	99	0	0.2	2.9	0.3	19.69	0.4	5.39	4.36	239	0	0.2	3.5	0.2	20.28	0.8	5.33	4.38
6426, N	53	0	0.4	4.7	0.8	20.57	2.7	5.87	4.47	239	0	1.2	3.2	0.5	20.89	1.2	4.95	4.38
4885, HMX	233	0	1.9	0.6	0.3	21.86	1.9	4.69	4.47	233	0	1.9	0.6	0.3	21.86	1.9	4.69	4.47
4565, BOS	79	0	2.4	0.3	0.2	22.46	1.1	4.51	4.50	226	0	1.2	2.0	0.3	21.17	1.8	4.89	4.41
UNCODED	79	0	2.8	0.8	0.5	21.21	1.2	5.26	4.47	220	0	1.6	1.8	0.6	20.97	1.8	5.29	4.45
74, BP	74	0	0.5	4.1	0.6	20.18	2.2	6.19	4.53	219	0	1.1	3.3	0.8	20.91	2.2	5.75	4.49
6397, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	219	0	0.1	1.3	0.2	21.79	0.9	5.54	4.42
16609, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	205	0	0.1	0.9	0.3	21.59	1.9	5.55	4.33
72, BP	38	0	0.5	3.0	0.7	21.84	1.2	5.58	4.43	195	0	1.1	1.9	0.6	21.23	2.3	5.82	4.41
7885, HMX	176	0	1.5	1.5	0.5	20.21	0.8	4.72	4.57	176	0	1.5	1.5	0.5	20.21	0.8	4.72	4.57
6473, N	80	0	1.8	0.2	0.2	20.35	3.7	5.08	4.58	175	0	1.4	0.2	0.2	20.39	2.7	5.09	4.56
3842, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	170	0	0.9	1.4	0.2	21.56	1.8	5.62	4.46
8011, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	167	0	1.0	1.5	0.2	22.49	2.1	4.36	4.48
391, BQ	141	0	0.4	6.9	1.1	20.34	1.9	5.53	4.48	146	0	0.4	6.9	1.1	20.33	1.9	5.54	4.48
6460, N	110	0	0.1	9.2	1.4	22.20	0.5	5.29	4.36	110	0	0.1	9.2	1.4	22.20	0.5	5.29	4.36
6474, N	108	0	1.2	3.1	0.6	22.78	2.0	5.32	4.46	108	0	1.2	3.1	0.6	22.78	2.0	5.32	4.46
169, NB	10	0	1.1	1.0	0.4	20.63	3.7	5.71	4.54	90	0	0.6	1.0	0.3	20.13	2.8	5.90	4.54
60, BP	85	0	0.3	1.1	0.5	21.13	1.7	6.13	4.55	85	0	0.3	1.1	0.5	21.13	1.7	6.13	4.55
71, BP	70	0	0.4	0.8	0.6	21.45	2.2	5.70	4.59	82	0	0.4	0.9	0.7	21.49	2.0	5.66	4.58
413, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	78	0	3.4	5.6	1.1	21.83	2.1	4.46	4.50
88, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	72	0	0.5	0.2	0.3	20.81	2.3	5.30	4.50
6845, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	63	0	0.1	2.3	0.2	20.45	3.3	5.65	4.44
198, SSA	27	0	0.3	0.9	0.0	22.00	1.8	4.91	4.50	60	0	0.2	1.5	0.1	22.15	1.1	4.91	4.44
247, E	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	58	0	0.5	1.3	0.2	21.49	0.9	5.42	4.35
6415, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	53	0	2.2	1.5	0.1	21.58	0.9	4.60	4.41
6459, N	48	0	0.4	3.9	1.3	21.47	1.3	5.31	4.57	48	0	0.4	3.9	1.3	21.47	1.3	5.31	4.57
HEINZ TRIAL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	46	0	0.5	4.4	0.6	22.43	0.9	4.73	4.31

2022 Processing Tomato Season
PTAB Analysis 8/13/22 - Statewide by Variety



Variety Name	Week Ending 8/13/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
1991, HZ	24	0	0.7	1.5	0.4	19.81	1.3	4.95	4.38	24	0	0.7	1.5	0.4	19.81	1.3	4.95	4.38
1293, HZ	15	0	0.7	3.1	0.6	20.53	1.2	5.67	4.53	15	0	0.7	3.1	0.6	20.53	1.2	5.67	4.53
MISC TRIAL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11	0	1.2	1.0	0.3	21.23	1.2	4.99	4.44
MIX	1	0	1.0	0.0	0.0	21.50	1.0	5.10	4.29	10	0	1.1	0.7	0.3	21.05	1.4	5.62	4.37
628507, HMC	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	1.0	1.3	0.6	20.25	1.6	5.19	4.48
628512, HMC	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7	0	0.1	3.7	0.1	20.93	3.6	5.90	4.43
8131, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	0.4	1.5	0.2	21.30	1.3	5.28	4.34
9028, SVTM	4	0	0.5	2.3	0.0	20.75	1.3	5.05	4.54	4	0	0.5	2.3	0.0	20.75	1.3	5.05	4.54
627849, HMC	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4	0	0.6	2.9	1.0	22.50	8.6	5.68	4.47
2128, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.0	0.8	0.5	20.50	1.8	5.07	4.56
5341, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.0	4.5	0.5	20.33	3.3	6.00	4.46
9174, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	0.7	0.8	20.17	1.0	5.83	4.34
78, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.8	3.5	0.0	22.75	2.0	5.50	4.39
604, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.0	1.3	0.0	21.75	3.5	5.30	4.42
108, HYPEEL	1	0	1.0	5.0	1.5	24.00	3.0	5.70	4.42	1	0	1.0	5.0	1.5	24.00	3.0	5.70	4.42
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	2.0	0.5	22.50	0.5	5.80	4.42
1901, HZ	1	0	0.5	0.5	0.5	20.00	0.5	5.20	4.34	1	0	0.5	0.5	0.5	20.00	0.5	5.20	4.34
4569, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.5	20.50	2.5	5.50	4.48
6517, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	2.5	0.5	27.50	1.5	5.30	4.56
STATEWIDE	30,514	0.0	0.8	2.2	0.6	21.15	1.5	5.46	4.41	134,134	0.0	0.5	2.0	0.5	21.03	1.6	5.47	4.41