

2022 Processing Tomato Season
PTAB Analysis 8/20/22 - Statewide by Variety



Variety Name	Week Ending 8/20/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
5522, HM 61P	2,697	0	0.8	1.3	0.3	20.40	1.0	5.95	4.40	14,428	0	0.4	1.1	0.3	20.34	1.0	5.99	4.37
5608, HZ	245	0	1.2	2.4	0.9	21.31	1.6	4.72	4.47	9,977	0	0.9	2.0	0.4	20.35	1.5	5.13	4.45
273, BQ	125	0	0.9	4.7	1.2	21.01	3.1	4.99	4.39	8,793	0	0.5	2.2	0.7	21.32	1.9	5.29	4.40
7103, HMX61P	236	0	0.2	2.4	0.4	20.65	1.1	5.92	4.41	8,390	0	0.2	1.3	0.3	21.09	1.7	5.56	4.39
403, BQ	24	0	3.3	1.5	1.4	21.40	3.9	4.93	4.43	8,348	0	0.3	2.4	0.7	21.27	2.4	5.46	4.37
400, BQ	12	0	1.1	5.1	0.3	20.46	1.1	5.53	4.50	7,953	0	0.3	2.6	0.5	20.35	1.3	5.27	4.50
9027, SVTM	303	0	0.5	1.5	0.5	21.07	1.8	5.85	4.42	7,621	0	0.4	1.8	0.5	21.06	0.9	5.69	4.38
9013, SVTM	2,055	0	0.9	4.1	0.9	21.21	1.6	5.14	4.42	6,386	0	0.8	3.2	0.6	21.04	1.4	5.17	4.40
5511, HMX61P	769	0	0.6	1.8	0.3	21.50	4.1	5.46	4.47	5,986	0	0.7	1.8	0.4	21.16	4.3	5.73	4.47
6428, N	2,792	0	0.9	3.4	1.0	22.35	2.4	5.06	4.48	5,791	0	0.9	3.5	0.8	22.08	2.0	5.13	4.47
4521, HMX 61P	1,893	0	0.6	2.1	0.5	21.24	1.0	5.83	4.40	5,467	0	0.5	1.6	0.4	21.07	0.7	5.71	4.38
8163, HM	791	0	1.3	0.9	0.6	20.28	1.8	6.11	4.48	4,600	0	0.8	1.1	0.5	20.44	1.4	5.99	4.45
6402, N	99	0	0.5	0.4	0.1	20.74	1.4	5.65	4.46	4,443	0	0.7	1.2	0.4	20.35	2.2	5.87	4.48
0811, BOS	587	0	0.6	3.5	0.5	20.72	1.2	5.29	4.37	4,429	0	0.5	2.2	0.7	20.51	0.9	5.09	4.37
58841, HM	2,384	0	0.7	3.3	0.8	21.94	1.0	5.41	4.39	4,138	0	0.5	2.7	0.8	21.71	1.1	5.60	4.40
9014, SVTM	1,284	0	1.4	3.2	0.5	21.34	1.9	5.35	4.44	3,455	0	1.2	2.3	0.5	21.07	1.8	5.51	4.43
9023, SVTM	978	0	0.5	1.6	0.3	22.12	1.7	5.37	4.42	3,108	0	0.5	1.4	0.4	22.03	1.4	5.34	4.41
6416, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,053	0	0.5	4.2	0.7	21.30	1.5	4.97	4.38
1082, SVTM	1,154	0	0.5	3.3	0.3	21.14	1.4	5.71	4.33	3,000	0	0.3	2.8	0.4	21.27	1.2	5.77	4.33
5235, HM	1,408	0	1.2	2.8	0.6	21.27	2.7	5.15	4.44	2,862	0	1.1	2.8	0.8	20.99	2.1	5.17	4.43
9032, SVTM	5	0	0.4	2.3	0.1	21.20	0.7	5.56	4.29	2,707	0	0.2	1.7	0.8	22.22	1.3	5.45	4.30
9011, SVTM	800	0	1.9	0.7	0.1	20.59	2.7	5.54	4.43	2,414	0	1.3	0.9	0.3	20.77	1.9	5.64	4.40
1662, HZ	1,345	0	0.8	2.6	0.3	22.27	1.8	4.97	4.46	2,365	0	0.7	2.3	0.4	22.37	1.7	4.99	4.44
6366, SUN	181	0	1.4	1.3	0.5	21.18	1.0	5.09	4.44	2,299	0	0.7	1.3	0.5	20.92	3.0	5.25	4.44
9025, SVTM	966	0	0.4	3.8	0.8	21.93	0.8	5.69	4.27	2,249	0	0.4	2.5	0.5	22.19	0.9	5.62	4.28
1776, HZ	996	0	0.5	2.3	0.5	21.07	0.7	5.22	4.42	2,114	0	0.5	2.2	0.6	20.92	1.1	5.45	4.42
13, BP	410	0	0.7	5.2	1.6	22.28	2.4	5.06	4.40	2,074	0	0.5	4.3	1.3	21.84	1.9	4.90	4.36
3887, HM	362	0	3.2	2.5	0.4	21.30	2.8	5.55	4.45	1,980	0	1.6	2.8	0.3	21.61	2.7	5.67	4.45
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,715	0	1.3	2.3	0.6	20.78	2.3	4.79	4.40
6434, N	849	0	1.1	5.6	1.5	23.07	2.2	4.86	4.47	1,609	0	1.0	4.0	1.3	22.74	2.1	4.98	4.49
4909, HMX	368	0	1.7	1.2	0.3	22.54	0.9	5.84	4.27	1,463	0	1.2	1.1	0.3	22.72	1.0	5.66	4.27
9016, SVTM	571	0	0.3	3.8	1.2	22.08	0.9	5.63	4.33	1,296	0	0.3	2.6	0.7	22.03	0.8	5.67	4.36
9021, SVTM	349	0	0.7	3.2	0.8	21.82	1.1	5.06	4.32	1,176	0	0.7	3.3	0.8	21.77	1.0	5.02	4.33
9012, SVTM	286	0	2.1	1.2	0.5	21.04	2.7	6.17	4.45	1,153	0	1.5	1.2	0.5	20.86	2.5	5.98	4.41
1015, HEINZ	277	0	0.8	2.3	1.7	22.34	2.4	4.84	4.45	1,126	0	0.6	2.3	1.1	21.80	2.0	5.09	4.47
9019, SVTM	344	0	1.0	1.3	0.3	22.49	2.2	5.73	4.26	1,050	0	0.6	1.9	0.3	22.54	2.3	5.77	4.27
16112, UG	291	0	0.4	1.8	0.1	21.91	0.9	5.13	4.39	963	0	0.3	1.6	0.2	21.40	0.8	5.16	4.36
6475, N	364	0	1.2	4.5	0.9	21.31	1.1	4.88	4.54	898	0	1.1	5.2	0.8	21.33	1.2	4.82	4.52
1996, HZ	297	0	0.3	3.9	0.9	21.72	0.8	5.06	4.36	836	0	0.2	3.9	1.0	21.22	0.6	5.23	4.36
43, BP	243	0	1.1	3.4	0.4	21.29	1.2	5.96	4.52	807	0	0.9	2.5	0.4	21.43	1.8	5.89	4.50

2022 Processing Tomato Season
PTAB Analysis 8/20/22 - Statewide by Variety



Variety Name	Week Ending 8/20/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
9008, SVTM	259	0	0.9	1.6	0.3	21.26	1.5	5.81	4.34	769	0	0.6	1.2	0.3	21.73	1.6	5.73	4.36
9018, SVTM	5	0	0.5	0.4	0.4	20.70	0.9	4.84	4.21	769	0	0.2	1.3	0.8	21.96	1.1	5.30	4.30
8268, HM	219	0	0.7	3.3	0.4	20.52	3.3	5.61	4.44	747	0	0.4	2.6	0.3	20.08	2.1	5.69	4.46
4707, HEINZ	700	0	0.2	2.1	0.4	22.21	0.5	5.02	4.41	700	0	0.2	2.1	0.4	22.21	0.5	5.02	4.41
8237, HM	104	0	0.8	2.1	0.5	21.99	1.9	5.48	4.40	660	0	0.3	1.5	0.5	21.35	0.6	5.61	4.33
6848, BOS	400	0	1.2	6.0	0.9	19.88	1.1	4.92	4.43	644	0	0.9	4.2	0.7	20.05	1.2	5.00	4.43
0311, AB	207	0	0.8	0.8	0.1	21.03	1.7	5.64	4.36	571	0	1.3	1.3	0.2	20.94	1.5	5.71	4.35
51, BP	191	0	0.7	2.2	1.1	22.42	3.6	5.69	4.36	561	0	0.5	3.6	1.3	23.46	2.4	5.23	4.34
6420, N	177	0	1.3	1.1	0.3	21.32	1.6	5.33	4.53	498	0	1.0	0.9	0.5	21.59	1.8	5.36	4.55
6474, N	348	0	3.4	2.9	0.5	22.30	2.1	5.06	4.50	456	0	2.9	2.9	0.5	22.41	2.1	5.12	4.49
74, BP	220	0	0.5	1.6	0.3	20.42	1.0	5.74	4.46	439	0	0.8	2.4	0.5	20.66	1.6	5.75	4.47
5369, HMX61P	127	0	0.4	0.6	0.3	21.25	0.6	5.68	4.55	424	0	0.5	1.1	0.4	21.60	1.1	5.58	4.56
9000, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	390	0	0.2	2.1	0.1	21.34	0.6	5.00	4.39
6426, N	131	0	0.3	4.2	0.5	21.26	3.9	5.55	4.52	370	0	0.9	3.5	0.5	21.02	2.2	5.16	4.43
7885, HMX	175	0	1.0	2.0	0.3	20.42	1.3	4.83	4.57	351	0	1.2	1.8	0.4	20.31	1.1	4.78	4.57
4885, HMX	86	0	3.1	0.9	0.2	22.41	1.2	4.53	4.53	319	0	2.2	0.7	0.3	22.01	1.7	4.64	4.49
1991, HZ	278	0	1.7	2.3	0.3	20.08	2.2	4.85	4.43	302	0	1.7	2.3	0.3	20.06	2.1	4.86	4.43
63, NB	21	0	0.7	1.0	0.2	19.79	5.1	5.22	4.56	287	0	0.6	3.5	0.4	21.44	2.5	5.07	4.50
2016, HZ	7	0	0.4	6.1	1.1	20.93	1.9	5.54	4.43	259	0	0.2	3.1	0.4	20.74	0.6	5.00	4.37
4680, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	239	0	0.2	3.5	0.2	20.28	0.8	5.33	4.38
72, BP	31	0	1.0	3.2	0.3	20.63	1.0	5.48	4.37	226	0	1.1	2.1	0.6	21.14	2.1	5.78	4.41
4565, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	226	0	1.2	2.0	0.3	21.17	1.8	4.89	4.41
UNCODED	2	0	2.5	1.3	0.5	20.00	1.0	5.75	4.40	222	0	1.6	1.8	0.6	20.96	1.8	5.29	4.45
6397, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	219	0	0.1	1.3	0.2	21.79	0.9	5.54	4.42
16609, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	205	0	0.1	0.9	0.3	21.59	1.9	5.55	4.33
60, BP	103	0	0.4	1.7	0.4	20.85	1.6	6.14	4.56	188	0	0.3	1.4	0.4	20.98	1.6	6.14	4.56
413, BQ	99	0	2.2	5.1	0.8	21.92	2.3	5.13	4.56	177	0	2.7	5.3	0.9	21.88	2.2	4.84	4.53
6473, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	175	0	1.4	0.2	0.2	20.39	2.7	5.09	4.56
3842, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	170	0	0.9	1.4	0.2	21.56	1.8	5.62	4.46
8011, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	167	0	1.0	1.5	0.2	22.49	2.1	4.36	4.48
1428, HZ	160	0	0.4	3.9	0.5	20.42	0.3	4.96	4.43	160	0	0.4	3.9	0.5	20.42	0.3	4.96	4.43
391, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	146	0	0.4	6.9	1.1	20.33	1.9	5.54	4.48
6460, N	29	0	0.2	7.8	2.0	21.34	2.1	5.33	4.32	139	0	0.1	8.9	1.5	22.02	0.8	5.30	4.35
2012, HZ	130	0	0.3	2.6	0.5	22.48	0.8	5.24	4.40	130	0	0.3	2.6	0.5	22.48	0.8	5.24	4.40
169, NB	27	0	0.6	0.4	0.5	21.22	3.0	5.13	4.42	117	0	0.6	0.9	0.3	20.38	2.8	5.72	4.51
88, BP	39	0	1.6	1.5	0.1	20.42	3.9	5.90	4.57	111	0	0.9	0.6	0.2	20.68	2.9	5.51	4.52
9028, SVTM	101	0	0.6	3.4	0.2	20.42	2.5	5.19	4.53	105	0	0.6	3.3	0.2	20.43	2.4	5.18	4.53
0319, DRI	101	0	1.2	2.0	0.6	21.86	1.0	5.52	4.38	101	0	1.2	2.0	0.6	21.86	1.0	5.52	4.38
71, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	82	0	0.4	0.9	0.7	21.49	2.0	5.66	4.58

2022 Processing Tomato Season
PTAB Analysis 8/20/22 - Statewide by Variety



Variety Name	Week Ending 8/20/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
HEINZ TRIAL	27	0	2.3	5.0	0.7	21.11	3.9	5.50	4.38	73	0	1.2	4.7	0.7	21.95	2.0	5.02	4.34
6845, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	63	0	0.1	2.3	0.2	20.45	3.3	5.65	4.44
198, SSA	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	60	0	0.2	1.5	0.1	22.15	1.1	4.91	4.44
247, E	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	58	0	0.5	1.3	0.2	21.49	0.9	5.42	4.35
6415, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	53	0	2.2	1.5	0.1	21.58	0.9	4.60	4.41
MISC TRIAL	40	0	0.8	1.2	0.1	21.13	2.0	5.41	4.45	51	0	0.8	1.2	0.2	21.15	1.8	5.32	4.45
6459, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	48	0	0.4	3.9	1.3	21.47	1.3	5.31	4.57
1293, HZ	17	0	0.8	1.6	0.4	21.03	1.7	5.61	4.60	32	0	0.8	2.3	0.5	20.80	1.5	5.64	4.57
9038, SVTM	12	0	0.6	3.1	0.3	21.29	0.6	4.79	4.34	12	0	0.6	3.1	0.3	21.29	0.6	4.79	4.34
MIX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	1.1	0.7	0.3	21.05	1.4	5.62	4.37
628507, HMC	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	1.0	1.3	0.6	20.25	1.6	5.19	4.48
58811, HM	8	0	2.1	2.1	1.3	23.44	7.1	6.05	4.45	8	0	2.1	2.1	1.3	23.44	7.1	6.05	4.45
2010, HZ	7	0	0.3	0.9	0.9	21.00	1.9	5.94	4.41	7	0	0.3	0.9	0.9	21.00	1.9	5.94	4.41
628512, HMC	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7	0	0.1	3.7	0.1	20.93	3.6	5.90	4.43
8131, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	0.4	1.5	0.2	21.30	1.3	5.28	4.34
6441, N	4	0	0.3	3.6	0.4	22.13	0.8	5.30	4.52	4	0	0.3	3.6	0.4	22.13	0.8	5.30	4.52
627849, HMC	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4	0	0.6	2.9	1.0	22.50	8.6	5.68	4.47
2128, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.0	0.8	0.5	20.50	1.8	5.07	4.56
5341, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.0	4.5	0.5	20.33	3.3	6.00	4.46
9174, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	0.7	0.8	20.17	1.0	5.83	4.34
78, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.8	3.5	0.0	22.75	2.0	5.50	4.39
604, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.0	1.3	0.0	21.75	3.5	5.30	4.42
1901, HZ	1	0	4.0	0.0	0.0	21.50	3.0	5.00	4.50	2	0	2.3	0.3	0.3	20.75	1.8	5.10	4.42
108, HYPEEL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.0	5.0	1.5	24.00	3.0	5.70	4.42
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	2.0	0.5	22.50	0.5	5.80	4.42
4569, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.5	20.50	2.5	5.50	4.48
6517, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	2.5	0.5	27.50	1.5	5.30	4.56
STATEWIDE	33,733	0.0	0.9	2.7	0.6	21.47	1.7	5.40	4.42	167,867	0.0	0.6	2.1	0.5	21.12	1.6	5.46	4.41