

2022 Processing Tomato Season
PTAB Analysis 8/27/22 - Statewide by Variety



Variety Name	Week Ending 8/27/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
5522, HM 61P	1,954	0	0.9	1.1	0.4	20.93	0.9	5.81	4.40	16,382	0	0.4	1.1	0.3	20.41	1.0	5.97	4.38
6428, N	4,728	0	1.1	3.5	0.9	22.55	2.6	5.07	4.49	10,519	0	1.0	3.5	0.8	22.29	2.3	5.10	4.48
5608, HZ	152	0	2.7	1.8	0.3	20.80	2.6	4.60	4.51	10,129	0	0.9	2.0	0.4	20.35	1.5	5.13	4.45
9013, SVTM	2,726	0	1.3	3.2	1.0	21.53	2.3	5.23	4.45	9,112	0	0.9	3.2	0.8	21.19	1.7	5.19	4.42
273, BQ	29	0	0.9	5.9	6.6	23.53	2.6	5.46	4.56	8,822	0	0.5	2.2	0.7	21.33	1.9	5.29	4.40
7103, HMX61P	169	0	0.2	1.8	0.3	20.67	1.3	5.92	4.42	8,559	0	0.2	1.3	0.3	21.08	1.7	5.57	4.40
403, BQ	50	0	0.7	4.2	0.5	22.00	2.2	5.52	4.46	8,398	0	0.3	2.4	0.7	21.28	2.4	5.46	4.37
400, BQ	230	0	0.6	4.9	0.3	20.47	2.0	5.33	4.53	8,183	0	0.3	2.7	0.5	20.36	1.3	5.27	4.50
9027, SVTM	206	0	0.6	3.2	0.5	20.94	1.5	5.55	4.44	7,827	0	0.4	1.8	0.5	21.06	1.0	5.69	4.38
58841, HM	2,850	0	0.9	2.3	0.7	22.34	1.2	5.20	4.42	6,988	0	0.7	2.6	0.7	21.96	1.1	5.44	4.41
5511, HMX61P	359	0	0.7	1.5	0.2	22.13	2.2	5.22	4.44	6,345	0	0.7	1.8	0.4	21.22	4.2	5.70	4.47
4521, HMX 61P	746	0	0.9	3.0	0.5	21.16	1.0	5.71	4.40	6,213	0	0.5	1.8	0.4	21.08	0.8	5.71	4.38
8163, HM	679	0	1.2	0.6	0.5	20.79	1.8	5.89	4.51	5,279	0	0.8	1.0	0.5	20.48	1.4	5.98	4.46
0811, BOS	682	0	0.9	2.0	0.4	20.39	0.6	5.27	4.39	5,111	0	0.6	2.2	0.6	20.49	0.9	5.11	4.38
6402, N	225	0	1.0	0.7	0.4	21.03	1.4	5.15	4.50	4,668	0	0.7	1.2	0.4	20.38	2.2	5.83	4.48
9014, SVTM	1,209	0	1.3	2.7	0.4	21.62	2.4	5.26	4.47	4,664	0	1.2	2.4	0.5	21.21	2.0	5.45	4.44
1082, SVTM	1,324	0	0.7	1.5	0.5	22.12	1.4	5.54	4.35	4,324	0	0.5	2.4	0.5	21.53	1.3	5.70	4.34
1662, HZ	1,375	0	0.9	3.0	0.4	22.47	2.4	5.09	4.46	3,740	0	0.8	2.5	0.4	22.41	2.0	5.03	4.45
9023, SVTM	498	0	1.2	2.0	0.5	22.88	2.5	5.33	4.46	3,606	0	0.6	1.5	0.4	22.15	1.5	5.34	4.41
5235, HM	493	0	1.9	3.1	0.7	21.52	3.6	4.99	4.44	3,355	0	1.2	2.8	0.7	21.07	2.3	5.14	4.43
1776, HZ	941	0	0.8	2.6	0.6	20.83	0.7	5.51	4.44	3,055	0	0.6	2.4	0.6	20.90	1.0	5.47	4.43
6416, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,053	0	0.5	4.2	0.7	21.30	1.5	4.97	4.38
9025, SVTM	770	0	0.3	1.0	0.1	22.87	1.2	5.44	4.35	3,018	0	0.4	2.1	0.4	22.36	0.9	5.57	4.30
9016, SVTM	1,467	0	0.7	4.2	1.0	22.34	0.7	5.19	4.37	2,763	0	0.5	3.4	0.9	22.19	0.7	5.41	4.36
9032, SVTM	5	0	0.5	1.1	0.1	23.00	3.8	4.82	4.49	2,712	0	0.2	1.7	0.8	22.23	1.3	5.45	4.31
9021, SVTM	1,343	0	0.8	2.2	1.2	22.06	1.6	4.90	4.39	2,519	0	0.8	2.7	1.0	21.92	1.3	4.96	4.36
9011, SVTM	93	0	1.3	1.0	0.3	21.25	1.0	5.80	4.41	2,507	0	1.3	0.9	0.3	20.79	1.8	5.65	4.40
6434, N	851	0	1.0	4.4	1.6	23.60	2.0	5.07	4.49	2,460	0	1.0	4.2	1.4	23.04	2.1	5.01	4.49
13, BP	369	0	0.7	3.7	1.5	21.99	2.7	5.06	4.39	2,443	0	0.5	4.2	1.3	21.86	2.0	4.93	4.37
6366, SUN	9	0	0.9	1.9	0.3	20.94	1.5	5.33	4.55	2,308	0	0.7	1.3	0.5	20.92	3.0	5.25	4.44
3887, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,980	0	1.6	2.8	0.3	21.61	2.7	5.67	4.45
4707, HEINZ	1,091	0	0.4	3.2	1.7	23.10	1.3	4.92	4.46	1,791	0	0.3	2.8	1.2	22.75	1.0	4.96	4.44
4909, HMX	306	0	1.6	0.9	0.3	22.99	0.8	5.89	4.31	1,769	0	1.3	1.0	0.3	22.77	1.0	5.70	4.28
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,715	0	1.3	2.3	0.6	20.78	2.3	4.79	4.40
9012, SVTM	335	0	1.3	1.0	0.3	21.25	1.3	5.87	4.36	1,488	0	1.5	1.2	0.4	20.95	2.2	5.96	4.40
8268, HM	690	0	1.3	3.1	0.9	20.87	2.4	5.45	4.47	1,437	0	0.8	2.8	0.6	20.46	2.2	5.57	4.46
1015, HEINZ	264	0	0.9	2.3	1.2	21.59	1.4	4.63	4.43	1,390	0	0.7	2.3	1.1	21.76	1.9	5.00	4.46
43, BP	499	0	1.3	2.6	0.5	22.27	1.2	5.31	4.48	1,306	0	1.1	2.6	0.4	21.75	1.6	5.67	4.49
6475, N	383	0	0.9	1.8	0.4	21.94	1.6	5.02	4.53	1,281	0	1.0	4.2	0.7	21.51	1.3	4.88	4.52
9019, SVTM	208	0	0.6	0.5	0.3	23.26	1.9	5.36	4.26	1,258	0	0.6	1.7	0.3	22.66	2.2	5.70	4.26

2022 Processing Tomato Season
PTAB Analysis 8/27/22 - Statewide by Variety



Variety Name	Week Ending 8/27/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
16112, UG	275	0	0.3	1.8	0.2	21.16	1.2	5.36	4.42	1,238	0	0.3	1.6	0.2	21.35	0.9	5.20	4.38
9008, SVTM	354	0	0.6	2.8	0.3	21.47	1.2	5.65	4.32	1,123	0	0.6	1.7	0.3	21.65	1.5	5.71	4.34
6848, BOS	478	0	1.9	2.4	0.8	20.58	1.9	4.84	4.47	1,122	0	1.3	3.4	0.7	20.27	1.5	4.93	4.45
1996, HZ	231	0	0.6	3.1	0.5	20.97	1.1	5.10	4.45	1,067	0	0.3	3.8	0.9	21.17	0.7	5.21	4.38
8237, HM	272	0	1.3	2.4	0.7	21.73	2.2	5.05	4.41	933	0	0.6	1.8	0.6	21.47	1.1	5.45	4.35
9018, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	769	0	0.2	1.3	0.8	21.96	1.1	5.30	4.30
6420, N	233	0	1.1	1.1	0.4	21.98	2.2	5.09	4.57	731	0	1.0	1.0	0.5	21.72	1.9	5.27	4.55
5369, HMX61P	246	0	1.0	1.3	0.4	21.87	1.3	5.63	4.61	670	0	0.7	1.2	0.4	21.70	1.2	5.59	4.58
6474, N	134	0	2.5	3.7	0.9	22.93	1.7	4.91	4.47	590	0	2.8	3.1	0.6	22.53	2.0	5.07	4.49
74, BP	147	0	0.9	2.2	0.4	21.01	2.1	5.70	4.48	586	0	0.8	2.4	0.5	20.75	1.7	5.73	4.48
1428, HZ	415	0	0.4	3.4	0.7	20.90	0.5	5.00	4.47	575	0	0.4	3.5	0.6	20.77	0.4	4.99	4.46
0311, AB	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	571	0	1.3	1.3	0.2	20.94	1.5	5.71	4.35
51, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	561	0	0.5	3.6	1.3	23.46	2.4	5.23	4.34
7885, HMX	142	0	0.7	2.3	0.3	20.53	1.2	5.03	4.57	493	0	1.1	1.9	0.4	20.38	1.1	4.85	4.57
9000, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	390	0	0.2	2.1	0.1	21.34	0.6	5.00	4.39
6426, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	370	0	0.9	3.5	0.5	21.02	2.2	5.16	4.43
63, NB	79	0	1.5	1.0	0.9	21.73	9.0	4.99	4.63	366	0	0.8	2.9	0.5	21.50	4.0	5.05	4.53
4885, HMX	16	0	2.0	1.1	0.7	20.97	2.1	5.43	4.45	335	0	2.2	0.7	0.3	21.96	1.7	4.68	4.49
72, BP	105	0	1.6	1.6	0.2	22.02	2.3	5.33	4.45	331	0	1.2	1.9	0.4	21.42	2.2	5.63	4.42
UNCODED	108	0	1.7	7.0	2.8	21.06	1.9	5.41	4.45	330	0	1.6	3.5	1.3	20.99	1.8	5.33	4.45
1991, HZ	21	0	2.9	1.5	0.8	21.62	5.8	4.90	4.55	323	0	1.7	2.2	0.3	20.16	2.3	4.86	4.43
29814, UG	287	0	0.7	2.1	0.3	20.35	1.2	5.91	4.48	287	0	0.7	2.1	0.3	20.35	1.2	5.91	4.48
0319, DRI	166	0	1.1	1.4	0.4	22.98	1.4	5.39	4.42	267	0	1.1	1.6	0.5	22.56	1.2	5.44	4.40
2016, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	259	0	0.2	3.1	0.4	20.74	0.6	5.00	4.37
HEINZ TRIAL	171	0	1.0	4.1	0.6	25.63	7.3	4.81	4.44	244	0	1.0	4.3	0.6	24.53	5.7	4.87	4.41
4680, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	239	0	0.2	3.5	0.2	20.28	0.8	5.33	4.38
4565, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	226	0	1.2	2.0	0.3	21.17	1.8	4.89	4.41
6397, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	219	0	0.1	1.3	0.2	21.79	0.9	5.54	4.42
9028, SVTM	112	0	0.9	2.9	0.4	20.78	1.8	5.08	4.50	217	0	0.7	3.1	0.3	20.61	2.1	5.13	4.51
16609, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	205	0	0.1	0.9	0.3	21.59	1.9	5.55	4.33
60, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	188	0	0.3	1.4	0.4	20.98	1.6	6.14	4.56
413, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	177	0	2.7	5.3	0.9	21.88	2.2	4.84	4.53
6473, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	175	0	1.4	0.2	0.2	20.39	2.7	5.09	4.56
3842, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	170	0	0.9	1.4	0.2	21.56	1.8	5.62	4.46
8011, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	167	0	1.0	1.5	0.2	22.49	2.1	4.36	4.48
391, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	146	0	0.4	6.9	1.1	20.33	1.9	5.54	4.48
6460, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	139	0	0.1	8.9	1.5	22.02	0.8	5.30	4.35
2012, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	130	0	0.3	2.6	0.5	22.48	0.8	5.24	4.40
169, NB	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	117	0	0.6	0.9	0.3	20.38	2.8	5.72	4.51

2022 Processing Tomato Season
PTAB Analysis 8/27/22 - Statewide by Variety



Variety Name	Week Ending 8/27/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
88, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	111	0	0.9	0.6	0.2	20.68	2.9	5.51	4.52
71, BP	28	0	0.8	1.8	0.4	21.23	3.0	4.93	4.52	110	0	0.5	1.1	0.6	21.42	2.3	5.47	4.56
6441, N	91	0	0.4	1.9	0.4	21.47	0.6	5.35	4.53	95	0	0.4	1.9	0.4	21.50	0.6	5.35	4.53
6845, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	63	0	0.1	2.3	0.2	20.45	3.3	5.65	4.44
198, SSA	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	60	0	0.2	1.5	0.1	22.15	1.1	4.91	4.44
2010, HZ	52	0	0.5	0.5	0.2	21.13	1.8	5.94	4.40	59	0	0.4	0.6	0.3	21.12	1.8	5.94	4.40
247, E	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	58	0	0.5	1.3	0.2	21.49	0.9	5.42	4.35
6415, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	53	0	2.2	1.5	0.1	21.58	0.9	4.60	4.41
MISC TRIAL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	51	0	0.8	1.2	0.2	21.15	1.8	5.32	4.45
9038, SVTM	37	0	1.5	3.4	0.4	21.59	0.9	4.42	4.40	49	0	1.3	3.3	0.4	21.52	0.8	4.51	4.39
2401, HEINZ	48	0	1.3	1.7	0.2	21.83	2.9	5.12	4.43	48	0	1.3	1.7	0.2	21.83	2.9	5.12	4.43
6459, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	48	0	0.4	3.9	1.3	21.47	1.3	5.31	4.57
58811, HM	34	0	2.2	1.9	2.2	23.56	7.6	5.89	4.52	42	0	2.2	2.0	2.0	23.54	7.5	5.92	4.50
1293, HZ	6	0	0.2	1.7	1.2	20.25	0.3	6.30	4.49	38	0	0.7	2.2	0.6	20.71	1.3	5.74	4.55
9024, SVTM	35	0	0.3	6.9	0.8	21.04	0.5	5.83	4.26	35	0	0.3	6.9	0.8	21.04	0.5	5.83	4.26
628507, HMC	8	0	0.9	1.8	0.7	20.06	0.3	5.93	4.47	18	0	0.9	1.5	0.6	20.17	1.0	5.52	4.48
MIX	3	0	0.7	1.2	0.3	22.83	1.5	5.33	4.48	13	0	1.0	0.8	0.3	21.46	1.4	5.55	4.40
628512, HMC	3	0	0.2	3.7	0.7	22.00	9.8	5.17	4.47	10	0	0.2	3.7	0.3	21.25	5.5	5.68	4.44
627849, HMC	5	0	0.4	1.6	0.3	22.10	7.9	5.24	4.47	9	0	0.5	2.2	0.6	22.28	8.2	5.43	4.47
5341, BOS	5	0	0.5	3.2	0.7	20.20	2.6	5.36	4.40	8	0	0.3	3.7	0.6	20.25	2.9	5.60	4.42
2128, HZ	4	0	0.1	0.4	0.1	20.38	2.1	5.35	4.58	7	0	0.1	0.6	0.3	20.43	2.0	5.23	4.57
604, BQ	3	0	0.3	6.3	0.5	21.00	2.5	5.47	4.41	5	0	0.2	4.3	0.3	21.30	2.9	5.40	4.41
8131, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	0.4	1.5	0.2	21.30	1.3	5.28	4.34
29216, UG	4	0	1.5	0.6	0.1	20.88	11.5	5.20	4.53	4	0	1.5	0.6	0.1	20.88	11.5	5.20	4.53
8422, BOS	3	0	1.0	3.0	0.5	20.17	4.2	5.90	4.52	3	0	1.0	3.0	0.5	20.17	4.2	5.90	4.52
8423, BOS	3	0	1.3	2.3	0.3	20.67	6.2	5.80	4.50	3	0	1.3	2.3	0.3	20.67	6.2	5.80	4.50
9174, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	0.7	0.8	20.17	1.0	5.83	4.34
78, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.8	3.5	0.0	22.75	2.0	5.50	4.39
1901, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	2.3	0.3	0.3	20.75	1.8	5.10	4.42
49, BP	1	0	0.5	0.5	0.5	22.50	0.5	5.20	4.58	1	0	0.5	0.5	0.5	22.50	0.5	5.20	4.58
108, HYPEEL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.0	5.0	1.5	24.00	3.0	5.70	4.42
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	2.0	0.5	22.50	0.5	5.80	4.42
4569, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.5	20.50	2.5	5.50	4.48
6517, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	2.5	0.5	27.50	1.5	5.30	4.56
6617, UG	1	0	0.0	0.5	0.0	23.50	1.5	5.20	4.44	1	0	0.0	0.5	0.0	23.50	1.5	5.20	4.44
9022, SVTM	1	0	0.0	0.5	0.0	24.00	2.5	4.90	4.30	1	0	0.0	0.5	0.0	24.00	2.5	4.90	4.30
STATEWIDE	34,675	0.0	1.0	2.6	0.7	21.91	1.8	5.27	4.44	202,542	0.0	0.7	2.2	0.6	21.25	1.6	5.42	4.41