

2022 Processing Tomato Season
PTAB Analysis 09/10/22 - Statewide by Variety



Variety Name	Week Ending 9/10/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
5522, HM 61P	621	0	1.0	1.1	0.3	21.84	1.3	5.50	4.42	18,278	0	0.5	1.2	0.3	20.56	1.0	5.92	4.38
6428, N	2,633	0	2.6	3.0	1.3	22.88	3.6	4.74	4.53	17,824	0	1.6	3.4	1.0	22.56	2.7	4.97	4.49
9013, SVTM	2,393	0	1.6	2.2	0.7	21.54	2.8	5.10	4.47	14,656	0	1.1	2.9	0.8	21.25	2.0	5.18	4.43
58841, HM	3,451	0	1.1	1.5	0.6	22.30	1.2	5.18	4.44	13,782	0	0.9	2.1	0.6	22.04	1.2	5.37	4.42
5608, HZ	7	0	0.9	0.1	0.0	20.79	0.7	4.43	4.55	10,483	0	0.9	2.0	0.4	20.37	1.5	5.11	4.45
273, BQ	86	0	0.6	3.1	3.7	21.62	2.0	5.27	4.35	8,908	0	0.5	2.2	0.7	21.33	1.9	5.29	4.40
7103, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8,666	0	0.2	1.3	0.3	21.09	1.7	5.57	4.40
403, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8,398	0	0.3	2.4	0.7	21.28	2.4	5.46	4.37
400, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8,191	0	0.3	2.7	0.5	20.36	1.3	5.27	4.50
9027, SVTM	58	0	1.1	0.7	0.4	21.61	1.1	5.84	4.33	8,099	0	0.4	1.8	0.5	21.07	1.0	5.68	4.38
0811, BOS	420	0	1.3	1.1	0.3	20.87	1.5	5.22	4.45	7,998	0	1.0	1.9	0.5	20.48	0.9	5.16	4.39
9016, SVTM	3,453	0	1.3	2.7	0.6	22.25	1.0	5.22	4.40	7,953	0	0.9	2.9	0.7	22.27	0.8	5.27	4.38
1082, SVTM	2,083	0	1.0	2.1	0.7	21.84	1.9	5.67	4.34	7,916	0	0.7	2.2	0.6	21.70	1.6	5.65	4.34
5511, HMX61P	280	0	1.3	4.3	0.6	22.46	3.2	5.45	4.48	7,048	0	0.7	1.9	0.4	21.32	4.0	5.66	4.47
1662, HZ	1,931	0	1.6	3.5	0.8	22.75	2.6	5.19	4.46	6,964	0	1.0	3.0	0.6	22.57	2.2	5.08	4.45
4521, HMX 61P	364	0	1.7	2.7	0.8	21.76	1.2	5.50	4.41	6,845	0	0.6	1.9	0.4	21.14	0.8	5.68	4.38
8163, HM	407	0	2.1	1.1	0.9	21.21	1.8	5.66	4.49	6,315	0	1.0	1.0	0.6	20.57	1.5	5.95	4.46
9014, SVTM	551	0	1.7	2.8	0.7	21.16	2.1	5.32	4.47	6,288	0	1.3	2.4	0.5	21.18	1.9	5.42	4.45
9023, SVTM	1,004	0	1.9	1.9	0.8	22.89	3.2	5.39	4.47	4,949	0	0.9	1.6	0.5	22.34	1.9	5.36	4.43
6402, N	39	0	2.1	1.6	0.7	21.54	3.1	4.92	4.58	4,782	0	0.7	1.2	0.4	20.41	2.2	5.82	4.48
4707, HEINZ	924	0	1.1	4.2	1.1	23.32	1.4	4.94	4.46	4,403	0	0.6	3.0	1.1	23.11	1.2	4.89	4.45
1996, HZ	2,250	0	0.8	3.2	1.2	21.84	1.9	5.16	4.44	4,222	0	0.6	3.5	1.0	21.67	1.5	5.15	4.42
9025, SVTM	489	0	0.7	1.7	0.4	22.22	1.4	5.39	4.30	3,921	0	0.4	2.0	0.5	22.33	1.0	5.54	4.30
9021, SVTM	585	0	1.3	1.2	0.4	21.39	1.6	5.17	4.45	3,852	0	0.9	2.4	0.9	21.74	1.4	5.03	4.38
1776, HZ	218	0	0.9	2.8	0.4	22.04	1.6	5.43	4.52	3,753	0	0.7	2.7	0.7	21.05	1.1	5.45	4.44
5235, HM	24	0	0.5	2.3	0.8	20.00	1.7	5.65	4.38	3,551	0	1.2	2.7	0.7	21.07	2.3	5.15	4.43
6434, N	249	0	1.6	1.8	1.2	23.26	3.5	4.98	4.51	3,538	0	1.1	3.6	1.3	23.10	2.4	4.98	4.49
9011, SVTM	429	0	2.8	1.4	0.7	21.62	2.6	5.59	4.39	3,178	0	1.6	1.0	0.4	20.97	2.0	5.64	4.39
6416, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,053	0	0.5	4.2	0.7	21.30	1.5	4.97	4.38
8268, HM	741	0	1.0	1.1	0.5	21.55	2.4	5.30	4.45	2,908	0	0.9	2.1	0.6	20.85	2.3	5.45	4.45
9032, SVTM	11	0	1.1	1.8	0.7	21.59	0.6	5.19	4.38	2,794	0	0.2	1.8	0.8	22.21	1.3	5.45	4.31
43, BP	700	0	1.3	1.2	0.6	21.04	1.4	5.73	4.45	2,605	0	1.3	2.0	0.5	21.59	1.6	5.60	4.48
74, BP	1,304	0	1.5	1.6	0.3	21.47	2.0	5.34	4.47	2,587	0	1.4	2.0	0.4	21.18	1.9	5.42	4.47
6475, N	852	0	1.8	2.6	0.9	21.93	1.1	4.66	4.54	2,570	0	1.5	3.4	0.7	21.74	1.2	4.74	4.53
13, BP	1	0	1.0	0.5	1.0	21.50	6.0	4.90	4.42	2,504	0	0.5	4.2	1.3	21.86	2.0	4.92	4.37
6366, SUN	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,326	0	0.7	1.3	0.5	20.92	3.0	5.24	4.44
4909, HMX	92	0	2.9	1.1	0.5	23.76	0.7	5.14	4.27	2,025	0	1.4	1.0	0.3	22.82	1.0	5.71	4.28
3887, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,980	0	1.6	2.8	0.3	21.61	2.7	5.67	4.45
9008, SVTM	367	0	1.9	1.1	0.2	21.74	1.1	5.17	4.38	1,895	0	0.9	1.7	0.3	21.60	1.4	5.54	4.35
9012, SVTM	137	0	1.4	1.4	0.3	21.72	1.4	5.16	4.37	1,879	0	1.5	1.2	0.4	21.07	2.0	5.85	4.40

2022 Processing Tomato Season
PTAB Analysis 09/10/22 - Statewide by Variety



Variety Name	Week Ending 9/10/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
16112, UG	297	0	0.4	1.3	0.2	21.75	1.1	4.79	4.47	1,781	0	0.3	1.5	0.2	21.41	1.0	5.10	4.40
9019, SVTM	238	0	0.5	0.8	0.6	23.26	1.7	5.40	4.26	1,770	0	0.6	1.4	0.4	22.80	2.1	5.62	4.26
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,715	0	1.3	2.3	0.6	20.78	2.3	4.79	4.40
8237, HM	293	0	0.9	1.9	0.7	22.97	0.9	4.97	4.37	1,571	0	0.8	1.6	0.5	22.02	0.9	5.30	4.36
29814, UG	883	0	1.5	2.3	0.4	21.20	2.0	5.38	4.51	1,490	0	1.3	2.2	0.3	20.96	1.8	5.50	4.50
1015, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,390	0	0.7	2.3	1.1	21.76	1.9	5.00	4.46
6848, BOS	25	0	2.4	6.5	2.6	20.52	3.4	5.32	4.52	1,264	0	1.4	3.3	0.8	20.32	1.5	4.91	4.45
2015, HZ	1,028	0	1.6	2.3	0.9	21.28	3.2	4.55	4.51	1,198	0	1.4	2.4	0.9	21.25	2.9	4.50	4.49
6420, N	219	0	1.7	1.4	0.7	22.53	2.5	4.71	4.53	1,099	0	1.1	1.0	0.5	21.98	2.2	5.16	4.55
1428, HZ	286	0	0.7	3.0	1.8	22.40	2.2	4.88	4.58	961	0	0.5	3.6	1.2	21.36	1.0	4.97	4.50
6474, N	214	0	2.4	1.8	0.8	22.51	1.7	5.35	4.46	913	0	2.7	2.6	0.7	22.55	1.8	5.12	4.47
1991, HZ	206	0	7.4	2.5	1.9	21.37	3.9	4.82	4.53	827	0	3.3	2.5	0.8	20.73	3.7	4.90	4.46
9018, SVTM	41	0	1.1	1.5	1.9	21.77	1.2	5.56	4.43	810	0	0.3	1.3	0.8	21.95	1.1	5.32	4.31
5369, HMX61P	48	0	1.4	1.5	0.4	22.23	1.3	5.55	4.51	771	0	0.8	1.2	0.4	21.75	1.1	5.57	4.56
2016, HZ	316	0	0.5	3.4	0.6	21.76	1.5	4.49	4.41	758	0	0.4	3.9	0.5	21.32	1.1	4.73	4.38
0319, DRI	271	0	2.7	1.5	0.8	22.71	3.6	5.43	4.45	735	0	1.6	1.3	0.6	22.77	2.2	5.44	4.41
0311, AB	70	0	0.6	1.1	0.6	22.49	1.5	5.74	4.40	641	0	1.2	1.2	0.2	21.11	1.5	5.72	4.35
51, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	561	0	0.5	3.6	1.3	23.46	2.4	5.23	4.34
7885, HMX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	553	0	1.1	1.9	0.4	20.50	1.3	4.86	4.58
88, BP	249	0	1.7	0.8	0.4	21.47	2.7	5.04	4.54	541	0	1.3	0.8	0.4	21.31	2.3	5.13	4.51
2012, HZ	376	0	0.6	1.8	0.9	23.22	3.6	5.07	4.51	506	0	0.5	2.0	0.8	23.03	2.9	5.12	4.49
6473, N	73	0	1.9	2.6	1.0	21.77	2.3	4.52	4.53	497	0	2.1	2.2	1.3	20.99	2.3	4.79	4.55
9028, SVTM	114	0	1.5	2.0	0.6	20.97	2.0	4.95	4.47	496	0	0.9	2.5	0.4	20.95	2.0	4.91	4.49
2401, HEINZ	253	0	1.0	3.3	1.3	22.00	1.9	5.32	4.32	445	0	1.1	2.9	0.9	22.00	2.2	5.18	4.35
UNCODED	22	0	2.8	2.8	0.5	21.73	1.8	5.09	4.41	391	0	1.7	3.4	1.2	21.15	2.1	5.28	4.45
9000, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	390	0	0.2	2.1	0.1	21.34	0.6	5.00	4.39
72, BP	53	0	2.2	0.6	0.3	21.49	3.3	5.38	4.49	389	0	1.4	1.7	0.4	21.44	2.3	5.60	4.43
6426, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	370	0	0.9	3.5	0.5	21.02	2.2	5.16	4.43
63, NB	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	366	0	0.8	2.9	0.5	21.50	4.0	5.05	4.53
4885, HMX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	335	0	2.2	0.7	0.3	21.96	1.7	4.68	4.49
8011, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	328	0	1.5	1.3	0.2	21.67	2.5	4.96	4.48
HEINZ TRIAL	18	0	1.6	2.4	0.3	22.69	3.7	5.07	4.35	291	0	1.1	4.0	0.6	24.12	5.2	4.93	4.40
2010, HZ	161	0	0.3	0.9	0.8	21.95	2.9	5.51	4.45	285	0	0.3	0.7	0.5	21.55	2.3	5.57	4.41
4680, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	239	0	0.2	3.5	0.2	20.28	0.8	5.33	4.38
4565, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	226	0	1.2	2.0	0.3	21.17	1.8	4.89	4.41
6397, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	219	0	0.1	1.3	0.2	21.79	0.9	5.54	4.42
16609, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	205	0	0.1	0.9	0.3	21.59	1.9	5.55	4.33
60, BP	1	0	0.5	0.5	0.5	21.00	0.5	5.70	4.37	189	0	0.3	1.4	0.4	20.98	1.6	6.13	4.56
413, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	177	0	2.7	5.3	0.9	21.88	2.2	4.84	4.53

2022 Processing Tomato Season
PTAB Analysis 09/10/22 - Statewide by Variety



Variety Name	Week Ending 9/10/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
3842, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	170	0	0.9	1.4	0.2	21.56	1.8	5.62	4.46
1293, HZ	65	0	1.2	2.7	0.4	21.54	1.4	5.07	4.57	155	0	1.2	2.1	0.7	21.78	1.8	5.19	4.57
391, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	146	0	0.4	6.9	1.1	20.33	1.9	5.54	4.48
6460, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	139	0	0.1	8.9	1.5	22.02	0.8	5.30	4.35
58811, HM	82	0	1.1	1.2	0.3	23.24	1.6	5.11	4.44	139	0	1.4	1.4	0.9	23.59	3.5	5.35	4.46
169, NB	1	0	4.0	1.5	1.5	22.50	1.5	4.00	4.59	137	0	0.8	1.1	0.4	20.46	3.1	5.60	4.51
71, BP	24	0	2.3	0.7	0.3	22.13	2.1	4.93	4.55	134	0	0.8	1.0	0.5	21.55	2.2	5.37	4.56
9024, SVTM	61	0	1.0	1.7	0.5	22.13	1.4	5.34	4.35	111	0	0.8	3.2	0.5	21.69	1.0	5.56	4.32
1994, HZ	58	0	1.5	1.9	0.5	22.12	2.7	4.76	4.41	106	0	1.5	2.4	0.6	21.98	2.4	4.72	4.41
5508, HZ	96	0	1.5	3.6	0.3	22.22	1.1	4.20	4.51	96	0	1.5	3.6	0.3	22.22	1.1	4.20	4.51
6441, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	95	0	0.4	1.9	0.4	21.50	0.6	5.35	4.53
1657, HZ	94	0	0.2	4.4	0.7	19.74	0.6	5.26	4.46	94	0	0.2	4.4	0.7	19.74	0.6	5.26	4.46
9038, SVTM	24	0	2.0	2.8	1.2	22.38	1.6	4.59	4.52	73	0	1.5	3.2	0.7	21.80	1.1	4.54	4.43
2128, HZ	53	0	1.2	0.2	0.3	20.31	3.4	4.60	4.57	66	0	1.0	0.2	0.3	20.27	3.2	4.65	4.56
6845, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	63	0	0.1	2.3	0.2	20.45	3.3	5.65	4.44
198, SSA	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	60	0	0.2	1.5	0.1	22.15	1.1	4.91	4.44
247, E	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	58	0	0.5	1.3	0.2	21.49	0.9	5.42	4.35
9037, SVTM	54	0	1.5	1.5	0.4	22.30	1.3	5.05	4.40	54	0	1.5	1.5	0.4	22.30	1.3	5.05	4.40
6415, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	53	0	2.2	1.5	0.1	21.58	0.9	4.60	4.41
MISC TRIAL	1	0	2.0	1.0	0.0	22.00	2.0	5.20	4.53	52	0	0.9	1.2	0.2	21.16	1.8	5.31	4.45
6459, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	48	0	0.4	3.9	1.3	21.47	1.3	5.31	4.57
49, BP	35	0	2.4	1.0	0.3	23.53	1.8	4.53	4.48	36	0	2.4	1.0	0.3	23.50	1.8	4.55	4.48
628507, HMC	11	0	2.0	0.5	0.4	20.32	3.5	5.31	4.57	32	0	1.2	1.1	0.5	20.20	1.8	5.44	4.51
MIX	4	0	1.4	0.4	0.3	21.38	1.8	5.28	4.49	26	0	1.1	0.9	0.3	21.67	1.3	5.46	4.43
9030, SVTM	25	0	0.5	5.0	0.2	20.50	0.3	4.91	4.46	25	0	0.5	5.0	0.2	20.50	0.3	4.91	4.46
604, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	22	0	1.3	2.9	0.6	21.23	2.3	5.26	4.40
78, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	20	0	1.2	1.1	0.4	21.75	2.9	5.14	4.40
262, SSA	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	18	0	2.2	3.1	0.9	22.17	3.2	4.91	4.44
101, BP	10	0	0.7	0.9	0.3	21.75	3.2	4.63	4.53	10	0	0.7	0.9	0.3	21.75	3.2	4.63	4.53
628512, HMC	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	0.2	3.7	0.3	21.25	5.5	5.68	4.44
627849, HMC	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9	0	0.5	2.2	0.6	22.28	8.2	5.43	4.47
1311, HZ	8	0	0.4	1.9	0.8	19.75	1.5	4.90	4.55	8	0	0.4	1.9	0.8	19.75	1.5	4.90	4.55
5341, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8	0	0.3	3.7	0.6	20.25	2.9	5.60	4.42
1161, HEINZ	7	0	0.4	1.4	0.8	23.21	1.2	5.37	4.43	7	0	0.4	1.4	0.8	23.21	1.2	5.37	4.43
29216, UG	3	0	1.2	0.5	0.7	23.00	8.5	4.70	4.62	7	0	1.4	0.6	0.4	21.79	10.2	4.99	4.57
8131, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	0.4	1.5	0.2	21.30	1.3	5.28	4.34
6485, N	4	0	0.4	0.6	0.0	21.38	0.0	4.35	4.51	4	0	0.4	0.6	0.0	21.38	0.0	4.35	4.51
6517, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.5	2.2	0.3	24.33	1.3	5.23	4.44
8422, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.0	3.0	0.5	20.17	4.2	5.90	4.52

2022 Processing Tomato Season
PTAB Analysis 09/10/22 - Statewide by Variety



Variety Name	Week Ending 9/10/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
8423, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.3	2.3	0.3	20.67	6.2	5.80	4.50
9174, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	0.7	0.8	20.17	1.0	5.83	4.34
108, HYPEEL	1	0	9.0	1.0	1.0	24.50	3.0	3.50	4.63	2	0	5.0	3.0	1.3	24.25	3.0	4.60	4.53
1901, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	2.3	0.3	0.3	20.75	1.8	5.10	4.42
34, BP	1	0	1.5	0.5	0.0	20.50	4.5	5.10	4.62	1	0	1.5	0.5	0.0	20.50	4.5	5.10	4.62
42, BP	1	0	2.5	0.0	1.0	21.50	6.5	5.00	4.52	1	0	2.5	0.0	1.0	21.50	6.5	5.00	4.52
48, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.0	2.5	0.0	22.50	2.0	5.60	4.36
312, BQ	1	0	2.0	0.0	1.0	20.00	2.0	5.20	4.50	1	0	2.0	0.0	1.0	20.00	2.0	5.20	4.50
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	2.0	0.5	22.50	0.5	5.80	4.42
4569, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.5	20.50	2.5	5.50	4.48
6617, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.0	23.50	1.5	5.20	4.44
9022, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.0	24.00	2.5	4.90	4.30
10217, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	21.50	1.5	6.50	4.37
STATEWIDE	35,633	0.0	1.4	2.3	0.7	22.06	2.0	5.18	4.45	273,901	0.0	0.9	2.2	0.6	21.44	1.7	5.36	4.42