

2022 Processing Tomato Season
PTAB Analysis 09/17/22 - Statewide by Variety



Variety Name	Week Ending 9/17/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
5522, HM 61P	1,036	0	1.0	0.7	0.4	21.41	1.0	5.42	4.40	19,314	0	0.5	1.1	0.3	20.60	1.0	5.89	4.38
6428, N	990	0	1.7	2.0	1.2	22.76	2.9	5.01	4.53	18,814	0	1.6	3.3	1.1	22.57	2.7	4.97	4.49
58841, HM	4,847	0	1.2	1.0	0.6	22.15	0.8	5.12	4.45	18,630	0	1.0	1.8	0.6	22.07	1.1	5.30	4.43
9013, SVTM	2,472	0	1.5	1.9	0.9	21.22	2.1	5.10	4.49	17,129	0	1.2	2.7	0.8	21.25	2.0	5.17	4.44
9016, SVTM	4,278	0	2.6	3.0	0.6	22.00	0.9	5.12	4.43	12,230	0	1.5	2.9	0.7	22.17	0.8	5.22	4.40
5608, HZ	105	0	2.5	0.9	0.5	21.25	1.6	4.50	4.50	10,588	0	0.9	2.0	0.4	20.38	1.5	5.11	4.45
1662, HZ	2,410	0	1.5	2.8	1.3	22.43	2.2	5.17	4.47	9,374	0	1.2	2.9	0.8	22.53	2.2	5.11	4.45
273, BQ	112	0	0.7	4.4	3.5	21.87	2.0	5.24	4.37	9,020	0	0.5	2.2	0.7	21.34	1.9	5.29	4.40
1082, SVTM	965	0	1.2	1.5	0.7	21.86	2.6	5.48	4.34	8,882	0	0.7	2.1	0.6	21.72	1.7	5.63	4.34
7103, HMX61P	40	0	1.3	1.6	0.4	21.30	5.5	6.52	4.41	8,706	0	0.2	1.3	0.3	21.09	1.7	5.57	4.40
0811, BOS	565	0	1.7	2.1	1.4	20.92	1.6	4.95	4.44	8,563	0	1.1	1.9	0.6	20.51	0.9	5.15	4.39
403, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8,398	0	0.3	2.4	0.7	21.28	2.4	5.46	4.37
400, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8,191	0	0.3	2.7	0.5	20.36	1.3	5.27	4.50
9027, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8,099	0	0.4	1.8	0.5	21.07	1.0	5.68	4.38
4521, HMX 61P	447	0	1.6	2.1	0.6	22.01	1.1	5.28	4.44	7,292	0	0.7	1.9	0.4	21.20	0.8	5.66	4.39
5511, HMX61P	129	0	2.4	1.2	0.7	22.11	4.0	5.68	4.49	7,177	0	0.7	1.9	0.4	21.34	4.0	5.66	4.47
9014, SVTM	510	0	3.1	2.5	0.6	20.92	2.0	5.17	4.50	6,794	0	1.4	2.4	0.5	21.16	1.9	5.40	4.45
8163, HM	371	0	3.1	1.3	0.8	21.11	2.1	5.75	4.51	6,687	0	1.1	1.0	0.6	20.60	1.5	5.93	4.47
1996, HZ	2,046	0	1.2	2.2	1.4	21.01	1.4	5.18	4.47	6,268	0	0.8	3.1	1.2	21.46	1.5	5.16	4.43
9023, SVTM	636	0	1.2	1.3	0.7	22.82	2.5	5.26	4.48	5,585	0	1.0	1.5	0.5	22.39	1.9	5.34	4.43
4707, HEINZ	993	0	0.8	1.8	1.5	22.98	1.3	4.98	4.47	5,396	0	0.6	2.7	1.2	23.08	1.3	4.91	4.45
6402, N	74	0	1.1	0.1	0.5	20.76	1.3	5.92	4.46	4,856	0	0.7	1.2	0.4	20.41	2.2	5.82	4.48
9025, SVTM	547	0	0.8	2.0	0.4	22.46	1.4	5.41	4.32	4,467	0	0.5	2.0	0.4	22.34	1.1	5.52	4.30
9021, SVTM	527	0	1.4	1.3	0.5	21.15	1.3	5.34	4.40	4,379	0	1.0	2.3	0.9	21.67	1.4	5.07	4.39
6434, N	443	0	3.6	1.5	0.8	23.18	4.2	4.75	4.51	3,981	0	1.4	3.4	1.3	23.11	2.6	4.95	4.49
1776, HZ	193	0	1.8	1.8	0.2	22.12	1.4	5.02	4.58	3,946	0	0.7	2.6	0.7	21.11	1.1	5.43	4.45
74, BP	1,245	0	1.8	1.6	0.4	20.96	1.6	5.50	4.47	3,832	0	1.5	1.9	0.4	21.11	1.8	5.45	4.47
5235, HM	172	0	3.7	2.9	0.4	21.71	4.0	5.30	4.52	3,723	0	1.3	2.7	0.7	21.10	2.4	5.16	4.43
9011, SVTM	170	0	2.3	1.0	0.5	21.75	2.9	5.82	4.46	3,347	0	1.6	1.0	0.4	21.01	2.0	5.65	4.40
8268, HM	297	0	1.3	1.5	0.6	21.21	2.8	5.51	4.49	3,205	0	0.9	2.0	0.6	20.89	2.4	5.46	4.45
43, BP	523	0	2.0	0.8	0.6	21.67	1.7	5.49	4.51	3,128	0	1.4	1.8	0.5	21.61	1.6	5.58	4.48
6416, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,053	0	0.5	4.2	0.7	21.30	1.5	4.97	4.38
6475, N	334	0	4.0	2.2	0.5	21.82	1.7	4.94	4.60	2,904	0	1.8	3.3	0.7	21.75	1.2	4.77	4.54
9032, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,794	0	0.2	1.8	0.8	22.21	1.3	5.45	4.31
2015, HZ	1,515	0	1.6	2.7	1.3	20.43	2.1	4.48	4.47	2,713	0	1.5	2.5	1.1	20.79	2.5	4.49	4.48
29814, UG	1,043	0	2.9	2.6	0.6	20.81	1.3	5.20	4.50	2,533	0	1.9	2.3	0.5	20.90	1.6	5.38	4.50
13, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,504	0	0.5	4.2	1.3	21.86	2.0	4.92	4.37
6366, SUN	100	0	3.3	1.1	1.8	20.57	3.7	6.46	4.56	2,426	0	0.8	1.3	0.6	20.90	3.0	5.29	4.45
9012, SVTM	370	0	2.0	0.6	0.5	21.57	1.7	5.39	4.39	2,249	0	1.5	1.1	0.4	21.15	2.0	5.78	4.40
4909, HMX	20	0	5.0	0.8	0.3	24.05	0.4	4.94	4.32	2,045	0	1.4	1.0	0.3	22.83	1.0	5.70	4.28

2022 Processing Tomato Season
PTAB Analysis 09/17/22 - Statewide by Variety



Variety Name	Week Ending 9/17/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
9019, SVTM	265	0	0.9	0.9	0.4	23.55	2.2	5.38	4.34	2,039	0	0.7	1.3	0.4	22.89	2.1	5.59	4.27
3887, HM	57	0	0.9	0.5	1.1	22.94	1.7	5.18	4.40	2,037	0	1.6	2.8	0.3	21.65	2.6	5.65	4.45
9008, SVTM	93	0	3.0	1.0	0.1	22.33	1.2	5.07	4.45	1,988	0	1.0	1.6	0.2	21.64	1.4	5.52	4.36
16112, UG	115	0	0.3	0.8	0.1	21.28	1.4	4.97	4.50	1,896	0	0.3	1.4	0.2	21.41	1.0	5.09	4.41
8237, HM	232	0	1.8	2.7	0.6	23.01	1.5	5.08	4.41	1,803	0	0.9	1.8	0.5	22.15	1.0	5.27	4.36
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,715	0	1.3	2.3	0.6	20.78	2.3	4.79	4.40
1428, HZ	613	0	2.0	3.2	0.9	21.89	1.9	4.72	4.52	1,574	0	1.1	3.5	1.1	21.57	1.4	4.88	4.51
2016, HZ	687	0	1.6	1.6	0.7	20.72	2.6	4.79	4.46	1,445	0	1.0	2.8	0.6	21.03	1.8	4.76	4.42
1015, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,390	0	0.7	2.3	1.1	21.76	1.9	5.00	4.46
6848, BOS	108	0	0.8	3.6	2.0	20.58	0.6	4.34	4.45	1,372	0	1.4	3.3	0.9	20.34	1.4	4.86	4.45
6420, N	235	0	2.3	1.2	0.4	22.34	2.0	4.79	4.55	1,333	0	1.3	1.1	0.5	22.05	2.2	5.09	4.55
2012, HZ	644	0	0.6	3.4	0.8	22.62	1.8	5.14	4.48	1,150	0	0.5	2.8	0.8	22.80	2.3	5.13	4.48
6474, N	149	0	0.7	0.7	0.2	22.50	1.0	5.33	4.39	1,062	0	2.4	2.3	0.6	22.54	1.6	5.15	4.46
0319, DRI	312	0	4.6	0.9	0.8	22.78	2.5	5.59	4.47	1,047	0	2.5	1.2	0.7	22.78	2.3	5.48	4.43
1991, HZ	153	0	5.0	1.5	0.9	20.58	3.3	4.68	4.46	980	0	3.6	2.4	0.8	20.70	3.6	4.86	4.46
9018, SVTM	42	0	1.6	1.2	1.4	22.43	1.8	5.41	4.54	852	0	0.4	1.3	0.8	21.98	1.2	5.32	4.32
5369, HMX61P	60	0	0.5	1.0	0.4	23.08	2.0	5.72	4.59	831	0	0.8	1.2	0.4	21.84	1.2	5.58	4.57
88, BP	263	0	3.5	0.8	0.9	21.62	2.5	4.76	4.55	804	0	2.0	0.8	0.6	21.41	2.4	5.01	4.52
9028, SVTM	268	0	0.9	3.9	1.0	20.78	1.8	5.37	4.46	764	0	0.9	3.0	0.6	20.89	1.9	5.07	4.48
0311, AB	70	0	0.9	1.2	0.7	22.29	1.5	6.27	4.37	711	0	1.2	1.2	0.3	21.22	1.5	5.77	4.35
2401, HEINZ	158	0	4.3	4.8	0.9	21.90	2.3	4.60	4.38	603	0	1.9	3.4	0.9	21.98	2.2	5.03	4.36
6473, N	96	0	0.9	1.8	1.0	20.55	1.9	5.18	4.61	593	0	1.9	2.1	1.3	20.92	2.3	4.86	4.56
51,BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	561	0	0.5	3.6	1.3	23.46	2.4	5.23	4.34
7885, HMX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	553	0	1.1	1.9	0.4	20.50	1.3	4.86	4.58
UNCODED	37	0	3.3	2.8	0.4	20.64	0.9	4.76	4.43	428	0	1.9	3.4	1.1	21.11	2.0	5.23	4.45
5508, HZ	330	0	0.3	1.7	0.2	20.47	0.6	5.16	4.33	426	0	0.5	2.1	0.2	20.86	0.7	4.94	4.37
2010, HZ	111	0	1.5	0.8	2.1	21.98	4.5	4.88	4.48	396	0	0.7	0.7	0.9	21.67	2.9	5.38	4.43
9000, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	390	0	0.2	2.1	0.1	21.34	0.6	5.00	4.39
72, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	389	0	1.4	1.7	0.4	21.44	2.3	5.60	4.43
6426, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	370	0	0.9	3.5	0.5	21.02	2.2	5.16	4.43
63, NB	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	366	0	0.8	2.9	0.5	21.50	4.0	5.05	4.53
58811, HM	197	0	1.1	0.8	0.8	22.97	1.3	5.10	4.47	336	0	1.2	1.0	0.9	23.23	2.2	5.21	4.47
4885, HMX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	335	0	2.2	0.7	0.3	21.96	1.7	4.68	4.49
8011, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	328	0	1.5	1.3	0.2	21.67	2.5	4.96	4.48
HEINZ TRIAL	10	0	0.5	0.6	0.2	21.30	2.1	5.91	4.37	301	0	1.0	3.9	0.5	24.03	5.1	4.96	4.40
413, BQ	93	0	2.1	1.6	0.8	22.72	2.5	4.29	4.61	270	0	2.5	4.0	0.9	22.17	2.3	4.65	4.56
4680, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	239	0	0.2	3.5	0.2	20.28	0.8	5.33	4.38
1293, HZ	71	0	1.1	1.2	1.0	21.73	3.2	5.11	4.61	226	0	1.2	1.8	0.8	21.76	2.2	5.17	4.59
4565, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	226	0	1.2	2.0	0.3	21.17	1.8	4.89	4.41

2022 Processing Tomato Season
PTAB Analysis 09/17/22 - Statewide by Variety



Variety Name	Week Ending 9/17/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
6397, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	219	0	0.1	1.3	0.2	21.79	0.9	5.54	4.42
1994, HZ	110	0	1.6	1.4	0.4	22.23	2.1	4.97	4.37	216	0	1.5	1.9	0.5	22.10	2.3	4.85	4.39
9024, SVTM	101	0	1.3	1.6	0.4	22.80	0.9	4.90	4.41	212	0	1.0	2.4	0.5	22.22	1.0	5.25	4.36
16609, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	205	0	0.1	0.9	0.3	21.59	1.9	5.55	4.33
1310, HZ	192	0	4.2	4.7	0.7	21.77	2.8	4.52	4.55	192	0	4.2	4.7	0.7	21.77	2.8	4.52	4.55
60, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	189	0	0.3	1.4	0.4	20.98	1.6	6.13	4.56
71, BP	40	0	1.4	0.7	0.6	21.50	1.2	4.83	4.47	174	0	0.9	1.0	0.6	21.54	2.0	5.25	4.54
3842, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	170	0	0.9	1.4	0.2	21.56	1.8	5.62	4.46
391, BQ	1	0	0.0	0.0	0.5	19.50	0.0	5.10	4.36	147	0	0.4	6.8	1.1	20.33	1.9	5.54	4.48
6460, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	139	0	0.1	8.9	1.5	22.02	0.8	5.30	4.35
169, NB	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	137	0	0.8	1.1	0.4	20.46	3.1	5.60	4.51
9037, SVTM	71	0	1.0	0.7	0.3	23.08	2.0	5.74	4.44	125	0	1.2	1.0	0.4	22.74	1.7	5.44	4.42
9038, SVTM	34	0	0.5	1.4	0.7	23.00	0.8	5.08	4.36	107	0	1.2	2.6	0.7	22.18	1.0	4.71	4.41
6441, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	95	0	0.4	1.9	0.4	21.50	0.6	5.35	4.53
1657, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	94	0	0.2	4.4	0.7	19.74	0.6	5.26	4.46
6377, SSA	93	0	0.4	0.7	0.7	23.71	2.2	6.09	4.46	93	0	0.4	0.7	0.7	23.71	2.2	6.09	4.46
2128, HZ	8	0	1.8	0.9	1.0	19.94	2.3	5.05	4.58	74	0	1.1	0.3	0.4	20.24	3.1	4.69	4.56
6845, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	63	0	0.1	2.3	0.2	20.45	3.3	5.65	4.44
198, SSA	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	60	0	0.2	1.5	0.1	22.15	1.1	4.91	4.44
247, E	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	58	0	0.5	1.3	0.2	21.49	0.9	5.42	4.35
MISC TRIAL	1	0	0.0	0.0	1.5	23.00	0.0	4.90	4.46	53	0	0.8	1.1	0.2	21.20	1.8	5.31	4.45
6415, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	53	0	2.2	1.5	0.1	21.58	0.9	4.60	4.41
49, BP	14	0	3.1	0.7	0.2	23.68	2.1	4.39	4.51	50	0	2.6	0.9	0.3	23.55	1.9	4.50	4.49
6459, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	48	0	0.4	3.9	1.3	21.47	1.3	5.31	4.57
628507, HMC	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	32	0	1.2	1.1	0.5	20.20	1.8	5.44	4.51
MIX	5	0	1.9	1.4	0.6	21.00	2.1	5.68	4.44	31	0	1.3	1.0	0.4	21.56	1.4	5.50	4.43
9030, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	25	0	0.5	5.0	0.2	20.50	0.3	4.91	4.46
604, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	22	0	1.3	2.9	0.6	21.23	2.3	5.26	4.40
78, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	20	0	1.2	1.1	0.4	21.75	2.9	5.14	4.40
262, SSA	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	18	0	2.2	3.1	0.9	22.17	3.2	4.91	4.44
1161, HEINZ	8	0	0.3	0.8	0.6	23.25	1.7	5.48	4.47	15	0	0.3	1.0	0.7	23.23	1.5	5.43	4.45
5900, HM	15	0	0.4	0.5	0.4	23.63	1.1	5.36	4.45	15	0	0.4	0.5	0.4	23.63	1.1	5.36	4.45
101, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	0.7	0.9	0.3	21.75	3.2	4.63	4.53
628512, HMC	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	0.2	3.7	0.3	21.25	5.5	5.68	4.44
627849, HMC	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9	0	0.5	2.2	0.6	22.28	8.2	5.43	4.47
1311, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8	0	0.4	1.9	0.8	19.75	1.5	4.90	4.55
5341, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8	0	0.3	3.7	0.6	20.25	2.9	5.60	4.42
29216, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7	0	1.4	0.6	0.4	21.79	10.2	4.99	4.57
6485, N	2	0	1.0	0.8	0.5	21.25	1.5	4.75	4.48	6	0	0.6	0.7	0.2	21.33	0.5	4.48	4.50

2022 Processing Tomato Season
PTAB Analysis 09/17/22 - Statewide by Variety



Variety Name	Week Ending 9/17/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
8131, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	0.4	1.5	0.2	21.30	1.3	5.28	4.34
6517, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.5	2.2	0.3	24.33	1.3	5.23	4.44
8422, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.0	3.0	0.5	20.17	4.2	5.90	4.52
8423, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.3	2.3	0.3	20.67	6.2	5.80	4.50
9174, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	0.7	0.8	20.17	1.0	5.83	4.34
108, HYPEEL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	5.0	3.0	1.3	24.25	3.0	4.60	4.53
1901, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	2.3	0.3	0.3	20.75	1.8	5.10	4.42
9036, SVTM	2	0	0.8	0.5	0.5	23.75	2.5	5.40	4.49	2	0	0.8	0.5	0.5	23.75	2.5	5.40	4.49
34, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.5	0.5	0.0	20.50	4.5	5.10	4.62
42, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.5	0.0	1.0	21.50	6.5	5.00	4.52
48, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.0	2.5	0.0	22.50	2.0	5.60	4.36
312, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.0	0.0	1.0	20.00	2.0	5.20	4.50
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	2.0	0.5	22.50	0.5	5.80	4.42
2241, HZ	1	0	6.5	1.5	0.5	22.00	3.5	5.70	4.52	1	0	6.5	1.5	0.5	22.00	3.5	5.70	4.52
3817, UG	1	0	1.0	0.5	0.0	23.50	4.5	5.00	4.29	1	0	1.0	0.5	0.0	23.50	4.5	5.00	4.29
4569, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.5	20.50	2.5	5.50	4.48
6617, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.0	23.50	1.5	5.20	4.44
9022, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.0	24.00	2.5	4.90	4.30
10217, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	21.50	1.5	6.50	4.37
STATEWIDE	36,693	0.0	1.7	2.0	0.8	21.78	1.7	5.14	4.46	310,594	0.0	1.0	2.2	0.6	21.48	1.7	5.33	4.43